# PARTS BOOK

TO-35 TRACTOR GAS AND DIESEL

# **MASSEY FERGUSON**

• Production of the Control of the C	terre to the second of the sec	P CART LA CASA	


# FOREWORD

MASSEY-FERGUSON TRACTORS, COMBINES, BALERS AND IMPLEMENTS ARE DESIGNED AND BUILT FOR MAXIMUM PERFORMANCE AND LONG LIFE. ALL SERVICE PARTS ARE MANUFACTURED WITH THE SAME CARE AND PRECISION EXERCISED IN PRODUCTION.



STOCK AND SELL ONLY MASSEY-FERGUSON PARTS

YOUR CUSTOMER EXPECTS IT OF YOU




## PICTORIAL INDEX

GAS

Ref. No.	Description	Page
1	Air Cleaner	-
2	Clutch	42
3	Decals	166,168
4	Differential, Rear Axle & Brakes	186,188
5	Electrical System	170-174
6	Engine	128-140
7	Fenders and Platforms	2-14
8	Front Axle and Support	190
9	Front Wheels	142
10	Fuel System	182
11	Gear Shift	54-68
12	Governor	154-158
13	Hood and Attaching Parts	50
14	Hydraulic Cover and Controls	186,188
15	Hydraulic Linkage	198
16	Hydraulic Pump	194,196
17	Instrument Panel and Instruments	200,202
18	Oil Pan, Oil Pump	82
19	Power Take-off	14
20	Radiator and Water Pump	176
21	Rear Wheels	46
22	Seat	182,184
23	Steering Gear (Manual and Power)	190
24	Throttle and Choke	210
25	Transmission and Housing	50
26	Water Pump	154-158
		46

#### (GAS)

	Page
Air Cleaner	43
Belt Pulley and Drive	179
Brakes	175
Camshaft	7
Carbureter	61-69
Choke	51
Clutch	167,169
Clutch Controls Connecting Rods	161
Crankshaft	9
Cylinder Block	3,5
Cylinder Head	11
Decals	187.189
Differential	173
Differential Housing	163
Distributor	93-97
Drawbar and Supports	181
Electrical Wiring	87,89
Engine Gaskets and Seals	VI 13
Fenders	191
Flywheel	7
Front Axle and Support	143
Fuel Filter and Lines	55
Fuel Tank	55
Gear Shift	155-159
Generator	99-115
Governor	197 199
Hydraulic Breakaway Coupling	187,189
Hydraulic Lift Cover and Controls	199
Hydraulic Lift Links	197
Hydraulic Lift Shaft	197
Hydraulic Pull Behind Cylinder	211-215
Hydraulic Pumps	201,203
Hydraulic Valves	205-209 83
Instrument Panel and InstrumentsLighting Equipment	137-141
Manifold	43
Muffler	43
Oil Filter	41
Oil Gauge and Lines	37
Oil Pan	37
Oil Pump	37 187
Paint	9
Platforms	191
Power Steering Pump and Lines	145-153
P.T.O. Shaft, Lever and Fork	177
Radiator and Thermostat	47
Rear Axle and Housing	171
Safety Lamp	193 191
Stabilizer	195
Starter	117-127
Steering Gear	145-149
Throttle	51
Timing Gears	7
Timing Gear Cover	3,5
Tools	193
Transmission	155-159 161
Transmission Case	161
Valves	47
Wheels	183,185
HIGGTO:	



#### PICTORIAL INDEX

### DIESEL

Ref. No.	Description	Page
1	Air Cleaner	44
2	Clutch	166,168
3	Decals	186,188
4	Differential, Rear Axle & Brakes	170-174
	Electrical System	128-140
5	Engine	16-34
6	Fenders and Platforms	190
7	Front Axle and Support	142
8	Front Wheels	182
9	Fuel System	54-68
10	Fuel System	154-158
11	Gear Shift	186-188
12	Hood and Attaching Parts	198
13	Hydraulic Cover and Controls	194-196
14	Hydraulic Linkage	200,202
15	Hydraulic Pump	
16	Instrument Panel and Instruments	84
17	Lighting Equipment	136-140
18	Lubricating System	36-40
19	Power Take-off	176
20	Radiator and Water Pump	48
21	Rear Wheels	182,184
22	Seat	190
23	Steering Gear (Manual and Power)	146-148
24	Throttle and Fuel Shut-off	52
	Transmission and Housing	154-158
25	Water Pump	48
26	HELCI Fampitte	

1st Print

#### GROUP INDEX

#### (STANDARD MOTORS DIESEL)

	Page
Air Cleaner	45
Air Cleaner Shut-off	53
Belt Pulley and Drive	179
Brakes	175
Camshaft	19,29
Clutch Controls	167,169
Clutch Controls	161
Crankshaft	21,31
Cylinder Block	19,29 17,27
Cylinder Head	23.33
Decals	187,189
Differential	173
Differential Housing	163
Drawbar and Support	181
Electrical Wiring	91
Engine	VI
Engine Gasket Kits	25,35
Fonders	191
FlywheelFront Axle and Support	
Fuel Filters (Sediment Bowl)	143 57
Fuel Filters and Lines	57
Fuel Pump	59
Fuel Shut-off Control	53
Fuel Tank	57
Gear Shift	155-159
Generator	99-115
Hood and Attaching Parts	187,189
Hydraulic Breakaway Coupling	217 199
Hydraulic Lift Links	197
Hydraulic Lift Shaft	197
Hydraulic Pull Behind Cylinder	211-215
Hydraulic Pump	201,203
Hydraulic Valves	205-209
Injection Nozzles	77
Injection Pump and Drive	79,81
Instrument Panel and Instruments	85 137-141
Lighting Equipment	45
Muffler	45
011 Filter	41
0il Pan	39
Oil Pressure Gauge and Lines	39
Oil Pump	39
Paint  Pistons and Rings	187
Platforms	191
Power Steering Pump and Lines	145-153
P.T.O. Shaft, Lever and Fork	177
Radiator and Thermostat	49
Rear Axle and Housing	171
Safety Lamp	193
Seat	191
Stabilizer Starter and Solenoid	195 117-127
Steering Gear	145-149
Throttle	53
Timing Gears	19,29
Timing Gear Cover	17,27
Tools	193
Transmission	155-159
Transmission Case	161
Valves	23,33
Water Pump	
	,

TO-35 TRACTOR


	181 506 M92	Engine Assembly,	Gas (Reg. Alt.) (Single Clutch)
(A)	184 599 M91	Engine Assembly,	Gas (Reg. Alt.) (Dual Clutch)
(B)	181 507 M92	Engine Assembly,	Gas (Reg. Alt.) (Dual Clutch)
	184 600 M91	Engine Assembly,	Gas (Reg. Alt.) (Dual Clutch)
(C)	829 347 M91	Engine Assembly,	Gas (Hi-Alt.) (Dual Clutch) (Standard Motors)
(D)	828 137 M91	Engine Assembly.	Diesel (Dual Clutch) (Standard Motors)


# SERIAL NUMBERS ARE IMPORTANT

Always give COMPLETE Tractor and Engine Serial Numbers when ordering parts. Orders are often delayed in filling due to the omission of necessary Engine or Tractor Data.


#### ENGINE SERIAL NUMBER

# TRACTOR SERIAL NUMBER





### SERIAL NUMBER DATA



Notes: (A) - Used Tractor Serial Number 177 538 and up.

(B) - Used Prior to Tractor Serial Number 177 538. (C) - Used Tractor Scrial Number 188 851 and up.

(D) - Used Prior to Tractor Serial Number 188 851.

#### UNITED STATES

FACTORY BRANCHES

LOS ANGELES

CALIFORNIA

CALIFORNIA - Dealers Cont'd.

SOUTH SAN FRANCISCO

COLORADO

DENVER

JACKSONVILLE

FLORIDA

CHICAGO

ILLINOIS

BALTIMORE

MARYLAND

BOSTON

MASSACHUSETTS

NEW JERSEY

ENGLEWOOD

TEXAS

HOUSTON

WASHINGTON

SEATTLE

DEALERS

ALABAMA

BIRMINGHAM

Birmingham Electric Battery Company

Industrial Hydraulics

MOBILE

Benson-Saunders Specialty Inc.

ALASKA

SPENARD

Alaska Diesel Service Inc.

ARIZONA

CASA GRANDE

Diesel Electric Service Company

Southwest Diesel Injection Co.

ARKANSAS

DE WITT

Graves Electric Company

JONESBORO

Northeast Diesel

NORTH LITTLE ROCK

Taylor Diesel Service

SPRINGDALE

Diesel Service & Supply, Inc.

CALIFORNIA

BAKERSFIELD

Automotive Diesel & Electric Co.

EL CENTRO

Valley Automotive & Diesel Service

EL MONTE

United Diesel Service

FRESNO

Diesel Energy company

Rutter Armsy Bearing and Machine Works

LONG BEACH

Advance Fuel Systems

OAKLAND

Diesel Injection & Governor Service

SACRAMENTO

Diesel Pump & Injector Service

SAN DIEGO

Diesel Electric Sales & Service, Inc.

National Pump & Injector Sales & Service

WILMINGTON

Diesel Control Corporation

COLORADO

Fred's Auto Machine Shop

Diesel's Inc.

CONNECTICUT

HARTFORD

W. J. Connell Company

NEW HAVEN

Clark-Sons, Inc.

DELAWARE

Benson Fuel Injection Company

WILMINGTON

Philadelphia Diesel Inc.

DISTRICT OF COLUMBIA

WASHINGTON

Auto Equipment Company

FLORIDA

FORT LAUDERDALE

R.P.M. Diesel Engine Company

FORT MYERS

Gulf Coast Diesel Injection Service

MIANI

Florida Diesel & Electric Co.

Small Engine & Diesel Inc.

OCALA

Williams Diesel Carburetor & Electric

ORLANDO

Interstate Diesel Service

TAMPA

Stuart Diesel Service

#### UNITED STATES

ATLANTA

GEORGIA

Auto Electric & Magneto Co.

CAIRO

Grady Motors

WAYCROSS

Motor Parts Company

HONOLULU

HAWAII

Diesel Injector Service

Hawaiian Equipment Co. Ltd.

BOISE

IDAHO

Magneto & Diesel Supply

TWIN FALLS

United Automotive Service Inc.

FLANKLIN PARK

ILLINOIS

United Diesel Service, Inc.

MENDOTA

Mendota Diesel & Truck Service

PEORIA

Automotive Ignition Company

SOUTH BELOIT

Fuel Injection & Accessory Service

INDIANA

**EVANSVILLE** 

Evansville Auto Parts, Inc.

INDIANAPOLIS

Eagle Machine Co., Inc.

MENTONE

Smith Brothers Garage

AWOI

CEDAR RAPIDS

Van's Fuel Injector Service

DES MOINES

Electrical Service & Sales Co.

KEOKUK

Harding Diesel Injector Service

SIOUX CITY

Diesel Specialties Inc.

KANSAS

COLBY

Colby Diesel Service

GREAT BEND

Bell Engine Service

GRINNELL

Grinnell Electric Diesel Service

HUTCHINSON

Hutchinson Diesel Service

KANSAS - cont'd.

KANSAS CITY

Automotive & Diesel Equip. Service

PLAINVILLE

Carmichael Magneto & Diesel Service

BALINA

The Motor Service Co.

KENTUCKY

LOUISVILLE

Diesel Injection Service Co.

LOUISIANA

BATON ROUGE

Womack Brothers Diesel Service

MORGAN CITY

Landry & Simoneaux Diesel Service Inc.

NEW IBERIA

Arthur A. Castille

NEW ORLEANS

Gerhardt's Inc.

**OPELOUSAS** 

J. L. Herbert Engine Sales & Service

SHREVEPORT

Vaughn & Bush, Inc.

WEST MONROE

McQueen's Injection Service

MAINE

CARIBOU

Belanger's Auto Electric Co.

PORTLAND

W.J. Connell Company

MARYLAND

GLEN BURNIE

Maryland Diesel Service, Div. of Parks & Hull Automotive Corporation

MASSACHUSETTS

SPRINGFIELD

C. A. Krohne & Sons

MICHIGAN

DETROIT

Auto Electric & Service Corporation

GRAND RAPIDS

Diesel Parts Co., Inc.

Peninsular Engineering & Sales Inc.

IRON RIVER

David A. MacPherson

ISHPEMING

Andriacchi Magneto Co.

LANSING

Diesel Equipment Sales

#### UNITED STATES

MINNESOTA HIBBING

Diesel Service Company

MINNEAPOLIS Diesel Service & Supply

MISSISSIPPI

Womack Brothers, Inc.

GREENVILLE

J. & H. Diesel Service

JACKSON

Womack Brothers, Inc.

MERIDIAN

Diesel Fuel Injection Service

MISSOURI

JOPLIN

Joplin Diesel Injection Sales & Service

KANSAS CITY

Electrical and Magneto Service Co., Inc.

ST. LOUIS

Diesel Fuel Injection Service, Inc.

MONTANA

BILLINGS

Original Equipment, Inc.

GREAT FALLS

Gomer & Son

Midwest Diesel Injection Sales & Service

Gas Diesel & Truck Shop

SHELBY

Berube Electric

NEBRASKA

BEATRIC

Sprague Electric Service

COLUMBUS

Automotive Sales & Service

Modern Equipment Diesel Service

HASTINGS

Fobben Diesel Service

KIMBALL

Diesel Service Inc.

LINCOLN

Carl A. Anderson, Inc.

McCOOK

Automotive Sales & Service

NORFOLK

Looker's, Inc.

NORTH PLATTE Reitan Service Co.

NEBRASKA - cont'd.

AHAMO

Carl A. Anderson, Inc.

NEVADA

LAS VEGAS

Diesel Electric Service Co. of Nevada

NEW JERSEY

ELIZABETH

Jersey Diesel Sales

NEWARK

Tire Trading Company, Inc.

ROCHELLE PARK

Eastern Process Co., Inc.

NEW MEXICO

ALBUQUERQUE

Central Auto Electric Company

NEW YORK

BUFFALO

Donnelly Diesel Service, Inc.

Hettrich Electric Service, Inc.

BROOKLYN

A & D Diesel Service, Inc.

EAST NORTHPORT

Diesel Injection Service

East Coast Diesel Co.

NEWBURGH

Kozaczek Brothers

ROCHESTER

Union Carburetor and Ignition Service

SYRACUSE

Ted's Electrical Services

NORTH CAROLINA

CHARLOTTE

Diesel Injection Sales & Service

RALEIGH

Diesel Injection Sales & Service

NORTH DAKOTA

BISMARCK

Meld, Inc.

FARGO

Midland Diesel Service & Engine Co.

GRAND FORKS

Midland Diesel Service & Engine Co.

MINOT

Midland Diesel Service & Engine Co.

OHIO

Austin Ignition Company Standard Motor Parts

CINCINNATI

Diesel Injection Service Co.

Printed in U.S.A. 1st Print

TO-35 TRACTOR

693 063 M4 (Issue 1) 9/70

#### UNITED STATES

OHIO - cont'd. CLEVELAND

The Cleveland Ignition Co. Fluid Mechanics

COLUMBUS

Brooks Ignition & Diesel Service

COLUMBUS GROVE Northwest Fuel Injection

DAYTON

John's Specialized Service

DOVER

Warther's Auto Electric

TOLEDO

Diesel Truck Equipment

OKLAHOMA

CHICKASHA Diesel Pump Service Co.

OKLAHOMA CITY American Electric Ignition Co.

TULSA

Magneto Ignition Company

OREGON

PORTLAND

Automotive Products, Inc.

ROSEBURG

Diesel Injection Service

PENNSYLVANIA

ALLENTOWN Fuel Injection Sales & Service Co.

ERIE

A. R. Beatty Diesel Sales and Service

HARRISBURG

Penn Diesel Service

HAZLETON

Penn Diesel Service

PHILADELPHIA

Philadelphia Diesel Inc.

PITTSBURGH

Automotive Ignition Co., Inc.

SOUTH CAROLINA

CHARLESTON

Diesel Injection Sales & Service

CHARLESTON HEIGHTS

Diesel Engineers, Inc.

COLUMBIA

Diesel Injection Sales & Service

SOUTH DAKOTA

WINNER

Shamrock Diesel Service

TENNESSEE

CHATTANOOGA

Auto Diesel Sales & Service Co., Inc.

TENNESSEE - cont'd.

JOHNSON CITY

Auto Diesel Sales & Service Co.

KNOXVILLE

Auto Diesel Sales & Service

MEMPHIS

Automotive Electric Service Co., Inc. M & M Fuel Injections Taylor Diesel Service

NASHVILLE

Auto Diesel Sales & Service Co.

TEXAS

ANARILLO

Wilson Battery & Electric

BROWNSVILLE

Diesel Fuel Injection Service

CORPUS CHRISTI

Diesel Injection Service

DALLAS

Texas Fuel Injection Service

EL PASO

Border Electrical Division Central Auto Electric Co.

**ODESSA** 

Electric Service & Supply

SAN ANTONIO

Monroe Diesel & Injector Service

TYLER

East Texas Fuel Injection

UTAH

SALT LAKE CITY

Diesel Electric Service & Supply Co.

VERNAL

Superior Diesel Service

VIRGINIA

FALLS CHURCH

Diesel Injection Sales & Service

HARRISONBURG

Valley Distributors, Inc.

NORFOLK

Diesel Injection Sales & Service

RICHMOND

Diesel Injection Sales & Service

SALEM

Diesel Injection Sales & Service

WASHINGTON

SPOKANE

Spokane Diesel, Inc.

UNITED STATES

WEST VIRGINIA

CLARKSBURG

Craig Motor Service Co., Inc.

GREEN BAY

Lucia Auto Motive Inc.

WISCONSIN

MADISON Diesel Injection Service

Young Brothers, Inc.

MILWAUKEE

Fuel Injection & Electric Co.

WAUSAU

Young Brothers, Inc.

PUERTO RICO

Tecno-Diesel

#### CANADA

JOSEPH LUCAS (CANADA) LTD.

ONTARIO TORONTO (Scarborough)

MONTREAL

QUEBEC

DEALERS

ALBERTA

CALGARY

Hutton's Limited

EDMONTON

Loveseth Limited

Smith's Battery & Electric Ltd.

United Diesel Injection Ltd.

LETHBRIDGE

Hutton's Limited

MEDICINE HAT

Hutton's Limited

BRITISH COLUMBIA

Hutton's (Cranbrook) Limited

VANCOUVER

CRANBROOKE

Auto Electric Service (Pacific) Ltd.

Fred Holmes Fuel Injection Sales & Service

Ltd. MANITOBA

SIDNEY

Sidney Auto Electric

WINNIPEG

Auto Electric Service (Western) Ltd.

Brown & Murray Ltd.

Pritchard Engineering Co., Ltd.

NEW BRUNSWICK

FREDERICTON

Stairs Brothers

NEWFOUNDLAND

ST. JOHN'S

A. H. Murray & Co. Ltd.

Newfoundland Armature Works Ltd.

Steel & Engine Products Ltd.

NOVA SCOTIA

HALIFAX

Stairs Brothers

LIVERPOOL

Steel & Engine Products Ltd.

ONTARIO

HAMILTON

Hamilton Auto Supply

KINGSTON

Diesel Injection Service of Kingston

LONDON

Universal Ignition & Battery Ltd. .

OTTAWA

Diesel Injection Service (Ottawa)

PORT ARTHUR

Lakehead Diesel Services Limited

SUDBURY

Yuill & Craig Auto Electric Ltd.

TORONTO

Addison Auto Electric (Toronto) Ltd.

Auto Electric Service Co. Ltd.

Diesel & Automotive Service

Joseph Lucas (Canada) Limited

Diesel Equipment Ltd.

QUEBEC

MONTREAL

J. A. Faguy & Sons

Joseph Lucas (Canada) Ltd.

John Millen & Son Ltd.

QUEBEC

John Millen (Quebec) Ltd.

Marcel Rochette Ltd.

POINT VIAU

Montreal Diesel Fuel Pump

ST. HYACINTHE

Maska Auto Electric

SHERBROOKE

Crankshaft Grinding & Diesel Inc.

John Millen (Sherbrooke) Ltd.

THREE RIVERS

John Millen (Three Rivers) Ltd.

SASKATCHEWAN

REGINA

Diesel Injection Service (Regina) Ltd.

Electric Motor Service

SASKATOON

Lambert Electric Ltd. Robinson Fuel Injection



PART NU	M- 555						
	M. SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
1260							
1691	x 17,027	21195 A	15	180142 M92	89	180439 M2	155.159
1793	X 147.140	21207 A	11,043,047	180144 M91	55,057	180440 M1	155,139
1958	Α	21215 A 22042 X	3	180165 M91		180441 M1	155,159
2772 2950	153	22113 X	123,125	180169 M1	87,089	180442 M2	155,159
2951	1224180	22114 x	57	180224 M91	47	180443 M1	155,159
2957	471029.145	22131 X	129,133,135	180231 MI	83	180444 M1	161
	1,4054,121		137	180251 M1 180251 M2	169	180445 M1	157,159
2962	x 147,153	22166 X .	157,159	180252 M1	169	180446 M1	155,159
		22199 X	153,205	180253 MI	169 169	180447 M1 180448 M3	155,159 161
11277					107	100440 43	101
11277	. 13	22228 X					
11475	11,013	22238 X	147,149	180254 M1	169	180449 MI	161
11943	X 195	22425 X	95,099,101	180256 M1	169	180450 MI	167
12501			111,113	180257 M1 180258 M1	169	180450 M3	167
13104	X 27 020	22427 X	79,081,125	180262 M1	169 - 169	180452 M1 180453 M1	161
13521	X 1/2	22428 X	7	180263 M91	169	180455 M1	155,159
13535 13659	X 41.30c	22446 X 22456 X	123	180289 M1	191	180456 M1	173 173
13710	4//	22568 X	149	180291 M1	47	180457 M1	155,159
.31.10	145,171	22666 X	117,121	180293 M1	83	180458 M1	157,159
			11	180296 M1	87,089	180460 M1	177
13811	X 143,175,183						
	106	22668 X	207,209	180297 M1	51,053	100//1 44	
13851	X 161	22677 X 22771 X	203,205	180313 M1	177	180461 M1 180462 M1	177
14276	X 15	22774 X	. 11	180326 M91	143	180463 M1	155,159 177
14281	131	29980 X	99,111	180327 M91	143	180464 M1	177
14856	011009	29981 X	67,069 67,069	180330 M1	143	180465 M1	177
15203	011004	141343 M1	165	180333 M1 180338 M91	195	180467 M1	163
15245		150662 M1	183	180342 M91	183 143	180469 M1 180474 M1	177
15251	A 5	180002 M1	161	180344 M1	143	180476 M1	87,089,163
	-	140004 M1	171	-180345 M1	143	180481 M1	157,159 161
15000						-	.01
15256 15286		180006 M91	155,159	180346 M92			
15288		180008 M1	183	180349 M92	143 143	180482 M1	161
15322		180009 M1	183	180350 M1	143	180484 M91 180502 M1	155.159
15356		180010 M1 180013 M91	183	180355 M1	143	180503 M1	177 159
15358	A 129,131,133	180015 M1	179	180360 M1	143	180511 M1	145
	135.137	180016 M91	179 179	180361 M1	143	180518 M1	189
15442		180019 M1	179	180362 M1 180365 M2	43	180522 M1	145,147
15443	,,	180020 MI	179	180367 H91	43,045 183	180523 M1	145,147
15461	A 67	180021 M1	179	180381 M91	143	180524 M91 180526 M1	145
						100359 HT	145
15462	A 67,069	180053 H1					
15469	A 67,069	180059 M1	55 55	180391 M91	143	180528 M91	145
15470		180060 M1	55	180405 M1 180406 M1	155, 159	180535 M91	145.147.149
15471		180061 M1	. 55	180408 M2	155, 159 155, 159	180537 M1	145
15472		180062 M1	43	180409 M1	155, 159, 203	180538 M91	145
15473 15474		180063 M1	55	180410 ML	155, 159	180547 M1 180548 M1	145
15479		180066 M1 180069 M1	169	180411 M1	155, 159	180549 M1	145
15480		180070 M1	43,045	180412 M1	155, 159	180550 M91	145 145
15481		180073 ML	55	180413 M1	155, 159	180553 M1	145,147,149
				180414 M1	155, 159	180557 M1	145
			•			•	
15489		180074 M1	55	180415 M1	157, 159	100256	
15798		180076 M1	55	180416 M1	155, 159	180558 M1	145
15853 1 15854 1		180077 M1 180082 M1	55	180417 M1	177	180559 M1 180560 M1	145.147.149
16234		180083 MI	55 • 05 7	180418 M1	155,159,177	180561 M1	145,147,149 145,147,149
16346		180085 MI	47	180419 M1 180420 M1	157, 159	180562 M1	145,147,149
16544		180086 ML	57	180421 M1	155,159	180563 M1	145
16863 )		180086 M2	55	180422 M1	157	180572 M1	145
16898		180088 M1	51	180424 M1	155, 159 157, 159	180573 M1	145
16928 >	177	180089 M1	193	180427 M2	157	180574 M1	145
						180575 M1	145
17595 A	3	180090 M1	193	1004 20			
17608		180091 M1	193	180428 M2 180429 M1	155, 159	180576 M1	145
18291 4	11	180092 M1	193	180430 MI	157	180577 M1	145
18560 X	143	180093 ML	51	180431 M1	157	180581 M1	155,159
19259 X		180098 M1	55	180432 MI	157 157	180583 M1	155,159
19454 X		180100 M93	15,083	180433 ML	157, 159	180590 M1	191
19467 X		180104 M1 180107 M91	43	180434 M1	155, 159	180596 M1 180597 M91	171
19752 X	113,167	180108 M1	85 193	180435 M1	155, 159	180602 M91	55
21176 A		180141 M91	55	180437 M1 180438 M2	155.159	180615 M91	189 187,189
		<del>-</del>	4	AUUTOO ME	155, 159	180630 M1	187,189
	*					_	

PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
180634 M91	187,189	180827 M1	175	180977 M1	199	181258 M1	171
190635 491	187,189	180828 MI	175	180978 M1	199	181262 M91	173
180644 M1	189	180831 M1	175	180979 41	199	181266 M1	173
180645 M1	189	180832 M1	175	180981 M1	199	181268 M91	177
180646 M1	189	180833 M1	175	180982 M1	199	181269 M1	177
180647 M1 180651 M92	189	190334 M1	175	180983 M1	197	181271 M91	173
180652 M91	187,189 187	180835 M1 180836 M1	175 175	180990 M1	197	181275 M1	173
180652 M92	189	180838 M91	175	180991 M1 180993 M91	197 197	181276 M1 181277 M1	173 173
180654 M1	187,189	180846 M91	195	180997 M1	197	181282 M1	177
					• • • •	101202	• • • • • • • • • • • • • • • • • • • •
180656 M91 180660 M91	187,189 189	180847 M91	195	180998 M1	199	181283 M1	177
180664 M92	83	180853 M1 180855 M91	1 95 1 95	181001 M91 181008 M1	197 197	181284 M1 181285 M1	177 177
180669 M1	83,085	180856 M91	195	181010 M2	197	181286 M1	177
180670 M1	83	180359 M1	195	181011 M1	197	181287 M1	177
180673 M1	187,189	180860 M1	195	181012 M1	197	181288 M1	177
180674 M1	83,085	180861 M91	195	181015 MI	199	181289 M91	177
180675 M91	51	180863 M91	183	181016 M1	199	181313 M91	191
180679 M1 180680 M1	189 189	180864 M1	175	181018 M1	197	181316 M92	191
100000 41	104	180867 M1	175	181019 M93	199	181319 M1	191
180681 M93 180683 M1	83 83	180868 M1 . 180869 M1	175 175	181022 M93	199	181320 M1	191
180686 M1	51	180870 M1	175	181026 M92	199 199	181321 M1 181322 M1	191 191
180687 M1	51	180876 M1	183	181032 M1 181033 M1	199	181324 M1	191
180689 41	51	180901 M91	181	181038 M91	199	181326 M1	191
180690 M1	187,189	180903 M2	197	181039 M91	199	181328 M1	183
180691 M91	87,089	180904 M2	163,165	181040 M1	199	181330 M91	191
180695 M2	87,089	180905 M1	163	181041 M1	199	181333 M1	191
180703 M1 180705 M1	51 47,049	180906 M1	199	181042 ML	199	181338 M91	191
100103 HI	47,047	180910 M1	197	181043 M1	203	181345 M1	195
180707 492	191	180912 M92	181	181045 M1	199	181346 H1	195
180710 M1	51	180913 M1	181	181046 M1	203	181347 MI	195
180711 M71 180713 M2	51 51	180913 M2 180916 M1	181 197	181047 M1 181103 M1	199 167	181351 M91 181353 M91	195 195
180714 M1	51	180917 ML	197	181104 MI	167	181402 M1	163
180715 M1	43,045	180919 M91	203	181106 M1	167	181439 M93	163
180717 M91	191	180920 M1	203	181107 M1	167	181440 M91	157
180718 M1	187,189	180921 M1	203	181114 M91	169	181520 M1	47
180722 ML	185	180922 M91	203	181118 M1	167	181521 M1	47 47
180724 H91	51	180926 M1	201,203	, 181119 M1	167	181522 M91	- "
180727 H93	83	180927 M2	201,203	181121 M1	167	181524 H91	109
180736 M92	- 191	180928 ML	201,203	181123 M1	167	181525 M1	43
180737 ML	191	180929 M1	201,203	181124 M1	-167	181526 M1	13,047
180739 H1	15,129,131	180930 M1	201,203	181125 M1	167	181528 M1	13,047
1007/0 41	135,139 191	180931 M1 180932 M1	203	181126 M1 181127 M1	167	181531 M1	61,063,065
180740 M1 180741 M1	191	180933 M1	201,203	181140 M91	89	181531 M2	13
180746 MI	85,131	180934 H1	201,203	181140 M93	87,091	181532 M91	67
180746 M2	129, 133, 135	180935 M92	203	181142 MI	87,089,091	181533 M1	51
	137,139	180937 M91	201,203	181144 M93	43	181534 M1	51
180769 M1	161	180940 Ml	201 ,203	181149 M1	175	181534 MZ	51
	161	180941 M1	201,203	181150 M1	175	181535 M1	51
180770 Ml	87,089,091	180942 H2	201,203	181159 M91	197	181536 M1	51
180776 M1		180943 M1	203	181204 M92	177	181537 M1	51
180776 M1 180780 M92	143			181211 M91	177	181539 M1	99,109
180776 H1 180780 M92 180783 H1	143 47	180944 M1	201		177	181540 M1	
180776 M1 180780 M92 180783 M1 180785 M1	143 47 47	180944 M1 180945 M1	201	181214 M1	177 163-177	181540 M1	99,101,103
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1	143 47 47 189	180944 M1 180945 M1 180947 M1	201 201,203	181214 M1 181217 M1	177 163,177 163		99,101,103
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180789 M2	143 47 47 189 187,189	180944 M1 180945 M1	201	181214 M1	163,177	181540 M1 181541 M91 181543 M1	99,101,103 105,109 121
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180789 M2 180797 M1	143 47 47 189	180944 M1 180945 M1 180947 M1 180948 M1	201 201,203 201,203	181214 M1 181217 M1 181218 M91	163, 177 163	181541 M91	99,101,103 105,109 121 87
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180789 M2 180797 M1 180798 M1	143 47 47 189 187,189 173	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1	201 201,203 201,203 201,203 201,203	181214 M1 181217 M1 181218 M91 181224 M1 181225 M91	163,177 163 173 163	181541 M91 181543 M1 181544 M91	99,101,103 105,109 121 87 97
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180789 M2 180797 M1 180798 M1	143 47 47 189 187,189 173 173	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1	201 201,203 201,203 201,203	181214 M1 181217 M1 181218 M91 181224 M1 181225 M91 181229 M1 181229 M1	163,177 163 173	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1	99,101,103 105,109 121 87 97
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180789 M2 180798 M1	143 47 47 189 187,189 173	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1	201 201,203 201,203 201,203 201,203 201,203 201,203 201,203	181214 M1 181217 M91 181224 M1 181225 M91 181229 M1 181232 M1 181237 M1	163,177 163 173 163 163 171,195 171 157,159	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1 181562 M1	99,101,103 105,109 121 87 97 87,089
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180797 M1 180797 M1 180798 M1	143 47 47 189 187,189 173 173	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1 180951 M1 180952 M91 180961 M1 180962 M91	201 201,203 201,203 201,203 201,203 201,203 201,203 201,203 203	181214 M1 181217 M1 181224 M1 181225 M91 181225 M91 181229 M1 181232 M1 181237 M1 181246 M1	163,177 163 173 163 171,195 171 157,159 173	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1 181562 M1 181567 M1	99,101,103 105,109 121 87 97 87,089 87,089
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180789 M2 180797 M1 180799 M2 180801 M1 180802 M1 180802 M1 180801 M1	143 47 47 189 187,189 173 173 187,189 161 171 175	180944 M1 180945 P1 180947 M1 180948 M1 180949 M1 180950 M1 180951 M1 180952 M91 180964 M1 180962 M91 180967 M1	201,203 201,203 201,203 201,203 201,203 201,203 201,203 201,203 203	181214 M1 181217 M1 181218 M91 181224 M1 181225 M91 181229 M1 181232 M1 181237 M1 181237 M1 181247 M1	163,177 163 173 163 171,195 171,195 173 173	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1 181562 M1 181567 M1 181570 M91	99,101,103 105,109 121 87 97 87,089 87,089
180776 M1 180780 M92 180783 M1 180785 M1 180788 M1 180799 M2 180797 M1 180799 M2 180801 M1 180802 M1 180802 M1 180812 M1	143 47 47 189 187,189 173 173 187,189 161 171 175 175	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1 180951 M1 180952 M91 180961 M1 180967 M1 180967 M1	201 201,203 201,203 201,203 201,203 201,203 201,203 201,203 203 197	181214 M1 181217 M91 181224 M1 181225 M91 181229 M1 181232 M1 181237 M1 181246 M1 181247 M1 181249 M1	163,177 163 173 163 171,195 171 157,159 173 173 173	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1 181562 M1 181567 M1 181570 M91 181572 M91	99,101,103 105,109 121 87 97 87,089 87,089 51 15 87,089
180788 M1 180789 M2 180797 M1 180798 M1 180799 M2 180801 M1 180802 M1 180809 M1 180811 M1 180812 M1 180813 M1	143 47 47 189 187,189 173 173 187,189 161 171 175 175 175	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1 180951 M1 180952 M91 180961 M1 180962 M91 180967 M1 180970 M2	201 201,203 201,203 201,203 201,203 201,203 201,203 201,203 197 197	181214 M1 181217 M91 181224 M1 181225 M91 181225 M91 181227 M1 181237 M1 181237 M1 181246 M1 181249 M1 181249 M1	163,177 163 173 163 171,195 171 157,159 173 173 173 173	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1 181562 M1 181567 M1 181570 M91 181573 M91 181573 M91	99,101,103 105,109 121 87 97 87,089 87,089 51 15 87,089
180776 M1 180783 M92 180783 M1 180785 M1 180788 M1 180789 M2 180797 M1 180798 M1 180799 M2 180801 M1 180802 M1 180802 M1 180801 M1	143 47 47 189 187,189 173 173 187,189 161 171 175 175	180944 M1 180945 M1 180947 M1 180948 M1 180949 M1 180950 M1 180951 M1 180952 M91 180961 M1 180967 M1 180967 M1	201 201,203 201,203 201,203 201,203 201,203 201,203 201,203 203 197	181214 M1 181217 M91 181224 M1 181225 M91 181229 M1 181232 M1 181237 M1 181246 M1 181247 M1 181249 M1	163,177 163 173 163 171,195 171 157,159 173 173 173	181541 M91 181543 M1 181544 M91 181548 M91 181551 M1 181562 M1 181567 M1 181570 M91 181572 M91	99,101,103 105,109 121 87 97 87,089 87,089 51 51 87,089

PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
181600 492	43					Hat	177
181602 M91	87,089	182454 M92	117	183232 M1	147	185083 M91	91
191603 M91	87,089	182455 M91 182463 M93	87,099	183248 M92	171	185155 M91 185175 M92	135,137,139
181604 M91	87,089	182493 M91	167	183250 M91	171	185187 M91	87,089
181605 M91	87.089	182532 MI	151	183250 M92	171	185321 M1	139
181756 41	181	182548 M92	87,089	183253 H3	163	165389 M91	171
181757 M1	181	182554 M92	87.091	183254 M1	171	185396 MI	181
181758 M91	181	182580 MI	195	183256 M92	171	185397 M1	181
181759 HI	181	182581 M1	199 199	183257 M91	175	185400 Ml	171
181760 ML	181	182582 M1	199	183259 M1 183260 M1	171 171	185457 H91	87
181762 M1	181	182412 41					47
181763 M1	181	182613 MI 182617 MI	193	183261 MI	171	185458 M91	87 83
181764 M1	181	182618 MZ	163	183269 M1	171	185466 M91	43
181765 M1	181	182619 MI	183	183270 M1	171	185467 M92	87
181766 M91	161	182620 H93	183	183366 M1	169	185499 M91	57
181767 M91	181	182632 M91	87	183505 M2	83	185556 M91	57
181768 M1	185	182633 M91	195	183576 491	69	185558 M91	
181769 M1	185	182641 M1	195 195	183828 M91	133	185604 M1	207,209
181770 M1	185	182652 M92	85	183829 M91	133	185605 M1	207,209
181775 M91	195	182658 M91	89	183838 M1 184011 M1	201,203 155,159	185607 MZ 185608 MZ	207,209 207,209
181776 M91	100						
181777 M1	195	182658 H94	87	184012 H3	155,159	185609 M1	207,209
181778 H1	195 195	182696 M91	87	184359 M1	197	185610 M1	207,209
181799 M1	157,159	182716 M1	185	184378 M1	197	185614 H1	207,209
181841 M1	181	182722 M91	199	184379 H1	197	185617 ML	207,209
181842 H91	181	182722 M92	199	184392 M92	199	185618 M1	207,209
181846 M92	181	182748 M91	63	184406 M2	47	185619 M1	207,209
181866 M2	43	182785 H1	177	184442 H1	197	185620 HI	207
181867 M91	43	182758 M1	177	184443 M91	197	185624 M91	207
181868 M1	43	182811 M1 182814 M91	181	184458 M91	61	185640 HL	207
		102011 1172	. 87	184470 M1	201	185641 M1	207,209
181869 M1 181923 M91	43 201	182839 M93	161	184471 M1	201	185642 M2	207,209
181953 42	143	182841 M91	167	184473 M91	201	185643 MI	207,209
181955 M92	191	182842 N1	167	184541 M91	167	185689 M1	207,209
181956 M91	191	182850 M1 182852 M91	143	184542 M91	167	185805 M2	155,159
181958 M1	175	182897 M1	87,095	184558 M1	167	185811 M91	209
181959 MI	175	182912 M91	195	184592 M1	161	185818 M1	209
181960 M1	175	182924 M91	95	184607 M91	181	185869 M91	213,215
181962 M1	175	182925 M91	135	184611 M1	181	185871 M91	211,213,215
181964 M1	175	182926 M91	135 135	184628 M1	161	185877 M91	217
			133	184630 H1	181	185879 M91	217
181965 M1 181971 M91	175	182927 M91	129	184674 M1	187	185895 M91	169
181974 M91	175	182928 M91	129	184767 N91	187	185896 M91	169
181982 H1	173	182929 M91	129	184769 M92	187	185923 M91	169
181985 MI	199	182930 M91	137	184785 M1	145	185933 M93	215
181986 MI	181	182950 M91	137	184789 ML	161	185938 M91	91
181998 MI	181 201	182952 M1	133,137,139	184859 H1	161	185972 MZ	217
181999 M1	201	183002 M1 183005 M91	185	184879 M91	19,029	185973 MI	215
182001 M91	201	183037 M1	203	184907 M91	123	185983 M91	101
182002 M1	201	183038 M1	157,159 157,159	184908 M91	111	185984 M91	101
	•••	103030 111	1314134	184909 M1	199	185985 M91	113
182005 M93	201	183039 M1	. 157,159	184910 M1	199	185986 M1	101,103,105
182006 M91	201	183040 M1	157,159	184912 M91	91	185999 N91	217
182007 M1	201	183042 MI	155,159	184918 M1	169	186001 M91	217
182009 M91	175	183054 M91	157	184919 M1	169	186017 M91	183
182014 M92	177	183070 M91	185	184925 H1	111	186140 M91	139
182087 M91	173	183071 M1	161	184926 M1	111	186141 M91	139
182090 M1	177	183085 MI	159	184928 M1	91	186142 M91	139
182091 M1	173	183088 M1	163	184930 M1	49	186179 M1	
182093 M92	193	183103 M2	181	184931 M91	91	186186 M1	113 183
182096 MI	193	183129 M2	161	184935 H91	85	186217 M91	139
182099 M91	199	183133 MI	63	184935 M92	85	10/010 00	
182243 M91	43	183158 M1	187	184941 M91	91	186218 M91	217
182274 M1	199	183160 M91	175	184986 M91	91	186230 M1	139
182278 HI	171	183169 M91	147	184988 M91	187	186387 MZ	207
182282 M1	199	183193 MI	189	184989 M91	135, 137, 139	186440 M91	207,209
182330 M91	89	183194 MI	189	185006 M92	91	188442 M91	207
182374 H91	199	183194 MZ	187	185007 M91	91	186447 M91	139
182387 M1	145	183212 M91	143	185008 M91	91	186469 M1	45
182389 M91	51	183219 M91	143	185015 M1	91	186627 M1	145
182391 M1	195	183221 MI	143	185034 M91	91	186628 M1	83
					71	186629 M1	83

PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
186635 M91	1000						
186640 M91	187	193302 M91	51	195540 41	43,045	195904 M1	175
186725 H91	187 191	193334 M1	161	195546 M1	5	195910 H1	175
196735 493	83	193346 MI 193400 MI	51,053	195548 M1	63,065,067	195919 M1	211,213
186824 M1	83	193516 M91	163		69	195929 M1	205
186825 M91	51	193517 M91	103 105	195549 MI	61,063,065	195935 HI	205
186826 M1	47	193599 M91	141	losreo ui	67,069	195946 M1	201
186830 M91	47	193621 M91	169	195550 M1	61,063,065	195950 M1	201
186888 M91	187	193701 M91	183	195551 M1	67,069	195951 H1	201
186909 M1	53	193966 M91	83	195553 H1	51 173	195952 M1 195953 M1	193
				•	• • •	173733 AL	193
186910 M1	53	193967 M91	63	195559 41	101 105		
186911 M1 186912 M1	53	194058 M91	93	195561 MI	181,195	195954 M1	193
186913 HI	53	194060 MI	93	195565 MI	197	195982 M1 195986 M1	129,135,139
186914 41	53	194061 MI	93	195567 M1	199,201,203	195994 M1	205 199
186917 491	53	194376 H91	47	195568 MI	201,203	196022 M1	199
186918 491	139 139	194491 M91	175	195569 41	163	196027 M1	71,073,211
186930 M1	139	195159 M1	173	195573 M1	199		213
186942 M1	53	195160 M1 195163 M1	171,173	195574 M1	197	196056 M1	151
186947 MI	53	195195 MI	173	195575 M1	197	196076 M1	147,149
		177173 HL	173	195576 MI	201,203	196095 41	177
196959 M91	135,137,139	105222 41					
185989 M1	47	195222 M1 195239 M1	155,157,159	195577 M1	203	196096 M1	177
187038 M91	217	195242 M1	175	195578 41	201,203	196097 H1	173
187040 M91	213	195251 M1	179	195580 M1 195583 M1	203	196099 M1	143
167118 M91	43	195259 MI	143	195585 M1	197 199	196108 M1	207,209
187210 H1	99,101,103	195270 M1	175	195586 M1	133, 137	196200 M1	187
	105, 109	195284 M1	177	195589 M1	195	196211 M1 196245 M1	187
187479 M91	45	195340 M1	181,195	195590 M1	145, 147, 149	196247 M1	187 187
197557 M1 187688 M1	193	195344 MI	181,195	195591 M1	95,097,125	196280 M91	181,195
101000 71	51	195346 M1	195	195592 M1	145	196363 M1	167
120201							
188321 M91 188322 M91	187	195347 M1	195	195595 M1	197	200550 M1	155.159
188466 M91	187 57	195363 M1	155,157,159	195547 MI	175	231495 M91	141
189099 41	187	195373 H1 195386 H1	195	195604 41	175	300975 M1	171
189156 M91	83	195387 M1	205	195617 MI	199	350351 X1	183
189180 M92	83	195441 M1	199 53,055,099	195618 M1 195619 M1	199	350355 X1	143
189209 M93	55		103,105	195620 M1	199	353213 X1	49
189427 M92	203	195441 X1	113	195621 M1	193 193	353426 X1	3,005,007
189449 M1	161	195442 M1	15	195622 M1	193	353427 X1	11,043
189537 M91	83,085	195444 MI	55,109	195632 M1	217	3334E1 XI	5,143,181 183,191
189576 M1	207	195453 MI	157,177	195638 M91	183	353428 X1	145,147,149
189739 M92	149	195454 MI	55,057,083	195645 M1	195	353430 X1	167,175
189809 H95	209		85,143	195647 M1	195	-353431 X1	49,145,147
190004 M91 190127 M2	119 165	195457 MI	195	195648 M1	195		149,161
190606 M91	173	195466 M1 195467 M1	161	195653 M1	43	353432 X1	43,047,049
190742 M91	141	195468 M1	177 177	195663 MI	49,071,073		83,085
190787 M1	83,085	195472 M1	179	195675 H1	197, 199	353433 X1	5,143,177
190788 M1	83.085	195473 M1	179	195677 HI	171 171	353434 X1	181,185
190789 M1	83,085	195474 HL	179	195678 M2	171	333434 XI	5,019,029 37,039
							,-,
190855 M1	197	195479 M1	167	195679 M1	189	353435_X1	165,175
190885 M91	197	195490 MI	183	195681 M1	161	353436 X1	145,147,149
190927 M91	131,141	195493 M1	155,157,159	195682 M1	179		211,213
191142 M1	183	195494 M1	155	195687 M1	187,189	353437 X1	17,027,165
191221 M1	155,159	195496 M1	173	195690 M1	173		171,181
191250 M1	173	195497 M1	157	195694 M1	43,047	353438 XI	47,131,199
191314 M1 191423 M92	153	195498 H1 195499 H1	177 157,159	195708 MI 195715 MI	181,211,213	353439 X1	131,165,181
191469 H1	5,153	195500 MI	157,159	195716 M1	177	353440 X1	145,147,149
191929 M92	191	195501 HI	155	195794 H1	177 181	353441 X1	3-011-010
							3,011,019
192007 M1	155,159	195502 M2	155,157,159	195803 M1	131		29,043
192136 MZ	207,209	195503 H1	155	195850 H1	131	353444 X1	93,09" 397
192427 M1	83	195505 H1	155,159	195865 M1	205		103 6
192431 M2	177	195506 M1	177	195866 M1	205	353445 Y'	53,059,071
192787 MI	177	195507 M1	157,159	195868 M1	205		73,083
192874 N1	207,209	195512 M1	155,157,159	195869 M1	205	353446 X1	15,043,045
193064 M92	191	195513 M1	163	195872 M1	147, 149		47,049
193066 M1 193181 M1	195 195	195522 H1 195523 H1	177 159	195874 M1	205	353447 X1	173
193192 M91	125	195527 M1	179	195889 M1 195900 M1	205 175	353500 X1	53,083
473476 1174	227			.,,,,,, H	113	353501 X1	51,085,161

ファファファファファファファファ

0407							
PART NUM.	SLE PAGE	PART MIM.	SEE DAME				
			SLE . PAGE	PART NIM.	SEE PAGE	PART NUM	SEE PAGE
353501 X1	187,189	169.00					
353502 X1	85,199	353697 XI	. , ,	353979 XI	129,131,135	355435 X1	143
353506 X1	43	151598 XI	119,177	353980 X1	187,189	355446 XI	
35350H XI	19,029,085		5,049,101 103,105	3539H1 X1	215	355465 X1	
353414 X1	129,131,135	353649 XI	161	353987 X1 353988 X1	,,,		105,107
363516	139,209	353700 X1	5.145	354007 X1	215 163	355512 X1	
353515 K1 353516 X1	87.089	353701 X1 353702 X1	15,199	354028 X1		355542 X1 355547 X1	
2.2219 VI	45,057,071	353704 XI	177	354039 X1	51,053,163	355564 X1	
	73,093	351705 X1	203	354041 **	201, 203	355565 X1	
				354041 XI	51,053,151		61
353517 X1	19,029,091	2527.14					
353518 XI	53,071,167	353706 X1 353710 X1	203	354043 X1	11	355566 X1	5.045
353519 X1	171	353711 X1	181 125,199	354046 X1	49,051,167	355582 X1	87,089,091
353520 XI	99,101,103	353715 X1	205	,	169	355583 X1	187,189
	105,109	353718 XL	199	354048 X1 354050 X1	53,205	355584 X1	191
353521 X1	143	353723 X1 353731 X1	165	354055 X1	179 175,195	355592 X1	91
353527 X1	93	353732 X1	183	354057 X1	143,175,195	355595 X1 355602 X1	193 151
353529 X1 353532 X1	177	353753 X1	123	354059 X1	195	355615 X1	53
2.2225 XI	49		53,083,187 189	354060 X1	173	355617 X1	153
			.07	354061 X1	15,045,173	355645 X1	3,047,161
353537 X1	191	350.5					
353540 X1	71.073.217	353754 X1	5,053,091	354068 X1	183	355649 X1	207 200
353541 X1 353557 X1	171	353755 X1	107,115	354070 X1	179	355732 X1	207,209 53,057
353558 XI	43		17,019,027 29,045	354074 XI	195	355747 X1	109,121,123
353561 XI	179	353756 XL	11,043,045	354076 XI 354089 XI	161	355791 X1	151
353562 X1	181 163, 195	24.000	53,191	354119 X1	195 47,095,097	355801 X1	53
353564 X1	53, 181	353757 X1	5,011,047		125,127	355883 X1 355696 X1	133,137
353565 X1	43	353758 X1	49,145	354120 X1	117,119,125	356040 X1	133,137 201,203
353567 X1	103	353760 X1	181 177	354121 X1	3,011,045	356360 X1	217
			111		51,129	356579 X1	205,207,209
353568 X1	127						
353571 x1	127 161,175	353772 X1 353773 X1	181,195	354122 X1	129,131,191	356865 X1	16
353572 X1	143	353774 X1	143,171,195	354123 X1	11,043,121	356922 XI	207,209
353575 X1	217	353775 XL	139	354107 W	125, 127	357185 X1	83,085
353576 X1 353580 X1	125	353783 XI	187,189	354187 X1 354195 X1	51,201,203 211,213	357191 X1	211,213
353549 XI	97 181	353791 X1	193	354198 X1	117,119,125	357195 XI 357197 X91	207,209,217
353614 X1	5	353793 X1 353804 X1	191	354204 X1	83	221711 VAT	205,207,209
353616 X1	183	353806 XI	55,057 133,137	354239 X1	191	357357 X1	141
353622 XI	143	353807 X1	191	354241 X1 354263 X1	189	357458 X1	125,127
			• • •	334503 XI	5	357516 X1	99,105,107
353623 X1	143	353928 X1					
353642 X1	143	353430 XI	47 195	354267 X1	49		113,115
353648 X1	191	353855 X1	181	354268 X1 354270 X1	157 150	357561 X1	211,213
353665 X1 353666 X1	53	353867 X1	181	354272 X1	157, 159 111	357614 X1	53
353669 XI	5,201,203 43,045	353897 XI	11	354273 X1	147,149	357630 X1 357852 X1	125,127
353675 X1	37,039	353898 XI 353901 XI	45	354281 X1	181	357860 XI	207,209 209
353676 X1	17,027,047	353916 XL	161 11,023,033	354282 X1 354284 X1	181	358678 X1	101,113,115
353677 X1	17,019,027		37,039	354287 X1	143 143	358679 X1	53,059
	29,111	353917 X1	23,033,053	354354 X1	103, 105, 107	358990 X1	51,053,083
							87,095
353678 X1	15,019,029		167	354300 VI			
	37,039	353918 XI	51,053,083	354390 X1 354391 X1	51	359001 X1	201,203
353674 XI	15,027,039		85,161	354410 X1	197 191	359002 M1	201
353400 W	43,045	353919 X1	51,053,091	354415 X1	187,189,201	359002 X1	203
353680 X1 353681 X1	17,071	25 1022 WI	199		203	359244 X1 359247 X1	57
353682 X1	169 17	353922 X1 353925 X1	163 179,195	354416 X1	163	359293 KI	207,209
353684 X1	39	353726 X1	143,173	354476 X1 354503 X1	205	359376 X1	151,197,203
353488 X1	197	353927 X1	195	354615 XI	15.037.030	359404 X1	7,091
353689 X1	101,103,105	353928 X1	179,183	354616 X1	15,037,039	359495 X1	45
					22,043	359997 X91	57
	113,157	353954 X1	189	354484			
353690 X1	157, 159, 161	353961 XI	189 199	354624 X1 354625 X1	37,039	360085 X1	207 200
	163	353962 XI	171	354627 X1	15	360262 X1	207,209
353691 X1	47	353963 X1	3,171,181	354633 X1	37,039 37,039	360851 X1	207
353692 XI	5,145,147	353964 X1	3,011,091	354642 X1	201	360855 X1	207
	149	282076 VI	179,195 83,093,121	354900 X1 355047 X1	23,033	361023 X1 363514 X1	153,217
353693 ¥1	37.039.147					AT AL	
353693 X1	37,039,147 149,161	353975 X1		355194 VI	129,131	363552 X1	207
	149,161 87,089,091	353976 X1	123,129	355194 X1 355286 X1	127	363552 X1 363567 X1	153
353693 X1 353696 X1	149,161		123,129	355194 X1 355286 X1 355434 X1		363552 X1	

PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
363576 K1 363577 K1	109,113,115	6671H2 M1	205	825178 M1	19,029	826018 M91	19
363580 KI	99,109,111	667193 M1	205	825181 M91	49	826021 MI	19:029
3635 81 X1	119	667216 M1 667217 M1	205 205	825185 M1 825187 M1	19,029 45	826022 M1	19,025,029
363582 X1	59,121	667213 HI	205	825188 M1	23,033	826023 M1	35 19
363543 X1	117	667517 M1	63	825219 M1	37,039	826024 M1	19
363584 X1	125,127	667556 MI	179	825257 M1	23,033	826025 M1	19
363585 X1 363593 XI	99,109 199	663300 M91	205	825258 ML	23,033	826026 M1	19
363710 X1	99,103,105	658301 M1 658328 M1	205 205	825259 M1 825291 M1	23,033	826033 M1	19
	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.000	203	623271 71	73	826034 M1	19
363712 X1	107,109 95,097	664338 M1 663339 M91	205	825293 M1	57,071,073	826035 M1	19
364125 X1	49	663396 M1	205 211,213	825295 M1	25,035,037	826036 M1 826039 M1	19,029
364248 X1	153	667497 M92	211	825299 M1	17.027.057	826040 M1	19,029
364449 X1	147,149	663026 M1	217		71	826041 M1	19,029
365572 X1 365936 X1	143,177	069045 M91	211	825301 MI	41	826042 M1	19,029
366368 X1	47,049 59	669058 M41 669039 M71	217	825309 M1	25,035,049	826044 M1	19,029
375098 X1	165	669050 M91	217 217	825310 M1 825311 MI	41	826045 M1 826046 M2	17,027
375099 X1	143,185	669554 MI	207.209	825314 M1	23,033	826047 M1	17,025,027
375108 X1	125,127	604555 MI	207	025326 M1	37 030		3.6
375109 X1	117,119,123	670530 MI	91	825324 M1 625363 M1	37,039 49	826049 MI	19,029
	127	675222 MI	179	825370 M1	49	826051 M1	19,029
375142 X1	99,103,105	677240	181	825371 41	49	826052 M1	19.029
375184 X1	107,113	677285 M91	43,085	825372 M1	49	826053 M1	19,029
3751 95 X1	153 145	677396 677702	179	825374 M1 825375 M1	25,035,049	826057 M91	37,039
375200 X1	17,019,023	678352 MI	55	825376 MI	49	826062 M1 826063 M1	25,035,037
	27,029	636671 M91	211,213	825377 M1	49	02000	39
375201 X1	40	646675 M1	211,213	825379 M1	49	826064 M1	39
375202 X1	53	686677 MZ	211,213	825380 41	49	826072 M1	21,031
375213 X1	121,123	686578 M1	211,213	825398 M91	71,073	826073 M1	21,031
375227 X1	45	702279 M1	57	825440 M91	49	826074 M91	21
375516 X1 376860 X1	103 171	706699 M91 731175 M1	87	825447 M1	49	826076 M1	21,031
505545 M91		731903 MI	79,081 57,071,073	825484 M1	17,027,037	826077 M1 826078 M1	21 21,031
505545 492		733504 M1	7	825653 M1	25	826080 M1	21,031
506331 M91		760001 M2	95,097	825659 M1	25,035,049	826081 M1	21
506865 M1	134	760029 M91	5	925685 M1	45	826082 M1	21
509057 M91	107	760138 M1	5	825686 M1	45	826083 M1	21
509422 492		760159 M1	15	825740 41	17,025,027	826084 M1	21
509572 M1 510438 M1	129,131	750195 M1 760402 M1	15	825742 H1	35 49	826085 M1 826087 M1	21 23,033
510439 MI	129,131	760405 M1	5	825743 MI	49	826088 M1	19,029
513347 M91		760916 M1	9	825774 M1	163	826089 M1	19,029
513349 41	191	751 338 MI	131	825852 41	17,027	826090 M1	19,029
513351 M71		761509 41	193	825853 M1	17,027	826092 M1	19,029
513353 M91 513355 M91		761518 M1 762026 M1	15 149	825857 41 825991 M1	17,027 17,027	826093 M1 826094 M1	19,029
514958 M1	173	763026 MI	147	825993 MI	17,019,027	826097 M1	71,073
		7. 3. 12. 44	102		30	934009 41	71 070
515521 MI	93 161	763402 M1 763716 M1	183 5,047	925994 41	29 17,019,027	826098 M1 826099 M1	71,073 71,073
520478 M1 520458 M1	155,159	764055 M1	189	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	29	826100 M1	71,073
520933 M9		768300 MI	145	825995 M1	17,019,027	826101 M1	71,073
520948 M9	55,057	824245 MI	45	025004 41	29	826103 M1	71.073
521181 M1	163	825003 MI 825015 MI	25,035,045 49	825996 M1 826000 M1	27 17,027	826104 M1 826105 M1	71,073 71,073
521488 M9 521596 M9		825102 M1	17,027	926001 M1	17,027	826106 M1	71,073
542748 M1	193	825103 M1	19,029	826003 M1	17,027,037	826107 M1	71.073
632952 M1	57	825104 MI	. 41		39	826108 41	25
£40012 ML	45	H25105 M1	17,027	826006 M1	17,027	826109 M1	71,073
667150 MI	205	825107 M1	23	826007 M92	19	826110 M1	1027
657151 M1	205	825109 M1	17,027	826008 M1	19,029	826111 M1	17, 325
667158 M1	205	825110 MI	23,033	826009 M1	19,029,037	82611 . II.	17,027
667159 41	205 205	825115 M1 825141 M1	41 25,035,049	826010 M1	19,029	826113 M1 826115 M2	19,029
667161 M1 667172 M1	205	825144 M1	25,035,049	826012 M1	19,025,029	826119 M91	49
567175 MI	205	825145 M1	49	*********	35	826120 M1	23,033
667178 M1		825164 M91	37,039	826016 M1	19,029	826121 M91	49
667181 M9	1 205	825177 M1	19,029	826017 M1	19,029	826125 M1	71,073

	PART NUM.	SEE PAGE		PART NUM.	SEE PAGE	PART NIM.	SEE PAGE	PART NUM.	SEE PAGE
	825137 471	41		420984 MI					0.5
	926139 M1 426140 M91	25		826998 MI	91 49	827545 MI	59	829146 MI	85 71
	H26143 M1	37,039		826989 MI	49	827546 M1 827556 M1	59 17,021	829147 M1 829148 M1	71
	826145 MI	37,039		826990 M91	45	827557 MI	17,021	829149 M1	71
	H26146 41	37,039		825997 M1	53	827558 M1	17,021	829151 M91	85
	826147 M1 826148 M91	39		826998 M91	53 53	827562 M1 827563 M1	193	829161 M1	45 71
	826151 M1	71,073		827001 MI	53	827571 M91	193 41	829162 M1 829163 M91	
	826152 491	53		827002 H1 827003 H1	53	827591 M91	85	829165 M91	71
				DET DUT Y HE	53	827594 M91	53	829166 M91	
	826155 M1 826156 491	25 23		827005 M91	53	827601 41	25	829168 M91	71
	826159 M1	23,033		827018 M91 827011 M1	53	827609 M91	71,073	829178 M91	57
	826160 M1 826161 M1	23,033		827012 M91	53 53	827612 M1	17,023,025	829181 M1	45 37.039
	8 26 1 62 41	23,033		827015 M1 827016 M1	53	827613 MI	17,023,027	829184 M1 829204 M1	71
	826163 M1	23,033		827017 M1	53 53	937/1/ ***	33	829205 M1	71
	826164 M1 826166 M1	23,033 71,073		827022 M1	53	827614 M1	17,023,027	829206 M1 829208 M1	71 77
	826167 M1	23,033		827023 M1 827024 M1	53	827615 N91	39	829427 M91	71.073
				021024 AI	53	827617 M1	27	829484 M91	41
	826168 MI	23 23		827038 M91	77	827618 M1	23,033	829489 M91	85
	426170 M1	23		827043 M91 827044 M91	57	827620 491	37,039	829606 M1	35,057
	A26171 41	23		827 C52 M1	57 85	827622 M1 827626 491	37,039	829612 M1	21.031
	826172 41 826173 41	23,033		827070 M91	91	827632 M1	37,039 37,039	829613 M1 829697 M91	21,031 85
	926174 41	23,033		827080 M1 827096 M1	45	827642 M1	91	829698 M91	85
	826175 41	17,023,027		827097 HI	57 57	827668 M91 827669 M91	21 21	829703 M91	81
	826178 H1	23.033		827099 MI	71,073	827670 M91	21	829731 M91 829732 M1	21 21
		23,033		827100 M1	71,073	827671 M91	21	829732 M2	31
	826179 H1 826180 H1	23,033		827200 M1	71,073	827672 M91	21,031	829741 MI	85
	826183 M1	23,033		827223 M91 827248 M1	57 25.035	827692 M91	41	829787 M91	21
	826184 41	23,033	3-	827257 M92	71,073	827699 M91 827705 M1	59 45	829788 M91 829800 M1	21
	826185 M1	23, 033 23, 033		827266 M1	25,035,085	827706 M1	45	829944 N1	85 111
	826188 M1	23.033		827267 M1 627278 M91	71,073	827707 M1 827718 M2	171	830099 M91	31
***	826189 M91	- 21,033		827232 M91	71,073	827722 MI	201 17,023,027	830480 M92 830481 M92	175 175
	H26194 41	23,025,033		827290 M92	71,073		33	830486 M91	9
		,,		827315 M1	57	827738 M1	23,033	830490 M91	11
	826195 MI	49		827316 MI	57	827766 M91	73	830492 M91	9
	826196 MI 826199 MI	25 49		827318 M91 827430 M2	57 85	827766 M92 827770 M1	71	830495 M91	47
	826203 41	25,035,045		H27446 M1	41,077	827794 M91	71,073	830501 M91 830502 M91	63,065
	826204 M1 826218 M1	25,035,045		827448 M1	41	827797 M1	25,071,073	830503 M91	65 67
	826219 M1	71 71,073		827453 M1 827454 M1	41,077	827836 M1 827837 M1	23,033	830508 M91	9
	826220 41	71,073		827455 ML	41.077	827838 M1	17,027 17,027,071	830509 M91 830510 M91	9
	826221 M1	25		827457 M1	41	827855 M1	85	830514 H91	47
	826222 M91	73		627458 M1	41 ,077	827885 M91	57	830516 M91	7
	926223 491	73		827459 ML	41	827889 M91	57	830626 M91	l31
	826224 491 826225 891	73 73		827483 M91 827484 M1	12	827891 M91	59	830627 M91	145
	92674H M1	143		827485 M1	23,033	827934 M1 828020 M1	33 161	830628 M91	145,147,149
	826772 MI	49		827486 ML	23,033	828085 M1	17,027	830637 M91 830638 M91	7 7
	826774 M1 826790 M91	49 57		827487 M1. 827488 M91	23,033	828096 M92	49	830639 M91	7
	F26783 M1	57		827490 M91	81	828097 M1 828141 M1	49	830644 M91	9
	826784 41	57		827491 M1	49	828201 M1	71,073	830681 M91 830686 M91	87 7
	926785 M1	57		827494 M1	73	828208 M1	35,071,073	830688 M91	13
	826786 41	57		827494 M2	71	828209 MI	35,071,073	830689 M91	
	826787 M1 826961 M92	57 45		827495 M1 827496 M1	71.073 49	828695 M1 828776 M1	23	830690 M91	13 13
-	8 26 963 M1	45		827497 M91	71.073	828777 M91	17,027 41	830691 M91	47
	826964 M1	45		827498 M91	71,073	828791 M1	45	830693 M1 830694 M1	193 193
	826965 M91 826968 M2	45 143		827500 M91 827503 M91	71,073 19	828902 M91 828906 M91	71	830695 M1	193
	826969 M1	143		827506 M92	19	829139 M91	17.027 23	830696 M2	193
	826975 M91 826983 M1	91 91		827542 M1	59	829141 M3	85	830697 M91 830698 M91	- 9 9
	010303 HI	41		827543 H1	59	829145 M1	85	830703 M91	11

PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUH.	SEE PAGE
930704 401							
830704 M91 830705 M91	11 11	835086 M1	63	894930 M91	19	1 012702 MI	81
830706 M91	167	835087 M91 835126 M1	207,209 215	894946 M91 894947 M91	19	1 012703 M1	81
830707 M2	193	835130 M1	215	894948 M91	21,031 21,031	1 012704 M1 1 012706 M2	81 77
830708 MZ	193	835537 M91	61	898088 M1	165	1 012707 M1	77
830717 M91	63	835538 M91	61	898643 M1	165	1 012708 M1	77
830718 M1	193	835543 M91	149	1 000148 M1	3	1 012710 M1	77
830719 M1 830720 M1	193	835643 M91	15	1 000251 HI	201,203	1 012711 M1	77
830721 MI	193 193	835681 M91 835682 M91	149 149	1 000543 41	147,149	1 012712 H1	77
	.,,	977602 H41	149	1 001298 M1	169	1 012713 M1	77
830722 M1 830723 M1	193	835731 M92	153	1 001514 #1	55	1 012715 MI	77
830735 M91	193 157,159	835830 M91 835846 M91	167 153	1 001515 M91 1 002802 M91	55 131,141	1 012716 MI 1 012717 MI	77
830741 M91	197	835983 M91	ii	1 002803 M91	129, 135, 141	1 014219 M92	15
830743 M91	167	836000 M91	47	1 002849 M91	51	1 014564 H1	115
830744 M91	201	836013 M91	153	1 002867 M91	51	1 014564 M91	101,113
830780 M91 830858 M91	9	836097 M91	9	1 003304 MI	169	1 014946 MI	77
830892 M92	169 25,035	836117 H91	21.031	1 003886 M1	47	1 015221 M1	75,077
830893 M91	25,035,037	835287 M91 836289 M91	13 13	1 004496 M1 1 004498 M1	57 57	1 015222 M1 1 015223 M1	77
830894 491	39 25	836543 M91	69	1 004512 M1	11	1 015224 M1 1 015225 M1	75,077
830895 M91	49	836611 M91 839008 M91	93	1 005438 M1 1 005935 M1	15 11	1 015226 MI	77
830896 M91	59	839012 M91	95,097	1 005960 M1	15	1 015227 M1	77
830897 M91	19	840708 M91	9	1 006935 M1	99,101,103	1 015229 M1	77
830899 491 830900 491	21	840712 M91	9		105, 107	1 015230 41	77
830900 M91	21,031 21,031	840713 M91 840714 M91	9	1 007532 M1 1 008281 M1	11,043	1 015232 M1 1 015233 M1	77 77
830902 M91	41	841245 M91	67,069	1 008553 MI	151	1 015319 MI	41.077
830908 M91	9	641247 H91	169	1 008597 M1	5,007,013	1 017319 MI	151
830972 M92	21,031	841524 M91	149	1 009061 M1	15	1 017341 H1	95,097
830978 491	205	850127 H1	183	1 009701 MI	101,103,105	1 017511 M1	151
831240 M1	187	851134 M1	153		107,113	1 017512 H1	151
831257 41	207,209	851145 ML	215	1 009702 M91	101, 103, 105	1 017513 HI	151
831451 M1	211,213	851147 M1	211,213	1 000707 H1	107,113	1 017514 M1 1 017603 M1	151
831452 M1	201, 205, 207 209, 211	880309 M91 880695 M1	161 165	1 009707 M1	107,113	1 017653 491	149
831454 41	211,213	881144 MI	155,159	1 009708 M1	101,113,115	1 017888 M1	17
831497 41	207, 209, 211	882011 M1	165	1 009710 M1	101,103,107	1 017890 M91	115
	213,215	882232 M1	173		113,115	1 018123 M1	75
831519 M1	201	882451 M1	199	1 009711 M1	101,113	1 018235 M1	151
831520 ML	153	883402 M91	201,203	1 009721 M1	103,105,107	1 018443 491	151
831585 M1	151,211,213	884691 M1	15,163	1 000733 #1	115	1 018444 M91	193
831599 M1 831872 M1	187 207, 209	886549 M2 887654 M1	163 199	1 009722 M1	101,103,105	1 018445 M91 1 018735 M92	193 149
831873 M1	207	890006 M91	77	1 009727 M1	101,103,105	1 018736 H1	147,149
831888 MI	173	890007 M91	77		113	1 018835 M1	151
831934 MI	165	890054 M91	57	1 009755 M1	123,125	L 018875 M1	193
832008 M1	165	890286 M1	91 193	1 009758 M1 1 009767 M1	123,125 123,125	1 019267 M91 1 019269 M91	119 119
832269 MI	207	840351 MI	193	1 009101 HI	123,123	1 019209 H91	117
832270 M1	207	890393 MI	85	1 009773 M1	123	1 019288 M1	119
832271 M1	207, 209	890440 M91	85 85	1 009774 K1	123 125, 127	1 019290 M1	119
832408 M91		890441 M91 890461 M1	23	1 009858 M1 1 009860 M1	127	1 019378 M1 1 019381 M1	125,127
832410 M91 832654 M1	133,137	890462 M1	23,033	1 009864 M1	125,127	1 019384 M1	125
832696 M2	89	890929 M1	33	1 009869 M1	125,127	1 019500 M91	149
832701 M2	91	890971 M91	77	1 010459 H1	43	1 020104 M91	125
832704 M92		891933 Ml	45 161	1 012006 M1 1 012006 M2	77	1 020106 M1 1 020107 M91	125
832711 M1 832960 M3	165 7,019,029	892862 M1 893360 M91	57	1 012681 M1	. 81	1 020108 M1	125 125
	101,113	893573 M91	79 35	1 012682 M1 1 012684 M1	81 81	1 020109 M1 1 020122 M1	125 125
833084 M1	161 161,169	894184 M1 894291 M1	35 45	1 012684 M1	81	1 020122 MI 1 020997 MI	151
833085 M1 833354 M1	161,109	894297 H1	45	1 012687 M1	81	1 021063 M91	149
833445 M1	149	894303 Ml	161	1 012689 M1	81	1 021430 M1	149
833455 M1	145,147	894607 M1	201,203	1 012691 M1	_ 81	1 021431 M1	149
834015 MI	99,109	894608 MI	201,203	1 012692 M1	81 81	1 021451 M1	13
834242 M1	87,089	894683 M1 894684 M1	161 161	1 012693 M1 1 012694 M1	81	1 021467 M91 1 021468 M1	81
834243 M1	87,089 215	894685 M1	161	1 012695 M1	81	1 021673 M1	7,013
835061 M1	213	Tu Contto	.01	- 0-4077 HZ	٠.		.,

PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
1 021788 MI							
I 021907 MI	169 123	1 024942 M41	3	1 034956 MI	117,119,123	1 750079 MZ	13,047
1 021910 M91	45	1 024945 ML 1 024946 ML	215	1 035020 M91	93	1 750080 M1	47
1 021940 M91	215	1 024981 HI	215	1 035258 ML	125	1 750081 M1	47
1 021963 M91 1 021964 M1	153	1 025001 M1	125	1 035877 MI	3,011	1 750083 H91	47
1 021965 M91	153	1 025005 MI	93	1 037457 M1	83	1 750084 H91	13,047
1 021966 M1	153	1 025006 M1	93	1 038316 MI	79	1 750085 M1	13,015
1 021967 MI	153	1 025006 M91	93,097	1 038428 M91	139	1 750087 M1	15,015
1 021968 M1	153	1 025008 M1	93,095,097	1 038432 M1 1 038526 M1	79,081	1 750088 M1 1 750094 M91	15
	153	1 025009 MI	125,127	1 030320 41	113, 115	1 750095 M91	5
1 021969 M1 1 021970 M1	153	1 025028 MI	93	1 038815 M1	79,081	1 750096 M91	15
1 021971 M91	153 153	1 025029 M1	93	1 038816 M1	81	1 750097 N1	13
1 021972 H1	153	1 025032 M1 1 025381 M91	93	1 038917 MI	79,081	1 750098 M1	5
1 021973 M1 1 021974 M1	153	1 025562 H1	125,127	1 038988 M91	95,097	1 750100 H1	51
1 021974 M1 1 021975 M1	153	1 025568 M91	125,127	1 039258 MI	43	1 750103 M1	13,051
1 021977 41	153	1 025709 MI	151	1 039569 M91	117,125	1 750108 M1	13,051
1 021580 M1	153	1 026230 M1	81	1 500015 M1 1 500056 M1	15	1 750110 M1 1 750111 M1	ii
1 021981 M1	153 153	1 026231 M1	79,081	1 500071 HI	5	1 750112 M1	5,013
	.,,	1 02653U M91	3	1 500098 M1	7,051	1 750117 M1	13
1 021983 M1 1 022309 M1	153	1 027660 M91	43	1 500195 MI	00 103 105	1 750116 81	13 016
1 022316 MI	79,081	1 023086 MI	79,081	1 200142 MI	99,103,105	1 750118 M1 1 750120 M1	13,015
	107,109	1 028087 M91	79,081	1 501333 M1	151	1 750122 M1	3
1 022319 H1	93,095,097	1 028088 M1 1 028211 M1	79,081	1 501962 M1	99,109	1 750124 H1	11
1 022321 M1	121,123	1 029283 M1	153	1 505306 M1	67,069	1 750126 MI	15
1 022451 M1 1 022505 M1	13,015	1 028496 M91	79,081	1 509295 M1 1 509432 M1	169	1 750127 H1	15
1 022600 M91	. 77	1 028566 M1	123	1 509759 M1	215 101, 103, 105	1 750130 M91 1 750131 M1	3,015
1 022601 491	105 103, 107	1 028568 M91	123		107,113	1 750134 H1	7
	10.1101	1 028569 M91	87	1 509765 M1	107	1 750138 M1	43
1 022604 M1	99,101,103	1 028571 M1	123	1 650038 M1	57	1 750139 M1	15
1 022704 M91	105,107	1 029572 M1	101,103,105	1 650192 M1	77	1 750140 H1	15
1 022847 41	151	1 028573 MI	107,113	1 650193 M1	77	1 750145 M1	47
1 022902 M1	167	T 050313 MI	101,103,105	1 750000 M1	9,013	1 750147 M1	15
1,023052 M91	153	1 028574 M91	101,103,105	1 750002 M1 1 750006 M1	11,013	1 750149 M1	7
1 023054 M91	153		107,113	1 750000 MI	11,013	1 750151 H1 1 750169 H1	5 7
1 023056 M1	153	1 028575 M91	101,103,105	1 750017 MI	5,011,013	1 750186 M91	9
1 023057 M1 1 023058 M1	153 153		107,113	1 750024 M1	15	1 750187 M91	ý
2 023033 112	155	1 028576 M1	125	1 750028 M1	15	1 750188 M91	9
1 023059 H1	153	1 028729 M91	101,103,105	1 750032 M1	5,013	1 750196 M91	3
1 023060 MI 1 023065 MI	153	1 020722 401	107,113	1 750034 M1	7	1 750197 M91	3
1 023202 MI	153 141	1 028737 M91 1 030218 M1	117 110 125	1 750040 M91	7	1 750198 M91	11
1 023203 M1	141	1 030220 MI	117,119,125	1 750041 M91 1 750042 M1	7	1 750199 M91	11
1 023204 H1	141	1 030220 M91	125	1 750042 HI	9	1 750202 H1 1 750203 H1	7
1 023205 M1	141	1 030221 M1	117,119	1 750045 M1	13,043	1 750203 M1 1 750204 M1	7
1 023693 MI	105	1 030328 MI	125	1 750052 H1	15	1 750205 M1	7
1 023694 H1	105	1 030585 MI	93	1 750054 M1	. 7	1 750206 M1	7
1 023759 M1	101,113	1 030920 M91	105	1 750055 M1	11	1 750207 M1	7
1 023764 H91	125	1 030921 M1	117,119,123	1 750056 MI	11	1 750208 H1	_
1 023765 M1	125	1 030923 MI	117,119,125	1 750057 ML	ii	1 750209 M1	7
1 023837 M1	145, 147, 149	1 031006 M1	147,149	1 750058 M1	11	1 750211 M91	51
1 024262 M1	87,089	1 031109 MI	101,103,105	1 750059 M1	11	1 750212 M1	11
1 024353 M1 1 024354 M1	185 125,127	1 031215 M1	107,113 125,127	1 750060 M1	11	1 750213 M91	47
1 024375 M1	77	1 031261 MI	153	1 750061 M1 1 750062 M1	11 013	1 750214 H91	15
1 024388 M1	75	1 031414 M1	13	1 750066 H91	11,013 11	1 750216 M92 1 750236 M91	5,007,013
1 024393 H1	75	1 031657 M1	83	1 750067 M91	ii	1 750236 M91 1 750237 M1	193
1 024396 M1	77	1 032397 M91	103,105,107	1 750068 M1	ii	1 750239 M91	7 15
1 024481 M91	89		115	1 750069 M1	11	1 750240	
1 024583 M91	215	1 032379 M1	99,103,105	1 750070 M1	- 11 11	1 750269 M1 1 750293 M1	13
1 024912 M91	93		107,109	1 750071 M1	ii	1 750355 M1	7
1 024914 M91	93	1 032727 H1	125	1 750072 M1	11	1 750356 M1	13 13
1 024915 M1	93	1 032727 M91	117 119	1 750073 M1	11	1 750357 M1	13
1 024916 M1	93 93	1 032784 M1 1 033790 M1	117,119	1 750074 M1 1 750075 M1	7	1 750364 M1	121
1 024917 M91 1 024919 M1	93	1 033801 M91	93	1 750075 MI	47	1 750368 M1	89,097
1 024922 MI	93,095,097	1 034150 M1	117,119,125	1 750077 MI	7 13, 047	1 750370 MI	101,111
1 024941 M91	3	1 034654 MI	79,081	1 750078 M1	47	1 750371 H1 1 750379 H1	101,109,111
				1	**	- 120214 MT	111


PART NUM.	SEE PAGE	PAPT NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
1 750387 M1 1 750392 M1 1 750394 M1	111 111 99,101,103	1 750469 H1 1 750470 H1 1 750471 H1	121 121 121	1 750623 M91 1 750627 M1 1 750638 M1	135, 137, 139 129, 131, 135 131, 141	1 751188 M1 1 751189 M1 1 751190 M1	61,063,065 61,063,065 61,063,065
1 750395 HI		1 750472 M1 1 750473 M1	121	1 750639 M1 1 750640 M1	131 131	1 751192 M1 1 751193 M1	61,063,065
1 750396 M1	99,101,103	1 750474 M1	121	1 750642 M1	129,131,135	1 751194 ML	63,065
1 750397 M1		1 750476 H1 1 750477 H1	121 121	1 750650 M91	129,131,135	1 751195 M1 1 751196 M1	61,063,065
1 750398 M1 1 750399 M1	99,109,111	1 750478 M1 1 750480 M1	121	1 750652 H1 1 750656 H1	131	1 751204 M1 1 751207 M91	67,069
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 170400 R2	,,,,,,,	. 130030 M	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
1 750400 M1	99,109,111	1 750482 M1	95,097		135, 137	1 751208 HI	67,069
1 750401 H1 1 750402 H1	99,109,111	1 750484 M1 1 750487 M91	101,111	1 750657 M1 1 750657 M91	131 129,133,135	1 751209 M91 1 751210 M1	67,069 67,069
1 750403 H1	99,109,111	1 750488 M1	95,097		137, 141	1 751211 M1	67,069
1 750404 M1	99,101,103	1 750489 M1 1 750490 M1	95 •097 95 •097	1 750659 M1	129, 131, 135	1 751212 M91 1 751216 M91	67,069
1 750405 M1 1 750406 M1	101,109,113	1 750491 M91 1 750492 M1	95,097 95,097,115	1 750661 M91 1 750662 M91	131	1 751218 M1 1 751219 M91	67,069 67,069
1 750408 H1	121,123	1 750493 M1	121	1 750664 M1	131	1 751222 M1	67,069
1 750409 M1	117, 119, 121	1 750494 MI	101,111	1 750665 M1	131	1 751223 M1	67,064
1 750411 491	95,097	1 750495 M1	95.097	1 750666 M1	131	1 751275 HI	43
1 750412 M1 1 750413 M1	93,095,097	1 750496 M1 1 750497 M1	101,111	1 750668 M91 1 750670 M1	131 141	1 751292 M1 1 751294 M1	83 83
	99,111,121	1 750499 H1	95,097	1 750671 M91	131	1 751295 M91	83
1 750414 M1	99,111,121	1 750500 M1 1 750501 M1	87,089 87,089	1 750673 M1 1 750674 M1	129,131,135	1 751298 H1 1 751299 H91	83 83
1 750415 M1	99,109,111	1 750504 M1	99,101,103	1 750675 M1	135, 137 135, 139	1 751301 M92 1 751304 M1	83 83
1 750417 HL 1 750422 H91	101.113	1 750505 M1	99,101,103	1 750676 M1	135,139	1 751328 M1	63,065
1 750423 M1	99,101,103		105,107	1 750677 M1	135,139	1 751347 M91	129
	107,109	1 750506 M91	121	1 750678 H1	129,131,133	1 751353 M1	133
1 750424 M1	99,109,111	1 750512 M91	109		135, 137 129, 131, 133	1 751353 MZ	129,135,137
1 750425 M1	99,111,121	1 750513 M1 1 750514 M1	95,097 95,097	1 750679 H1	135, 137	1 751387 H1	129,131,135
1 750426 M1 1 750428 M1	99,111,123	1 750515 M1 1 750516 M1	95,097 99,101,103	1 750680 M1 1 750681 M91	131	1 751395 M91	139 185
1 750429 H1	99,101,103		105,107	1 750686 M1	129,131,135	1 751395 M92 1 751402 M1	185 185
1 750431 41	105,107	1 750518 M1 1 750519 M1	117,121 95,097	1 750687 M1 1 750687 M91	129,135,141	1 751403 H1	185
1 750432 HI	95,097	1 750520 H1	95,097	1 750692 M91	131	1 751404 H1	185
	121	1 750524 M1	97	1 750869 M1	99,109,111	1 751405 M1	185
1 750434 H1 1 750435 H1	101,111	1 750579 ML	47	1 750870 M1	103, 105, 107	1 751406 M1 1 751407 M1	185 185
1 750436 M1 1 750437 M1	95,097 95,097	1 750583 M1 1 750584 M1	15 15	1 750875 M1	95,097	1 751408 MI	185
1 750439 M1 1 750440 M1	117,121 117,119,121	1 750585 M1 1 750586 M91	15 15	1 750880 M1 1 751041 M1	97 111	1 751409 M1 1 751410 M1	185 63
1 750441 #91	99,109,111	1 750597 H1	193 193	1 751042 M91 1 751165 M1	109 63,065	1 751415 M91 1 751418 M91	129 131
1 750443 M1 1 750444 H91	101,109,111	1 750598 M1 1 750599 M1	193	1 751166 M9	1 65	1 751419 M91	131
1 750445 M1	117,121	1 750600 M1	193	1 751167 MI	61,063,065	1 751440 H91	7
	117,121	1 750601 M91	129,131,135	1 751168 MI	61,063,065	1 751441 M91	7
1 750446 M1 1 750447 M91	117,121	1 750602 M91	129,131,135	1 751169 H9	1 61,063,065	1 751442 M91 1 751443 M91	7
1 750450 M1 1 750452 M91	99,109,111	1 750603 M91	137,139	1 751170 M9 1 751171 M9	1 63,065	1 751444 H91	. 7
1 750454 M91	117,121	1 750610 M91	137,139	1 751172 M9 1 751173 M1		1 751445 M91 1 751446 M91	7
1 750456 M1 1 750457 M1	117,121 117,121		137,139	1 751174 HI	61,063,065	1 751447 M91 1 751448 M91	7
1 750458 M91 1 750459 M1	117,121	1 750613 M1	129,131,133 135,137	1 751175 MI 1 751176 MI	61,063,065	1 751449 H91	1 7
1 750460 M1	99,105,109	1 750614 M1	129,131,133	1 751177 M9	63,065	1 751450 M91	1 7
			126 127	1 751178 MS	01 61.063.065	1 751451 M9	1 7
1 750461 H1	111, 123	1 750616 M91	135,137	1 751179 MI	61,063,065	1 751473 H1	43
1 750462 M1 1 750463 M9	97	1 750616 M92	137 129			1 751483 H1	99,109,111
1 750464 H1	93,095	1 750618 M91		1 751182 M	63.065	1 751484 M1	
1 750465 M1	99,101,103	1 750618 M92	137	1 751184 M	1 63,065	1 751488 MI	193
1 750466 H9 1 750467 H9		1 750619 M91 1 750621 M91			1 61,063,065	1 751491 M1	193
1 750468 M1		1 750623 M91			91 61,063,065	1 751492 M1	193

	PART NUM.	SEE PAGE	PART NIJH.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
1	751495 M1	100						123,125
Ī	751496 MI	193 193	1 751773 H1	133,137	1 752891 H1	147,149	1 754274 H1	123,125
1	751497 491	193	1 751774 H1	133,137	1 752893 ML	47	1 754275 M1	123,125
	751499 HI	193	1 751780 M91 1 751781 M1	133,137	1 752931 HL	147,149	1 754276 M1 1 754277 M1	123,125
	751500 M1	193	1 751782 M91	133,137	1 752990 M1	169	1 754278 M1	123
	751502 H1	193	1 751783 M91	133,137	1 752991 M1	169 169	1 754282 M1	125,127
	751504 M1 751505 M91	193	1 751813 M1	133,137 151	1 752992 M1 1 753011 M91	147	1 754285 M1	127
i	751506 HI	193	1 751815 MI	151	1 753012 M91	147	1 754288 MI	127
	751507 M1	193	1 751818 H1	151	1 753115 NI	193	1 754289 M1	127
		193	1 751820 M1	151	1 753116 MI	193	1 754307 M1	125,127
1	751524 H1	129,131,135	1 751821 M91	115			1 754353 MI	3
	251.0	141	1 751823 M91	135,137	1 753490 M1	193 217	1 754500 H1	217
r	751606 HI	129,133,135	1 751824 M91	129,133,135	1 753500 M1 1 753501 M1	217	1 754501 H1	217
1	751630 M1	137		137	1 753502 M1	217	1 754502 M1	217
	751631 M91	151 151	1 751924 M92	141	1 753504 M1	217	1 754547 M91	101,103,107
	751632 H91	151	1 751828 M91 1 751833 MI	135,137,141	1 753505 M1	217		113,115
	751633 HI	151	r 131833 Mf	129,133,135	1 753506 M1	217	1 754548 H1	101,103,105
	751636 H1	5,013	1 751834 M1	137,141	1 753507 M1	217	1 754549 HI	101,103,105
1	751637 M91	147		137,141	1 753508 M1 1 753509 M1	217 217	1 /34344 HT	107,113
1	751639 M91	147,149	1 751015					
1	751643 M1	147,149	1 751835 HI	129,133,135	1 753510 M1	217	1 754630 HI	139,141
	751644 MI	147,149	1 751836 M1	137,141	1 753746 H1	167	1 754666 M1 1 754667 M91	139,141
	751645 H91	147,149		137,141	1 753747 M2 1 753748 M1	167 167	1 754667 M91 1 754668 M1	17,027
	751647 H1	147.149	1 751 837 M1	129,133,135	1 753749 MI	167	1 754681 M2	167
	751650 H1 751651 H1	151		137,141	1 753750 HI	167	1 754683 H1	15
	751652 HI	151 147,149	1 751836 MI	129,133,135	1 753751 M1	167	1 754791 M91	217
	751653 MI	147,149	1 751846 41	137,141	1 753752 M1	167	1 754792 M1	217 217
1	751655 41	147,149	1 751847 M1	5 13	1 753753 M92 1 753771 M91	167 61	1 754793 M1 1 754794 M1	217
				.,	1 122111 HAT	01	1 134144 HI	
	751657 M91 751659 M91	147,149	1 751849 M91	11	1 753772 M91	61	1 754795 M91	217
	751661 41	147,149	1 751875 M1	147,149	1 753773 M91	61	1 754796 H1	217
	751662 MI	147,149	1 751876 M1 1 751878 M91	147,149	1 753774 H91	61	1 754797 M1	217
	751663 ML	147,149	1 751879 M91	99,101,111	1 753775 M1 1 753776 M1	61	1 754799 H1 1 754800 M91	217 217
	751664 HI	147,149	1 751880 M91	117	1 753778 M1	61 61	1 754833 M1	217
	751665 M1	147,149	1 751883 M91	117,119	1 753779 H1	61	1 754877 M91	101,103,105
	751666 M91	147,149	1 751884 M1	117,119	1 753957 M1	5		107,113
	751670 H91 751671 H91	147,149 147,149	1 751885 M1	117,119	1 753958 M1	93,095	1 754878 HI	99,101,103
•	171011 1171	1411144	1 751888 M1	117,119,123	1 753960 M1	167		105,109
1	751672 M91	147,149	1 751890 M91	117,119	1 753962 M1	167	1 754916 M91	139,141
	751675 HI	147,149	1 751892 M1	117,119	1 753963 N1	167	1 754918 M1	139,141
	751676 H1	147,149	1 751893 M1	117,119,125	1 753964 HI	167	1 754920 M1	139
	751677 M1 751683 M1	147,149	1 751895 M1 1 751897 M91	117,119,125	1 753965 M2	167	1 754949 M91	215
	751686 M2	147	1 751898 MI	117,119,125	1 754020 H91 1 754021 H1	7	1 754951 M1 1 754952 M1	215
	751687 H1	147,149	1 751902 M91	117	1 754220 M91	97	1 754952 M1 1 754953 M1	215 215
	751688 MI	147,149	1 752141 M1	215	1 754244 H1	111, 113	1 754955 H1	215
	751689 MI	147,149	1 752166 M1	215	1 754245 M1	99,101,103	1 755047 M91	147
1	751690 MI	147,149	1 752304 M91	95		105, 107	1 755056 M1	185
,	751691 M1	147, 149	1 752305 M1	95	1 754344 M1	•••	1 755557 115	
	751692 M91	147,149	1 752305 MI	93,095	1 754246 M1 1 754246 M91	111 113	1 755057 M1 1 755059 M1	185 185
	751694 HI	83	1 752309 M1	141	1 754247 H1	99,111	1 755060 MI	185
	751700 H1	147,149	1 752311 H91	129,135	1 754248 M91	123, 125	1 755067 N1	11
	751701 M1	147.149	1 752394 M91	3	1 754250 M1	123	1 755245 M91	123,125
	751702 M1	147,149	1 752395 M91 1 752396 M91	3	1 754251 H1	123	1 810014 M91	29
	751703 M1 751705 M1	147,149 147	1 752401 H91	. 9	1 754252 M91 1 754255 M1	123	1 810015 M91	29
	751706 H1	151	1 752417 M91	63	1 754256 HI	123 123	1 610016 M91	29
	751710 MI	193	1 752506 M1	217	1 754258 M1	123	1 810017 M91 1 810018 M91	29 29
	751711 M1 751751 M1	193 193	1 752532 M91 1 752640 M1	215 141	1 754259 M1 1 754260 M1	123 123	1 810028 M91 1 850093 M93	35
	751753 HI	151	1 752865 M1	137	1 754261 H1	123	1 850252 M91	85
	751756 M91	133	1 752866 M91	133,137	1 754262 M91	123,125	1 850293 M91	77
	751757 M91	133	1 752867 M1	133,137	1 754263 H1	41,123,125	1 850294 M1	45 45
	751758 M91	133	1 752868 M1	133,137	1 754264 H1	121,123,125	1 850331 H1	59
	751766 M91 751767 M1	133,137 133,137	1 752883 M1 1 752884 M91	133,137 133,137	1 754266 M91 1 754267 M1	123	1 850332 M1	59
	751768 M1	133,137	1 752885 H91	133,137	1 754271 M1	125	1 850333 HI	59
	751770 H1	151	1 752890 MI	147,149	1 754273 HI	123, 125 123, 125	1 850341 M1	41
							1 850342 M1	41

	PART NUM.	SEE PAGE		PART NUM.	SEE PAGE	PART NUM.	SEE PAGE	PART NUM.	SEE PAGE
	1 850343 M1								
	1 850344 MI	41		1 852029 M1	59				
	1 850345 M1	41		1 852087 M91 1 852333 M1	75 85				
	1 850377 M96 1 850444 M1	37,039,085		1 852796 M1	17				
	1 850445 MI	77		1 853202 M1	59				
	1 850448 M1	77		1 860818 M1 1 881350 M91	23+071 71				
	1 850449 M1	77		1 881527 ML	215				
	1 850450 M1 1 850451 M91	77		1 881933 M1	35,037,039				
		77		1 882771 MI	27,035				
	1 850452 ML	77		1 883003 HI	35,049				
	1 850453 MI 1 850454 M91	77		1 883385 M1	191				
	1 850709 M1	77 85		1 884088 M91 1 884089 M1	17,027,057				
	1 850731 M1	45		1 884090 ML	71,073				
	1 850820 M1 1 850821 MI	59 59		1 884091 M91	29				
	1 850824 M91	59		1 884092 M91 1 884093 M91	29 29				
	1 850825 M91	59		1 884098 M1	27,035				
	1 850827 M1	59		1 884099 M1	27				
	1 850828 MI	59		1 884101 M91	31				
	1 850830 M1	45		1 884103 MI	35				
	1 850832 M1 1 850833 M92	45 45		1 884105 M91 1 884106 M91	31				
	1 850931 M91	77		1 884107 M91	31 31				
	1 850932 M1	77		1 884109 M91	31				
	1 850933 M1 1 850934 M1	77 77		1 884110 M1	31				
	1 850935 HI	77		1 884111 M91 1 884112 M91	37 37				
	1 850936 MI	41		884113 ML	37				
	1 850938 HI 1 851019 HI	41.077		884114 MI 884115 MI	37 37				
	1 851021 MI	41		884116 M1	27,035				
	1 851095 M2	49	1	884117 M1	27				
	1 851161 M91 1 851164 M1	41 41		884118 M1	37 33				
	1 851165 HI	41		884120 M91 884121 M91	33				
	1 851166 MI	41		884122 M1	33				
	1 851167 M1 1 851168 M1	41 41		884123 M1	33 33				
	1 031100 HI	71	•	884124 M1	33				
	1 851169 M1	41	1	884125 MI	33				
	1 851170 H1	41	1	884126 HI	33				
	1 851524 M1 1 851735 M1	85 85		884127 M1 884128 M1	33 33				
	1 851842 M1	77	_	884129 ML	33				
	1 851843 HI	77		884130 HI	35,071,073				
	1 851852 MI	81	_	884131 M1 884134 M91	71,073 29	•			
	1 851854 M1 1 851859 M1	79,081		884135 MI	29				
	1 851860 M1	79,081	1	884136 M1	29				
	851868 M1	79.001		884137 ML 884138 ML	29 29				
	1 851869 M1 1 851871 M1	79,081 79,081	1		59				
	851872 M1	79,081	1	884857 M91	59				
1	851880 M1	79,081		884858 HI	59				
	851881 M1 851882 M1	79,081	1	884940 H1 885317 H92	27.031 173				
	851884 M1	79,081	î	896152 MI	. 59				
1	851889 M1	75 75	AT	1040	179 179				
1	851895 MI	13	GK	7203	417				
1	851896 MI	75	MP	1058	: 49				
1	851899 M1	75							
	851900 H1	75							
	851901 M1 851902 M1	75 75							
	851904 M1	75							
1	851905 M1	75							
	851906 M1	75 75							
	851908 M1 851946 M1	79,081							


2

F207-53



(GAS)


	of.							
N	0.			P	art	No.	Description	No.
	(A)	)	1	02	94	2 191	Block Assembly, Cylinder, Short (Reg. Alt.) (Includes Stripped	Req.
							Block, Pistons, Crankshaft and Dearings, Camshaft, Connecting Rods and Bearings, Oil Pump, Oil Pan,	
	(n.	C)	1	755	2 201	5 M91	and Timing George).	1
	(10)		•	101	340	a Mal	block Assembly, Cylinder, Short (Reg. Alt.) (Includes Stripped	
							Block, Pistons, Crankshaft and Bearings, Commbaft	
							Connecting Rods and Bearings, Oil Pump, Oil Pan,	
	(D,	C)	1	750	196	5 M91	Block Assembly, Cylinder, Short (Reg. Alt.) (Includes Stripped	1
							Block, Pistons, Crankshaft and Bearings, Camshaft,	
							Connecting Rods and Bearings, Oil Pump, Oil Pan,	
	(A)		1	026	530	M91	and Timing Gears)	1
			•	020	030	MAI	Block Assembly, Cylinder, Short (Hi-Alt.) (Includes Stripped	
							Block, Pistons, Crankshaft and Bearings, Camshaft,	
	4 1						Connecting Rods and Bearings, Oil Pump, Oil Pan, and Timing Gears)	
	(E)		1	752	396	M91	Block Assembly, Cylinder, Short (Hi-Alt.)(Includes Stripped	1
							Block, Pistons, Crankshaft and Bearings Compact	
							Connecting Rods and Bearings, Oil Pump, Oil Pan	
1	(A)		1	024	941	M91	and Timing Gears)	1
1	(B,	F)	1	752	394	M91	Block Assembly, Cylinder, Stripped	1
1	,-,						Block Assembly, Cylinder, Stripped	1
3			1		122		Plug (1" Expansion)	1
4			1		259 148		Piug (2-1/6" Expansion)	1
5					543		Plug (1/8" Pipe, Sitd. Hd.)	2
6			•		595		Plug (1/8" Pipe, Sq. Hd.)	2
7					958		Support, 0il Level Gauge. Stud (1/4" NC x 7/8")	1
8					441		Washer (1/4" Lock)	2
9					121		RUT (1/4" NC, Hex.)	2
10					353		Stud (7/16" NC x 1-5/16")	2
12					963 964		Stud (7/16" NC - NF x 1-3/4")	1
13					281		Stud (7/16" NC - NF x 1-7/8")	5
14		1	1 0	35	877	Ml	Stud (7/16" NC - NF x 4-5/16")	2
15				17	608	A	Dowel, Ring, Front Main Bearing Cap	8
16		,			402	-	Dowel, Pin, Front : d Center Bearing Cane.	3
11		4	. 7	50	131	MI	Boit, Front Main F aring Caps (also holds Oil Pump (1/2 x 6-1/2"	
18				21	215		NC, Hex.)	2
19					773		Bolt, Center and Roar Bearing Caps (1/2 x 2-1/2" NC, Hex.)	4
20	(H)						Packing, Rear Main Bearing Cap	6
21					069		DOWN	1 2
22					426		Nut (7/16" NF, Hex.)	1
23			3	22	645	XI	Nut (7/16" Hex. Special)	2
Not	es:	(A)	_	Se	rvic	e Renl	acement.	
		(B)	_	Us	ed T	ractor	Serial Number 162 606 and un	
		(C)	-	Fo	r re	pairs	order 1 each of 1024 942 M91 Plack 104 058 M91	
				D1	Btrl	Dutor,	194 060 M) 'amp. 194 061 M1 Seel 353 670 VI	
		(n)		BO	Tr F	na 353	446 X1 Wat .gr.	
		(E)	-	For	r re	naire	o Tractor Serial Number 162 606. order 1 each of 1026 530 M91 Block, 194 058 M91	
		,		Di	stri	butor.	194 060 M1 Clamp, 194 061 M1 Seal, 353 679 X1	
				RO.	IT B	na 353	446 Xl Washer.	
	(	(F)	-	Po	re	pairs	order 1 each of 1024 941 M91 Block, 194 058 W01	
				Di	Stri	butor,	194 060 M1 Clamp, 194 061 M1 Sen1, 353 670 Y1	
		-		Bo.	IE 31	nd 353	446 X1 Washer.	
	(	u)	-	COL	re	101 4	order 1 each of 1024 941 M91 Block, 1751 846 M1	
				Bol	te :	and 35	69 M1 Gasket and 3 each of 355 566 X1 Nut, 353 550 X1 3 434 X1 Washers.	
	(	H)	-	For	rei	pairs	order (1) 1021 673 M1 Packing (6' Strip).	
							to builpy.	



(GAS)

Re	f.						**-
No			P	irt !	No.	Description	No. Req.
							Red.
24		1		017		Gasket, Cylinder Head	1
			13	25	l A	Pin, Plate (1/8 x 3/8" Rd. Hd.)	1
28		1	750	661	1 W91	Cover Asserbly Mining Cover	
29	(3)			071		Cover Assembly, Timing Gears	
30	,			863		Spring, Governor Bumper	1
31		1		151	-	Rivet, Bumper Spring (Order 480 791 M91, Box)	
32				032		Pin, Bearing Stop	
33		•		314		Gasket, Timing Gear Cover	1
34	(K)	,		098		Dowel, Pin, Timing Gear Cover	2
35	()	•			M91	Pipe, Oil Filler	1
40		,			M92	Cap Assembly, Oil Filler Pipe	1
41				957		Seal Assembly, Oil, Crankshaft, Rear	1
42		•		405		Reinforcement, Oil Seal Retainer	1
43		٠,		112		Pin, Reinforcement to Retainer (5/32 x 7/16")	2
44				597		Gasket, Oil Seal	1
45		1				Seal, Oil, Crankshaft, Front	2
13			15	288	Α.	Seal, Dust, Crankshaft, Front (2-1/8 x 3 x 1/4" Felt) (Order	
46			~ = 0	000		1 008 597 W1)	1
47		1			M91	Gauge Assembly, Oil Level	1
48				138		Screw, Governor Bumper Spring Adjusting	1
49				546		Plug, Timing Hole Cover	1
50				716		Cock, Water Jacket Drain	1
51		1		846		Cover, Power Steering Pump Hole	1
31			191	469	MI	Gasket, Pump Hole Cover	1
52			353	666	X1	Bolt (1/4 x 5/8" NC, Hex.)	×
53		1	751	636	M1	Washer (1/4" Copper)	×
54			353	754	X1	Washer (1/4" Small Flat)	x
55			355	564	X1	Nut (1/4" NC, Hex.)	x
56			353	692	XI	Bolt (3/8 x 1-1/8" NC, Hex.)	x
57			354	263	T)	Bolt (3/8 x 1-5/8" NC, Hex.)	×
58				268		Bolt (3/8 x 2-3/8" NC, Hex.)	x
59			-	434		Washer (3/8" Lock)	×
60				566		Nut (3/8" NC, Hex.)	×
61				698		Bolt (7/16 x 1" NC, Hex.)	x
62				700		Bolt (7/16 x 1-1/4" NC, Hex.)	x
63				757		Washer (7/16" Small Flat)	×
64				426		Nut (7/16" NF, Hex.)	X
65				614		Bolt (5/8 x 1-7/8" NF, Hex.)	
66				433		Washer (5/8" Lock)	x
67				427		Nut (5/8" NF, Hex.)	x
01			333	421	W.T.	Nut (0/0 RF; NOA.)	x

Notes: (J) - Straight Piece; Dealer will Bend.
(K) - For repairs order (1) 1018 113 M91 Pipe and (1) 15 345 A Cap.



```
Ref.
    No.
                                     Part No.
                                                                                                                                                                                                                                                                        No.
                                                                                                                                  Description
                                                                                                                                                                                                                                                                        Req.
       1 (A)
                           1 750 169 M1
1 751 444 M91
1 751 440 M91
1 751 448 M91
                                                                              Crankshaft...
Insert Assembly, Front (See Item #35)
Insert Assembly, Center (See Item #35)
Insert Assembly, Rear (See Item #35)
Gear, Crankshaft Timing (Std.)
Gear, Crankshaft Timing (-.001")
Gear, Crankshaft Timing (-.002")
Gear, Crankshaft Timing (+.001")
Gear, Crankshaft Timing (+.002")
Washer, Oil Throw-off.
Pulley, Fan Drive.
Key, Crankshaft (1/4 x 1" Hi-Pro)
Jaw, Crankshaft Starting
Washer, Starting Jaw.
       3
                            1 750 054 M1
1 750 203 M1
       5 (B)
            (B)
                            1 750 205 M1
            (B)
                            1 750 202 M1
1 750 204 M1
            (B)
                            15 286 A
1 750 076 M1
                                    15 356 A
                            1 754 U21 N1
                            1 750 149 M1
   13 (C)
                            1 754 020 M91
                                                                              1 750 041 M91
1 750 040 M91
1 750 034 M1
   14
15
           (D)
    16
                                                                              Gear, Starter Ring.

Bearing, Clutch Pilot.

Stud, Flywheel (7/16" NC - NF x 1-9/16").

Washer (7/16" Int. Skpf.).

Nut (7/16" NF, Hex.).
    17
                                 832 960 M3
                           1 750 134 M1
359 404 X1
353 426 X1
   18
   19
   20
   25
                           1 750 293 M1
                                                                             Camshaft.
Camshaft
Gear, Camshaft Timing (Std.).
Gear, Camshaft Timing (-.001").
Gear, Camshaft Timing (-.002").
Gear, Camshaft Timing (+.001").
Gear, Camshaft Timing (+.002").
Key (5/32 x 5/8" Woodruff).
Nut, Camshaft.
Plate, Camshaft Thrust
Bolt (5/16 x 1/2" NC, Hex., Spec.)
Washer (5/16" Lock).
           (F)
                           1 750 074 M1
   26
                           1 750 237 M1
1 750 207 M1
  26 (B)
26 (B)
26 (B)
26 (B)
27
                           1 750 209 M1
                           1 750 206 M1
                           1 750 208 W1
                          1 691 X
1 500 098 M1
   29
                           1 500 056 M1
   30
                           1 750 127 M1
  31
                                   22 428 X
                                                                            Insert Kit, Main Bearing (Std.)
Insert Assembly, Pront.
Insert Assembly, Center
Insert Assembly, Rear.

Insert Kit, Main Bearing (-.002")
Insert Assembly, Front.
Insert Assembly, Center
Insert Assembly, Rear.

Insert Kit, Main Bearing (-.010")
Insert Assembly, Front
Insert Assembly, Front
Insert Assembly, Center
Insert Assembly, Center
Insert Assembly, Center
Insert Assembly, Rear.

Insert Assembly, Front
Insert Assembly, Rear.

Insert Assembly, Front
Insert Assembly, Front
Insert Assembly, Rear.
  35
                                830 516 491
  36
                          1 751 444 W91
1 751 440 W91
1 751 448 W91
830 637 W91
  37
  38
  35
                         1 751 445 M91
1 751 441 M91
1 751 449 M91
830 638 M91
 36
37
38
  35
                         1 751 446 M91
1 751 442 M91
1 751 450 M91
830 639 M91
  37
  38
  35
                          1 751 447 M91
1 751 443 M91
1 751 451 M91
  36
 37
 38
                                                                                  46
                               830 686 M91
                          830 516 M91
1 751 444 M91
1 751 440 M91
 48
 49
                                                                                 Insert Assembly, Conter-
Insert Assembly, Rear....

Packing, Rear Bearing Cap (12' Ball).

Seal, Oil, Crankshaft, Front.

Retainer Assembly, w/Oil Seal, Rear.....
                          1 751 448 M91
                          1 021 673 M1
 51
                          1 008 597 M1
                          1 750 216 M92
                          836 543 M91
1 750 293 M1
                                                                                 Camshaft.
Instructions.....
         (G)
                       733 504 W1
Notes: (A) - For repairs order 830 686 M91 Crankshaft Kit. See Item 46.

(B) - Undersize and oversize Gears are furnished on special orders when needed to obtain quiet gear operation.

(C) - Used Tractor Serial Numbers 177 395 thru 177 519, 177 538 and up.


(D) - Used prior to Tractor Serial Numbers 177 395; Also used Tractor Serial Numbers 177 520 thru 177 537.

(E) - Used Tractor Serial Numbers (Single Clutch) 166 768 and up; (Dual Clutch) 167 258 thru 167 805, 168 319 thru 168 339, 168 505 and up.

(F) - Used prior to Tractor Serial Numbers (Single Clutch) 166 768; (Dual Clutch) 167 258, also used 167 806 thru 168 318 and 168 340 thru 168 504. For repairs order 836 543 M91 Camshaft Kit.

(G) - For use when equipped with 102 Loader.
```






Res	ť.						No.
No	<u>.                                    </u>		Pa	rt N	0.	Description	Req
1			830	697	W91	Piston and Sleeve Set (Regular Alt.)	1
2	(A)		830	492	M91	Ring Set, Piston (Re-Ring Type) (Order 836 097 M91)	1
3		1		401		Piston and Sleeve Assembly (Incl. Rings) (Order 830 697 M91)	4
4				000		Ring, Sleeve Packing	2
5				798		Pin. Piston	1
6				256		Ring, Piston Pin Retaining	2
7				916		Bushing, Piston Pin	1
1			677	396		Hi-Altitude Conversion Kit (Order on Whole Goods)	1
			830	698	M91	Piston and Sleeve Set (Hi-Alt.)	1
2	(A)		830	492	M91	Ring Set, Piston (Re-Ring Type) (Order 836 097 M91)	1
3						Piston and Sleeve Assembly (Incl. Rings) (Order 830 698 M91)	4
4		1	750	000	MI	Ring, Sleeve Packing	2
5			15	798	A	Pin, Piston (Order 840 712 M91)	1
6			15	256	A	Ring, Piston Pin Retaining	2
7				916		Bushing, Piston Pin	1
	(C)		836	097	M91	Ring Set (Chrome)	1
10	(B)		830	780	M91	Ring Set, Piston (Order 836 097 M91)	x
12			840	712	<b>¥</b> 91	Pin Set, Piston (Std.)	×
12			840	713	M91	Pin Set. Piston (+.003")	x
12			840	7,14	M91	Pin Set, Piston (+.005")	×
			830	908	M91	Shim Kit, Piston Sleeve (Incl. 6 Shims .005" and 6 Shims .0015")	1
16			830	644	M91	Rod Assembly, Connecting	4
17			760	916	Ml	Bushing, Piston Pin	1
18		1	750	043	Ml	Bolt, Connecting Rod	2
19		1	750	042	M1	Lock, Connecting Rod Bolt	2
22			840	708	<b>M9</b> 1	Bushing Set, Piston Pin	x
26			830	486	<b>W91</b>	Insert Kit, Connecting Rod Bearing (Std.)	1
26			830	508	M91	Insert Kit. Connecting Rod Bearing (002")	X
27		1	750	186	M91	Insert Assembly, Bearing (002")	4
26			830	509	M91	Insert Kit. Connecting Rod Bearing (010")	X
27		1	750	187	M91	Insert Assembly, Bearing (010")	4
26			830	510	M91	Insert Kit, Connecting Rod Bearing (020")	×
27		1	750	188	M91	Insert Assembly, Bearing (020")	4


Notes: (A) - Re-Ring Type Piston Ring Sets are recommended for repairs when Rings only are installed to insure peak performance.

(B) - 2 in 1 Type Piston Ring Sets are recommended for repairs when used in worn Sleeves.

(C) - Service Replacement.



Ref.			No.
No.	Part No.	Description	Req.
	1 750 198 M91	Head Assembly, Cylinder (Short)	,
2	1 750 199 M91		
	830 490 M91	Head Assembly, Cylinder (Stripped)	
4	1 750 069 M1	Guide Kit, Valve	
5	1 750 212 M1	Guide (Order 830 490 M91)	
6	355 542 X1	Insert, Exhaust Valve Seat (+.010")	. 4
7		Plug (1/8" Pipe, Sq. Hd., Int.)	
8	22 771 X	Plug (1/2" Pipe, Sq. Hd., Int.)	
9	1 007 532 M1	Stud, Manifold (3/8" NC x 1-5/8")	
10	16 544 A	Stud, Manifold (3/8" NC x 1-3/4")(Order 1007 532 M1)	. 1
	21 207 A	Stud, Manifold (3/8" NC x 1-1/2")	. 6
11	1 750 068 M1	Stud, Rocker Arm (3/8" NC x 3-13/32" Special)	. 2
13	1 750 070 M1	Valve, Intake	. 4
15	1 750 072 M1	Valve, Exhaust	. 4
17	21 176 A	Spring, Valve	. 8
18	1 750 061 M1	Guard, Oil, Intake Valve	
19	1 750 062 M1	Gasket, 011 Guard	
20	830 703 M91	Retainer Kit, Valve Spring	
21	1 750 059 M1	Retainer, Intake Valve Spring (Order 830 703 M91)	
23	18 291 A	Pin, Intake Valve Spring Retainer	
24	830 704 M91	Cap Kit, Intake Valve Stem	
25	1 750 060 M1	Cap, Intake Valve Stem (Order 830 704 M91)	
26	835 983 M91		
27	033 903 mg1	Cap Kit, Roto, Exhaust Valve	. 1
29	1 004 512 M1	Cap Assembly, Roto, Exhaust Valve (Order 835 983 M91	
30		Lock, Exhaust Valve	
31	830 705 M91	Cap Kit, Exhaust Valve Stem	
32	1 750 071 M1	Cap, Exhaust Valve Stem (Order 830 705 M91)	
32	1 750 017 M1	Gasket, Cylinder Head	. 1
35	1 750 066 M91	Arm Assembly, Rocker, Left	. 4
36	1 750 067 M91	Arm Assembly, Rocker, Right	
37	1 005 935 M1	Screw, Adjusting, Valve Tappet	
38	353 916 X1	Nut, Lock, Adjusting Screw (5/16" NF, Hex.)	. 1
39	1 750 073 M1	Shaft, Rocker Arm	. 1
40	1 750 055 M1	Support, Rocker Arm Shaft	
41	1 750 056 M1	Spring, Rocker Arm Shaft, Short	
42	1 750 057 M1		
43		Spring, Rocker Arm Shaft, Long	
	1 755 067 M1	Washer, Rocker Shaft (41/64 x 7/8 x 1/32")	. 2
44	1 750 124 W1	Plug, Rocker Shaft (Cork)	. 2
45	1 750 011 M91	Cover Assembly, Cylinder Head	. 1
46	1 751 849 M91	Tube Assembly, Cover Vent	. 1
47	1 750 006 M1	Gasket, Tube	. 1
48	1 750 002 M1	Gasket, Cover to Head	
49	11 277 X	Gasket, Hold Down Stud	
50	1 750 058 M1	Rod, Valve Push	
51	1 750 111 M1	Tappet, Valve	. 8
52	1 750 120 M1	Pin (3/32 x 5/8" Groove)	. 1
	254 042 73	Cotter Pin (1/16 x 1")	
55	354 043 X1		
56	353 441 X1	Washer (1/4" Lock)	
57	354 121 X1	Nut (1/4" NC, Hex.)	. x
58	353 897 X1	Bolt (3/8 x 2" NC, Hex.)	. x
59	353 756 X1	Washer (3/8" Reg. Flat)	
60	354 123 X1	Nut (3/8" NC, Hex.)	
61	353 964 X1	Stud (7/16" NC - NF x 1-7/8")	
62	1 008 281 M1	Stud (7/16" NC - NF x 4-5/16")	
63	1 035 877 M1	Stud (7/16" NC - NF x 4-11/16")	. x
64	353 757 X1	Washer (7/16" Small Flat)	. x
C E	257 426 VI	Wut (7/16" NF Hex.)	




No	•		Pa	rt N	0.	Description	No. Req.
1	(A) ·		876	200	M91		
2		1	021			Gasket Kit, Oil Pan	. 1
3			021			Gasket, Oil Pan	. 1
4						Packing, Rear Bearing Cap (6')	. 1
5			750			Gasket, Oil Pan and Filter Cover	. 1
6			750			Gasket, Oil Drain Plug	. 1
7			031			washer, Drain Plug	. 1
8			750			Gasket	. 1
0		1	750	356	Ml	Gasket	. 1
11	(A)		836	287	W91	Cooket Vit Value Code II.	
12		1	750			Gasket Kit, Valve Grinding	. 1
13				528		Gasket, Cylinder Head	. 1
14		1	750			Gasket, Thermostat Body	. 1
15			750			Gasket, Manifold	. 1
16		_		277		Gasket, Cylinder Head Cover	. 1
17		1	750			Gasket, Cylinder Head Cover Studs	. 2
18			750			Gasket, Intake Valve Stem	. 4
19				526		Gasket, Cylinder Head Cover Vent Cap	. 1
						Gasket, Water Elbow	. 1
	(B,C)			_	M91	Gasket Kit, Oil Pan (Incl. Items 26 and 27)	. 1
	(B, D)		830	690	M91	Gasket Kit, Valve Grinding (Incl. Items 28 thru 31)	ī
25	(E)		830	689	M91	Gasket Kit, Engine (Incl. Items 26 thru 52)	1
26		1	022	451	Ml	Gasket, Oil Pan	i
27		1	750	118	Ml	Gasket, Drain Plug	1
28		1	750	017	Ml	Gasket, Cylinder Head	î
29			181	528	M1	Gasket, Thermostat Body	i
30		1	750	045	M1	Gasket, Manifold	i
31		1	750	002	MI	Gasket, Cylinder Head Cover	î
32			11	277	A	Gasket, Cylinder Head Cover Studs	2
33		1	750	084	<b>M91</b>	Seal Assembly, Water Pumps	ĩ
34		1	750	087	Ml	Gasket, Oil Pump Body Cover	i
35		1	750	032	Ml	Gasket, Gear Cover	î
36		1	021	673	W1	Packing, Rear Bearing Cap (6')	1
37		1	750	077	Ml	Gasket, Water Pump	1
38		1	750	079	M2	Gasket, Water Pump Support	î
39		1	800	597	Ml	Seal, Oil, Crankshaft	2
40		1	750	000	Ml	Packing, Cylinder, Sleeve	8
41		1	750	112	M1	Gasket, Crankshaft Oil Seal Retainer	1
42		1	750	062	Ml	Gasket, Intake Valve Stem	4
43		1	750	117	Ml	Gasket, Oil Filter Cover Screw	1
44		1	751	636	Ml	Gasket, Oil Seal Retainer (Copper)	2
45		1	750	006	M1	Gasket, Cylinder Head Cover Vent Cap	ĩ
46		1	751	847	W1	Gasket, Hydraulic Pump Mounting Hole Cover	î
47			181	531	<b>¥2</b>	Gasket, Carbureter to Manifold	1
48			181	526	M1	Gasket, Water Elbow	i
49		1	750	216	M92	Seal Assembly, Oil, Crankshaft (Rear)	i
50		1	750	103	Ml	Seal, Dust, Governor Rocker Shaft	i
51		1	750	108,	Ml	Seal, Oil, Governor Rocker Shaft	î
					M1	Gasket, Oil Filter Base (Order 841 241 M91)	4

Notes: (A) - Used Late Production.


- (A) Used Late Production.
  (B) Used Early Production.
  (C) For repairs order 836 289 M91 Gasket Kit and (1) 1022 451 M1 Gasket.
  (D) For repairs order 836 287 M91 Gasket Kit.
  (E) For repairs order 1 each of 836 287 M91, 836 288 M91, 836 289 M91, 181 526 M1, 181 528 M1, 181 531 M2, 1022 451 M1.

F 260-51




Ref.	Part No.	Description	No. Req.
1	1 750 239 M91	Oil Pump Assembly	1
2	1 750 239 M91	Body Assembly, Oil Pump	1
3	19 454 X	Plug (1/2" Exp	3
4 (A)	760 195 M1	Bushing	2
5 (A)	1 750 110 M1	Stud, Idler Gear	1
6 (A)	1 028 737 M91	Gear and Shaft Assembly, Oil Pump, Lead	1
7 (A)	1 500 015 M1	Gear, Oil Pump Follow	1
8	1 750 085 M1	Cover, Oil Pump	1
9 (A)	1 750 083 M1	Gasket, Oil Pump Cover	1
10	14 276 X	Screw (1/4 x 5/8" NC, Sltd., Ctsk. Hd.)	6
11 (A)	1 750 052 M1	Gear, Oil Pump Driven	1
12 (A)	1 750 032 M1	Set Screw, Gear Locking (1/4 x 5/16" NC, Self-Locking)	1
13 (A)	15 322 A	Valve, Oil Pressure Relief	1
14 (A)	21 195 A	Spring, Oil Pressure Regulating	1
15	1 009 061 M1	Washer, Pressure Adjusting	
16 (A)		Retainer, Regulating Spring	1
17 (A)	760 159 ¥1	Cotter Pin (1/8 x 1-1/4")	1
18 (A)	354 061 X1	Dowel Pin, Oil Pump to Bearing Cap	
	1 005 960 M1	Dowel Pin, Oil Pump to Bearing Cap	x
19	1 750 088 M1	Shim, Oil Pump to Bearing Cap	î
	835 643 ¥91	Repair Kit, Oil Pump (Incl. all Items marked "A")	•
20	1 750 147 M1	Elbow, Oil Pump Inlet	1
21	1 750 096 M91	Tube Assembly, Oil Screen	1
22	1 750 139 M1	Nut (1/2" Tube, Takes Sleeve)	1
23	1 750 140 M1	Sleeve (1/2" Tube Nut)	1
24	1 750 094 M91	Screen Assembly, Oil	1
25	354 061 X1	Cotter Pin (1/8 x 1-1/4")	1
26	1 750 130 M91	Bolt and Washer (1/4 x 1/2" NC, Hex.)	1
21	1 750 000 W1	Pan, Oil	1
31	1 750 028 M1	Plug, Drain	1
32	884 691 M1	Gasket, Drain Plug	
34	1 750 118 M1	Gasket, Orain Plug	1
35	1 750 024 M1	Gasket, Oli Pan (See 830 888 M91)	2
36	1 022 451 11	Gasket, Oil Pan Flange	
37 (B)	1 750 583 M1	Screw, Oil Filter Cover	1
38	1 750 584 M1	Casket Oil Filter Cover Screw	1
39 (B)	1 750 586 M91	Cover Assembly, Oil Filter	1
40	1 750 585 M1	Spring Oil Filter Cover	
41	1 005 438 M1	Peteiper Oil Filter Cover Spring	1
42	761 518 M1	Canbat Flowent Seel	
43		Flowert Oil Filter (See Item 46)(Order 1014 219 M91)	
44	761 518 M1	Cachet Flowent Seel	
45	1 028 283 M1	Gasket, Filter Cover	. 1
46	1 014 219 M92	Kit, Filter Element (Incl. 3 each of Items 43, 44, and 45)	. x
40	180 100 M93	Gauge Assembly, Oil Pressure	. 1
48	181 570 M91	Time Assemble Oil Dressure	
49		17.4 7 4mm	
50	195 442 M1	mat - 14 (44 Block)	
51	22 238 X	mat v4-a /At Caura)	
52	356 865 X1	Clip, Oil Line Retaining	. 1
53	180 739 M1		
56	353 678 X1	Bolt (5/16 x 7/8" NC, Hex.)	. x
57	353 679 X1	- 0. (# /2/ - 311 M/) Now \	
58	354 615 X1		
59	354 616 X1	mark /E/1E = 0 E/QH MC HOY )	
60	354 625 X1	= n, /#/20 0 7/40 NO DOY \	
	355 512 X1	4# /3C - EU MC Uov \	
61	353 446 X1		
62	353 701 X1		
63	1 750 131 W1	n-14 /1/0 - 6 1/9" WC Her. Dld. f/Locking Wire)	
64		Washer (1/2" Special)	. х
65	1 754 683 Ml	MEDION (1/4 DAGGES)	

F388-1




Ref						
No.		Pa	rt No	<u>).</u>	Description	No. Req.
1		827	483	M91	Block Assembly, Cylinder (Order 1884 088 M1)	1
2		827	556	M1	Liner, Cylinder (Crade F) (See Page 21) (Order 1884 940 M1)	×
2		827	557	MI	Liner, Cylinder (Grade G) (See Page 21) (Order 1884 940 M1)	
2			558		Liner, Cylinder (Grade H) (See Page 21) (Order 1884 940 M1)	x
3		825	109	Ml	Plug, Camshaft Hole (2" Expansion)	
4		825	102	Ml	Plug, Cylinder Block (1-3/4" Expansion)	5
6		825	991	Ml	Plug, Crankshaft Oil Holes	2
7		825	993	M1	Bearing, Camshaft, Front	
8		353	677	X1	Bolt, Bearing (5/16 x 3/4" NC, Hex.)	
9		375	200	X1	Washer (5/16" Lock)	2
10		825	994	Ml	Bearing, Camshaft, Center	1
11		825	995	Ml	Bearing, Camshaft, Rear	1
12		825	857	Ml	Bolt, Locating, Camshaft Bearings	2
12		353	755	X1	Washer (5/16" Small Flat)	2
14		825	853	M1	Stud, Transmission Case to Block	1
14			852		Stud, Battery Platform to Block	2
		1 884			Stud, Injection Pump Mounting	2
16		1 754	668	Ml	Dowel, Injection Pump Drive Housing	2
			260		Dowel, Rear Face of Block	2
18		1 754			Dowel, Timing Gear Cover	2
19			000		Bolt, Oil Gallery Plug	2
19			484		Washer, Oil Gallery Bolt (Copper)	2
21			006		Plug, Oil Suction	2
21			001		Washer, Oil Suction Plug (Copper)	2
22		-	003		Bolt, Union, Oil Pressure Line	1
22			484		Washer, Oil Pressure Line Bolt	2
23			085		Tap, Drain, Cylinder Block	1
23			299		Washer, Drain Tap	1
24			612		Gasket, Cylinder Block to Head (Order 1882 771 M1)	1
25 26			175		Stud, Cylinder Block (Head Locating)	2
27			613		Bolt, Cylinder Block (Short)	8
28			614		Bolt, Cylinder Block (Long)	9
29			437		Washer, Cylinder Block Bolt	19 2
34		826	110	W1	Cover, Timing Gears	1
35			740		Seal, Oil, Crankshaft, Front	1
36			111		Gasket, Timing Gear Cover (Order 1884 116 M1)	1
37		826	112	Ml	Spacer, Timing Gear Cover	1
38		826	045	M1	Cover, Rear Oil Seal	
39		826	046	M2	Seal, Oil, Rear Bearing (Order 1884 098 MI)	1
		828	776	Ml	Ring, Backing, Oil Seal	
40		826	047	M1	Gasket, Oil Seal Cover	
		827	837	W1	Cover, Tappet	
		826	115	M2	Gasket, Tappet Cover	1
		827	838	M1	Spacer, Tappet Cover Bolts	
44	(A)	828	906	M91	Dipstick Assembly (Oil Level Gauge)	1
44	(B)	826	148	M91	Dipstick (Oil Level Gauge)	1
45		825	105	Ml	Washer, Dipstick (Felt)	1
49		353	676	X1	Bolt (5/16 x 5/8" NC, Hex.)	. ж
50		353	677	X1	Bolt (5/16 x 3/4" NC, Nex.)	x
50		353	680	X1	Bolt (5/16 x 1-1/8" NC, Hex.)	x
52		353	682	X1	Bolt (5/16 x 1-3/8" NC, Hex.)	x
53		37	200	X1	Washer (5/16" Lock)	. х

Notes: (A) - Used Engine Serial Number SJ93989E and up.
(B) - Used prior to Engine Serial Number SJ93989E.




Ref.			No
No.	Part No.		Rec
1	827 506 M92	Crankshaft Accembly	
2	826 007 M92	Crankshaft Assembly	
3	827 503 M91	Housing Assembly, Charles to Bearing, Front (Incl. 1tems 6, 8 & 9)	
4	826 018 M91	Housing Assembly, Crankshaft Bearing, Center (Incl. items 7 thru 9)	:
6	826 009 MI	Housing Assembly, Crankshaft Bearing, Rear (Incl. items 7 thru 9)	
7	826 008 MI	Bushing, Housing, Lower and Oil Pump	- 3
8	826 010 M1	Bushing, Housing	2
9		Screw, Bearing Housings	2
,	353 434 X1	Washer, Bearing Housing Screws	2
10	830 897 M91	Insert Set, Crankshaft Bearing (Std.)	1
10	826 023 M1	Insert, Crankshaft Bearing (Std.)(Order 830 897 M91)	6
10	894 930 M91	Insert Set, Crankshaft Bearing (010")	]
10	826 024 M1	Insert, Crankshaft Bearing (010")(Order 894 930 M91)	6
10	826 025 M1	Insert, Crankshaft Bearing (020")	•
10	826 026 M1	Insert, Crankshaft Bearing (030")	6
10	894 946 M91	Insert, Crankshaft Bearing (040")	6
12	826 033 M1	Washer, Thrust, Rear Bearing Upper (Std.)	2
12	826 035 M1	Washer, Thrust, Rear Bearing Upper (+.005")	2
13	826 034 M1		2
13	826 036 M1	Washer, Thrust, Rear Bearing Lower (Std.)	-
14	826 016 M1	Washer, Thrust, Rear Bearing Lower (+.005")	2
15		Bolt, Center Bearing Housing, Lower	1
16	826 017 M1	Washer, Lower Center Bearing Housing Bolt	1
	826 012 M1	Gasket, Front Bearing Housing	1
17	826 022 M1	Gasket, Rear Bearing Housing	1
	826 021 M1	Plug, Rubber, Rear Bearing Housing	2
18	2 951 X	Key, Crankshaft (3/16 x 3/4" Woodruff)	2
19	2 957 X	Key, Crankshaft (1/8 x 1/2" Woodruff)	1
20	826 044 MI	Pulley, Crankshaft	1
	825 178 MI	Shim, Pulley (.006")	x
	825 177 M1	Shim, Pulley (.064")	
22	826 042 M1		X
23	825 103 M1	Jaw, Starter	1
24		Shim, Starter Jaw	×
	825 185 M1	Washer, Tab, Starter Jaw Lock	1
25	184 879 M91	Flywheel Assembly	1
26	826 049 M1	Gear, Ring, Flywheel Starter	1
27	826 051 M1	Dowel, Flywheel Locating	1
28	832 960 M3	Bearing, Clutch Pilot	1
29	826 052 M1	Bolt, Flywheel Attaching	6
30	826 053 M1	Washer, Tab, Flywheel Bolt Lock	3
		,	_
35	826 088 M1	Camshaft	1
36	825 993 M1	Bearing, Camshaft, Front	
37	825 994 MI	Donaing Complete Contra	1
38	825 995 M1	Bearing, Camshaft, Center	1
39		Bearing, Camshaft, Rear	1
	826 089 M1	Gear, Timing Chain (on Camshaft)	1
40	826 090 M1	Hub, Timing Chain Gear	1
41	2 951 X	Key, Camshaft (3/16 x 3/4" Woodruff)	1
42	826 093 M1	Nut, Lock, Timing Chain Gear	1
43	826 092 M1	Washer, Tab, Camshaft Nut Lock	1
44	826 041 M1	Gear, Timing Chain (on Camshaft)	ī
45	826 094 M1	Chain, Timing	
46			1
	826 113 M1	Tensioner Assembly, Chain	1
47	826 039 M1	Gear, Oil Pump Drive	1
18	826 040 M1	Deflector, Oil	1
3	353 508 X1	Bolt (1/4 x 1-3/8" NF, Hex.)	x
4	353 441 X1	Washer (1/4" Lock)	x
5	353 677 X1	Bolt (5/16 x 3/4" NC, Hex.)	
6	353 678 X1	Dolf (5/18 v 7/8" NC Hov	X
		Bolt (5/16 x 7/8" NC, Hex.)	X
7	353 517 X1	Bolt, Timing Chain Gear to Hub	x
8	353 755 X1	Washer (5/16" Small Flat)	x
9	375 200 X1	Washer (5/16" Lock)	x



# PISTONS, RINGS, CONNECTING RODS


### (STANDARD MOTORS DIESEL)

Ref.			No.
No.	Part No.	Description	Req.
1 (A)	829 731 M91	Piston Assembly (Grade F) (Order 1884 101 M91)	x
1 (A)	829 787 M91	Distan Assembly (Grade G)(Order 1884 101 M91)	x
1 (A)	829 788 M91	Distan Assembly (Grade H) (Order 1884 101 M91)	×
2	829 613 M1	Ding Compression (let Gronve)	1
3	829 612 M1	Pine Compression (2nd and 3rd Groove)	2
4	829 732 M1	Ring, Scraper (Oil Control) (4th Groove)	1
_		Liner, Cylinder (Grade F) (Order 1884 940 M1)	x
5 (A)	827 556 M1	Liner, Cylinder (Grade G) (Order 1884 940 M1)	x
5 (A)	827 557 M1	Liner, Cylinder (Grade H) (Order 1884 940 M1)	x
5 (A)	827 558 M1	Pin, Piston	4
6	826 072 M1	Ring, Piston Pin Retaining	8
7	826 073 M1		
10	830 972 M92	Piston and Sleeve Kit	1
12	836 117 M91	Ring Kit, Piston (Re-Ring)	1
15 (B)	826 074 M91	Rod Assembly, Connecting (Grade T) (Order 827 672 M91)	x
15 (B)	827 668 M91	ned Assembly Commoding (Grade II)	
		Tod Aggambly Connecting (Grade X)(Order 1810 232 M91)	
15 (B)	827 669 M91	Rod Assembly, Connecting (Grade P)	- х
15 (B)	827 670 M91	ned teamble Connecting (Grade O)	-
15 (B)	827 671 M91	Rod Assembly, Connecting (Grade S)	, х
15 (B)	827 672 M91	Bushing, Piston Pin	-
16	826 076 M1	Bolt, Connecting Rod (Order 1884 110 M1)	. 2
17	826 081 W1	Dowel, Connecting Rod Bolt	. 2
18	826 080 M1	Plate, Locking, Connecting Rod Bolt	. 1
19	826 078 M1	Bearings, Connecting Rod (Std.) (Order 830 899 M91)	. 8
20	826 077 M1	Bearings, Connecting Rod (010")(Order 830 900 M91)	. x
20	826 082 M1	Bearings, Connecting Rod (020")(Order 830 901 M91)	. х
20	826 083 M1	Bearings, Connecting Rod (030")(Order 894 947 M91)	. x
20 20	826 084 M1 826 085 M1	Bearings, Connecting Rod (040")(Order 894 948 M91)	, х
	320 000 22		
25	830 899 M91	Bearing Kit, Connecting Rod (Std.)	. 1
25	830 900 M91	Bearing Kit, Connecting Rod (010")	
25	830 901 M91	Bearing Kit, Connecting Rod (020")	. ī
25	894 947 M91	Bearing Kit, Connecting Rod (030")	. ī
25	894 948 M91	Bearing Kit, Connecting Rod (040")	
Notes:	(A) - Grade	Bore Size	
	"F"	3.3135 - 3.3130	
	"G"	3.3140 - 3.3135	
	"Н"	3.3145 - 3.3140	
	(B) - Grade	Weight 2 1/2 or	
	"T" 3 1	bs. 10 oz. to 3 lbs. 2-1/2 oz.	
		bs. 2-1/2 oz to 3 lbs 4 oz.	
		bs. 4 oz to 3 lbs. 5-1/2 oz.	
	"p" 3 1	bs. 5-1/2 oz. to 3 lbs. 7 oz.	
	"Q" 3 1	bs. 7 oz. to 3 lbs. 8-1/2 oz.	
	"S" 3 1	bs. 8-1/2 oz. to 3 lbs. 10 oz.	



Ref	-					No.
No.	_	Pai	t No	<u>).</u>	Description	Req.
1	(A)	829	139	M91	Head Assembly, Cylinder (Incl. items 2 thru 11) (Order 1884 120 M91)	1
	(B)		156		Head Assembly, Cylinder (Incl. items 3 thru 11)(Order 1884 120 M91)	1
2	,		163			4
3			188		Chamber Assembly, Combustion (Order 1884 121 M91)	2
			836		Plug, Welch (Expansion)	
			159		Plug, Cylinder Head	1
			164		Plug, Brase	4
7					Tube, Water Deliver	2
8			259		Guide, Valve, Inlet	4
U			162		Guide, Valve, Exhaust	4
10		_	163		Insert, Exhaust Valve Seat	4
			160		Set Screw, Oil Feed Plug	1
11		826	161	MI	Washer, Oil Plug Set Screw	1
					Valve Kit, Intake (Order 1884 123 M1)	1
12		826	168	Ml	Valve, Intake (Order 1884 123 M1)	4
					Valve Kit, Exhaust (Order 1884 124 M1)	1
13		826	169	Ml	Valve, Exhaust (Order 1884 124 M1)	4
14		_	170		Spring, Valve, Inner (Order 1884 126 M1)	8
15			171		Spring, Valve, Outer (Order 1884 125 M1)	8
16			257			4
17		_	172		Collar, Intake Valve Spring Retainer	
18					Collar, Exhaust Valve Spring Retainer	4
19			258		Cone, Intake Valve Spring Collar Retaining	8
			173		Cone, Exhaust Valve Spring Collar Retaining	8
20			174		Cap, Exhaust Valve, End	4
21		827	267	MI	Cap, Intake Valve, End	4
22	(E)	1 860	818	Ml	Plug, Head	4
25		826	186	M91	Rocker Assembly, No. 1 (Include item 27)	4
26		826	189	M91	Rocker Assembly, No. 2 (Include 1tem 27)	4
27		826	188	ж1	Bushing, Rocker	2
28			120		Screw, Adjusting, Valve Tappet	8
29			917		Nut, Lock, Valve Tappet Adjusting Screw	8
30			184			1
30		_	185		Pedestal, Rocker Shaft (Drilled)	3
32			183		Pedestal, Rocker Shaft (Plain)	
33			462		Shaft, Rocker	1
34					Spring, Rocker Shaft, Center	1
35			461		Spring, Rocker Shaft, Intermediate	2
			110		Spring, Rocker Shaft, Outer	2
36			314		Collar, Outer Spring Retaining	2
37			900		Pin, Collar Retaining	2
38		825	107	WI	Screw, Rocker Shaft Pedestal	x
40				M91	Cover Assembly, Cylinder Head (Order 1884 129 M1)	1
	(C)	826	194	Kl	Gasket, Cylinder Head Cover	1
41	(D)	828	695	Ml	Gasket, Cylinder Head Cover	1
42		827	486	и	Pipe, Breather	1
43		827	485	M1	Elbow, Breather Pipe	1
44			618		Clip, Elbow to Pipe	1
			487		Clip, Elbow to Sump Bolt	1
46			087		Rod, Push	8
47			738		Tappet	8
48			612		Gasket, Cylinder Head to Block	1
52		275	200	W1	Washer, Cylinder Head Cover	2
			200		Nut, Cylinder Head Cover	3
53			916			3
54			613		Bolt, Cylinder Head (Short)	8
55			614		Bolt, Cylinder Head (Long)	9
56			722		Washer, Cylinder Head Bolts	17
57			175		Stud, Heading Locating	2
58			167		Stud, Rocker (Short)	2
		900	178	N1	Stud, Rocker and Cover (Long)	2
59 60			179		Stud, Cover	1

Notes: (A) - Used Tractor Serial Number 188 851 and up.
(B) - Used prior to Tractor Serial Number 188 851.
(C) - Used Engine Serial Number SJ41890 and up.
(D) - Used prior to Engine Serial Number SJ41890.
(E) - Used w/o Glow Plugs.




Re	f.			
No		Part No.	Description	No.
1				Req.
2		830 893 M91	Gasket Kit, Oil Pan (Incl. Items 4 thru 6)	
3		830 894 M91	Gasket Kit, Valve Grinding (Incl. Items 7 thru 13) (Order 1810 028 M91)	. 1
		830 892 M92	Gasket Kit, Engine Over-Haul (Incl. Items 4 thru 33)	) 1
4		827 601 M1	Gasket, Oil Pan to Block (Order 830 893 M91)	. 1
5		825 653 M1	Gasket, Oil Filter to Den (Order 2003 981)	. 1
6		825 295 M1	Gasket, Oil Filter to Pan (Order 1881 933 M1)	. 1
7		827 612 M1	Gasket Culinder Head to Disc.	. 1
8		826 203 M1	Gasket, Cylinder Head to Block (Order 1882 771 M1)	. 1
9		826 204 M1	Gasket, Manifold to Cylinder Head (Center)	. 1
10		825 659 M1	outer)	-
11		826 194 M1	and the state of t	-
12		826 196 M1	and the state of t	-
13		825 003 M1	on the most at Body to Cylinder Head (Ander 1992 002 41)	-
14		826 012 M1	dasket, Exhaust Pipe	-
16		826 046 M2	ones, bear ing nousing (Front).	
17		826 047 MI	Svar, Oil, Rear Bearing (Order 1884 MAR W1)	•
18		826 063 M1	dasket, near Oll Seal Cover	-
19		826 115 M2	dasket, oil Pump Body to Block	
20			dasket, Implet Cover	
21		826 111 N1	dusket, riming Cover (Order 1884 116 M1)	- 1
22		826 139 M1	oasket, Filter to Block (Order 829 184 M1)	-
23		825 141 M1	dasket, water Pump	•
24		825 144 M1	ousker, water bumb to Hlock	
25		826 155 M1	ousker, ruel Pump to Block (Order 892 606 W1)	1
		826 108 M1	dasher, injection pump Drive to Rlock (Order 1894 121 ul)	
	(A)	827 797 M1	Gasket, Injection Pump to Drive Housing	1
27		826 221 M1	Gasket, Injection Pump to Housing (Order 1884 130 M1)	1
28		827 248 M1	Gasket, Outlet Elbow Plug	1
29		827 266 M1	Gasket, Tractormeter Drive	1
30		826 022 M1	Gasket Rearing Housing (Poer)	1
31		825 740 M1	Gasket, Bearing Housing (Rear)	1
32		825 309 W1	Seal, Oil, Crankshaft	1
33		825 374 M1	Seal, Water Pump Bearing	1
				-


Note; (A) - For repairs order 1 each of 828 909 M1 and 828 908 M1.

F 1535


CYLINDER BLOCK, TIMING GEAR COVER




25 \( \text{P} \) 26 \( \text{P} \) 27 \( \text{P} \) 49 \( \text{P} \) 50 \( \text{P} \) 52 \( \text{P} \) 53 \( \text{



Ref.							No.
No.	_		Par	t No	<u>.</u>	Description	Req.
1		1	884	088	WOI	Plock According Cults for	,
2				940		Block Assembly, Cylinder	
3				109		Liner, Cylinder (See Page 31)	×
4				102		Plug, Camshaft Hole (2" Expansion)	
6				991		Plug, Cylinder Block (1-3/4" Expansion)	
7						Plug, Crankshaft Oil Holes	-
8				993		Bearing, Camshaft, Front	-
9				677		Bolt, Bearing (5/16 x 3/4" NC, Hex.)	
_				200		Washer (5/16" Lock)	
10				994		Bearing, Camshaft, Center	
11 12				995		Bearing, Camshaft, Rear	
				857		Bolt, Locating, Camshaft Bearings	
12				755		Washer (5/16" Small Flat)	-
14				853		Stud, Transmission Case to Block	
14				852		Stud, Battery Platform to Block	2
				089		Stud, Injection Pump Mounting	2
16				996		Dowel, Injection Pump Drive Housing	2
	ŧ			260		Dowel, Rear Face of Block	2
18				668		Dowel, Timing Gear Cover	2
19				000		Bolt, Oil Gallery Plug	2
19			825	484	Ml	Washer, Oil Gallery Bolt (Copper)	2
21			826	006	Ml	Plug, Oil Suction	2
21			826	001	Ml	Washer, Oil Suction Plug (Copper)	2
22			826	003	Ml	Bolt, Union, Oil Pressure Line	1
22			825	484	Ml	Washer, Oil Pressure Line Bolt	2
· 23			828	085	Ml	Tap, Drain, Cylinder Block	1
23				299		Washer, Drain Tap	1
24		1	882	771	Ml	Gasket, Cylinder Block to Head	1
25			826	175	Ml	Stud, Cylinder Block (Head Locating)	2
26			827	613	Ml	Bolt, Cylinder Block (Short)	8
27			827	614	Ml	Bolt, Cylinder Block (Long)	9
28				722		Washer, Cylinder Block Bolt	19
29			353	437	X1	Nut, Cylinder Block Stud	2
34			826	110	M1	Cover, Timing Gears	1
35				740		Seal. Oil. Crankshaft, Front	1
36		1		116		Gasket. Timing Gear Cover	1
37		_		112		Spacer, Timing Gear Cover	1
38				045		Cover. Rear Oil Scal	1
39		1		098		Seal, Oil, Rear Bearing	1
				776		Ring. Backing. Oil Seal	1
40				047		Gasket. Oil Seal Cover	1
				837		Cover. Tappet	1
		1		117		Gasket. Tappet Cover	1
		_		838		Spacer, Tappet Cover Bolts	2
44					M91	Dipstick Assembly (Oil Level Gauge)	1
45	•			105		Washer, Dipstick (Pelt)	1
49			353	676	X1	Bolt (5/16 x 5/8" NC, Hex.)	x
50				677		Bolt (5/16 x 3/4" NC, Hex.)	x
50				677		Bolt (5/16 x 3/4" NC, Hex.)	x
				679		Bolt (5/16 x 1" NC, Hex.)	x
50 52		1		099		Bolt	x
53		•		617		Washer	x






953 \$55 \$56 \$57 -54 \$59 \$58 \$58 \$55


## (SERVICE REPLACEMENT)

Rof.			
No.	Part No.		No.
		Description	Req.
1	1 884 134 M91	Crankshaft Accombly	
2	1 884 091 M91	Crankshaft Assembly Crankshaft Posses	1
3	1 884 092 M91	The second of the second of the second secon	
4	1 884 093 M91	Housing Assembly, Crankshaft Bearing, Center (Incl. items 7 thru 9)	1
6	826 009 M1	The state of the s	
7	826 008 M1	busing, nousing, Lower and Oil Pump	3
8	826 010 M1	Debiling, nousing	2
9	353 434 X1	belew, bearing housings	2
	1 810 014 M91	washer, Bearing Housing Screws	2
10	- 010 014 MD1	Tubert Set, Crankshaft Bearing (Std.)	1
	1 810 015 M91	insert, Crankshait Bearing (Std.) (Order 1810 014 wg1)	6
10	1 010 013 M91	insert Set, Crankshaft Bearing (010")	1
10	1 810 016 403	insert, Crankshaft Bearing (010") (Order 1810 015 Mg1)	6
10	1 810 016 M91	Insert, Crankshaft Bearing (020")(Set of 6)	1
10	1 810 017 M91	insert, Crankshait Bearing (030") (Set of 6)	i
12	1 810 018 M91-	insert, Crankshaft Bearing (040") (Set of 6)	î
12	1 884 135 M1	washer, inrust, Rear Bearing, Upper (Std.)	2
13	1 884 137 M1	Washer, Thrust, Rear Bearing, Upper (+.005")	
	1 884 136 M1	Washer, Thrust, Rear Bearing, Lower (Std.)	2
13	1 884 138 M1	Washer, Thrust, Rear Bearing, Lower (+.005")	2
14	826 016 M1	Bolt, Center Bearing Housing, Lower	2
15	826 017 M1	Washer, Lower Center Bearing Housing Bolt	1
16	826 012 M1	Gasket Front Bearing Bousing Bolt	1
17	826 022 M1	Gasket Pear Pooring Housing	1
	826 021 M1	Gasket, Rear Bearing Housing	1
18	2 951 X	Plug, Rubber, Rear Bearing Housing	2
19	2 957 X	Key, Crankshaft (3/16 x 3/4" Woodruff)	2
20	826 044 M1	key, Crankshait (1/8 x 1/2" Woodruff)	1
	825 178 M1	Pulley, Crankshalt	1
	825 177 M1	Shim, Pulley (.006")	×
22		Snim, Pulley (.064")	×
23	826 042 M1	vaw, Starter	1
24	825 103 M1	Shim, Starter Jaw	x
25	825 185 M1	washer, Tab, Starter Jaw Lock	î
26	184 879 M91	riywheel Assembly	î
	826 049 M1	Gear, Ring, Flywheel Starter	
27	826 051 M1	bouci, riywheel Locating	1
28	832 960 M3	Bearing, Clutch Pilot	1
29	826 052 M1	Bolt, Flywheel Attaching	1
30	826 053 M1	Washer, Tab, Flywheel Bolt Lock	6
			3
35	826 088 M1	Camshaft	
36	825 993 M1	Bearing, Camshaft, Front	1
37	825 994 M1	Bearing, Camshaft, Center	1
38	825 995 M1	Bearing, Camshaft, Rear.	1
39	826 089 M1	Gear, Timing Chain (on Camshaft)	1
40	826 090 M1	Hub, Timing Chain Gear	1
41	2 951 X	Key Camchaft (2/16 v 2/4) Wandanaa	1
42	826 093 M1	Key, Camshaft (3/16 x 3/4" Woodruff)	1
43	826 092 M1	Nut, Lock, Timing Chain Gear.	1
44	826 041 M1	Washer, Tab, Camshaft Nut Lock	1
45	826 094 M1	Geal, Illulik Chain (on Crankshaff)	1
46	826 113 M1	CHARLE TIMINESSES SESSES SESSES SESSES SESSES SESSES	1
47		tensioner Assembly, Chain	1
	826 039 M1	Geal, Oli Pump Drive	1
48	826 040 M1	Deflector, Oil	î
50	050 500		•
53	353 508 X1	Bolt (1/4 x 1-3/8" NF, Hex.)	x
54	353 441 X1	Washer (1/4" Lock)	
55	353 677 X1	DOIL (3/10 x 3/4" NC. Hex.)	X
56	353 678 X1	BOIL (3/16 x 7/8" NC. Hex.)	×
57	353 517 X1	Buil, Timing Chain Gear to Hub	X
58	353 755 X1	Washer (5/16" Small Flat)	x
59	375 200 X1	Washer (5/16" Lock)	X
			x



#### (SERVICE REPLACEMENT)


Re	I.							M-
No				P	art	No.	Description	No. Req.
1			1	884	4 10	1 M91	Distan Accombly	
2			_			3 M1	Piston Assembly	х
3						2 M1	Ring, Compression (1st Groove)	1
4					73		Ring, Compression (2nd and 3rd Groove)	2
5			1		940		Ring, Scraper (Oil Control)(4th Groove)	1
6					072		Liner, Cylinder	X
7					073		Pin, PistonRing, Piston Pin Retaining	4 8
10				830	972	N92	Piston and Sleeve Kit	1
12				836	117	м91	Ring Kit, Piston (Re-Ring)	1
16								•
15						M91	Rod Assembly, Connecting (Grade "T")	x
15 15						M91	Rod Assembly, Connecting (Grade "U")	x
15						M91	Rod Assembly, Connecting (Grade "X")	x
15						M91	Rod Assembly, Connecting (Grade "p")	x
16	(A)	,				M91	Rod Assembly, Connecting (Grade "Q")	x
17					076 110		Bushing, Piston Pin	1
18					080		Bolt, Connecting Rod	2
19					078		Dowel, Connecting Rod Bolt	2
20					099		Plate, Locking, Connecting Rod Bolt	1
21				000	033	MOI	Insert Kit, Connecting Rod (Std.)	x
20			•	830	900	WOI	Insert (Order 830 099 M91)	8
21			•	000	300	MOI	Insert Kit, Connecting Rod (010")	×
20			8	830	901	WG1	Insert (Order 830 900 M91)	8
21							Insert Kit, Connecting Rod (020")	x
20			8	394	947	W91	Insert (Order 830 901 M91)	8
21							Insert Kit, Connecting Rod (030")	x
20			8	194	948	M91	Insert Kit, Connecting Rod (040")	8
21							Insert (Order 894 948 M91)	<b>x</b>
lote	s:	(A)	-				Weight	
					T''		3 lbs. 10 oz. to 3 lbs. 2-1/2 oz.	
					U''		3 lbs. 2-1/2 oz. to 3 lbs. 4 oz.	
					X"		3 lbs. 4 oz. to 3 lbs. 5-1/2 oz.	
					P"		3 lbs. 5-1/2 oz. to 3 lbs. 7 oz.	
				""(	<b>?</b> ''		3 lbs. 7 oz. , to 3 lbs. 8-1/2 oz.	



## (SERVICE REPLACEMENT)

Ref.			
No.	Part No.	Description	No.
1	1 884 120 M91	Wand Anna by Anna by	He q
2	1 884 121 M91	Head Assembly, Cylinder	1
_	890 929 M1	Chamber Assembly, Compustion	4
4	825 188 M1	Piugoooooooooooooooooooooooooooooooooooo	1
•		Piug, welch (Expansion)	1
	827 836 M1	Plug, Cylinder Head	1
	826 159 M1	Plug, Brass	4
8	826 164 N1	lube, water Deliver	2
9	825 259 M1	duide, valve, iniet	4
3	826 162 M1	Guide, valve, Exhaust	4
11	826 163 M1	Insert, Exhaust valve Seat	4
	826 160 M1	Set Screw, Oll Feed Plug	1
12	826 161 M1	washer, our plug Set Screw	i
13	1 884 123 M1	varve, intake	
14	1 884 124 M1	varvo, Exhaust	4
15	1 884 126 N1	Spring, Valve, Inner	4
16	1 884 125 M1	Spirit, valve, Utler	8
17	825 257 M1	Collar, Intake Valve Spring Retainer	8
18	826 172 M1	Collar, Exhaust Valve Spring Retainer	4
19	825 258 M1	Cone, Intake Valve Spring Collar Retaining	4
20	826 173 M1	Cone, Exhaust Valve Spring Collar Retaining	8
21	826 174 'M1	Cap, Exhaust Valve, End	8
22	1 884 122 M1	Cap. Intake Valve End	4
	827 934 M1	Cap, Intake, Valve, End	4
		Insert, Intake Valve Seat	4
25	826 186 M91	Rocker Assembly No. 1 (1-01 44 07)	
26	826 189 M91	Rocker Assembly No. 1 (Incl. item 27)	4
27	826 188 M1	Rocker Assembly No. 2 (Incl. item 27)	4
28	826 120 W1	Bushing, Rocker	2
29	353 917 X1	Screw, Adjusting, Valve Tappet	8
30	826 184 M1	Nut, Lock, Valve Tappet	8
30	826 185 M1	redestal, Rocker Shalt (Drilled)	1
32	826 183 M1	redestal, Rocker Shalt (Plain)	3
33	890 462 M1	Shaft, Rocker	1
34	1 884 127 M1	Spring, Rocker Shart, Center.	1
35	825 110 M1	Spring, Rocker Shart, Intermediate	2
36	825 314 M1	Spring, Rocker Shait, Outer	2
37		Coller, Outer Spring Retaining	2
	354 900 X1	Pin, Collar Retaining	2
	1 884 128 M1	Spacer, Center Spring	2
40	1 884 129 M1		
41		Cover Assembly, Cylinder Head	1
	826 194 M1	Gasket, Cylinder Head Cover	1
42	827 486 M1	Pipe, Breatner	1
43	827 485 M1	Elbow, Breather Pipe	1
44	827 618 M1	Clip, Elbow to Pipe	1
	827 487 M1	Clip, Elbow to Sump Bolt	1
46	826 087 M1	ROG, Push	8
47	827 738 M1	Tappet	8
48	827 612 M1	Gasket, Cylinder Head to Block	1
			_
52	375 200 X1	Washer, Cylinder Head Cover	3
53	353 916 X1	Nut, Cylinder Head Cover	3
54	827 613 M1	Bolt, Cylinder Head (Short)	8
55	827 614 M1	Bolt, Cylinder Head (Long)	9
56	827 722 M1	Washer, Cylinder Head Bolts	17
57	826 175 M1	Stud, Heading Locating	2
58	826 167 M1	Stud, Rocker (Short)	2
9	826 178 M1	Stud, Rocker and Cover (Long)	2
0	826 179 M1	Stud, Cover	1
			1


F1538



## (SERVICE REPLACEMENT)

Ref.								
No.	Part No.			0.	Description			
1		830	893	M91	Casket Vit Oil Des (2-2 14 4 4 4 4			
2	1			M91	Gasket Kit, Oil Pan (Incl. items 4 thru 6)	. 1		
3				M92	Gasket Kit, Valve Grinding (Incl. items 7 thru 13)	. 1		
4			002	MJE	Gasket Kit, Engine Over-Haul (Incl. items 4 thru 33)	. 1		
5	1	881	933	W1	Gasket, Oil Pan to Block (Order 830 893 M91)	. 1		
6	•		295		Gasket, Oil Filter to Pan	. 1		
7	,		771		Gasket, Oil Pan Drain Plug	. 1		
8	1				Gasket, Cylinder Head to Block	. 1		
9			203		Gasket, Manifold to Cylinder Head (Center)	1		
10			204		Gasket, Manifold to Cylinder Head (Outer)	2		
11			659		Gasket, Water Elbow to Body	1		
12			194		Gasket, Rocker Cover	1		
13	1		003		Gasket, Thermostat Body to Cylinder Head	1		
14			003		Gasket, Exhaust Pipe	1		
16			012		Gasket, Bearing Housing (Front)	1		
17	1		098		Seal, Oil, Rear Bearing	1		
18			047		Gasket, Rear Oil Seal Cover	ī		
			063		Gasket, Oil Pump Body to Block	î		
19			115		Gasket, Tappet Cover	î		
20	1	884	116	Ml	Gasket, Timing Cover	î		
21		894	184	Ml	Gasket, Filter to Block	1		
22		825	141	Ml	Gasket, Water Pump	1		
23		825	144	Ml	Gasket, Water Pump to Block	i		
24		829	606	Ml	Gasket, Fuel Pump to Block	1		
25			103		Gasket, Injection Pump Drive to Block	1		
27	1	884	130	Ml	Gasket, Injection Pump to Housing	1		
28		827	248	Ml	Gasket, Outlet Elbow Plug	•		
29		827	266	Ml	Gasket, Tractormeter Drive	1		
30		826	022	Ml	Gasket, Bearing Housing (Rear)	1		
31		825	740	Ml	Seal, Oil, Crankshaft	1		
32		825	309	Ml	Seal, Water Pump Bearing	1		
33		825	374	Ml	Seal, Water Pump Impeller	1		
35		828	209	MI	Shim, Injection Pump Drive Housing (.010")	1		
35		828	208	MI	Shim, Injection Pump Drive Housing (.005")	1		
					A THE TARREST AND TOWN THE PROPERTY OF THE PRO	1		


F 1539



## (SERVICE REPLACEMENT)

Ref.						No.
No.		Par	t No	<u>.</u>	Description	Req.
1	1	884	111	W91	Rody Accorbin 011 Press	1
2	-	_	009		Body Assembly, Oil Pump	1
3	1	884			Bushing, Oil Pump Body	1
4	•		062		Shaft Assembly, Oil Pump	1
5					Gear, Pump Driven	1
6			104		Pin, Drive Gear	1
Ü		826	063	M 1	Gasket, Pump Body	1
11	1	884	118	M1	Pan, Oil	1
		830	893	M91	Gasket, Set, Oil Pan	1
12					Gasket, Oil Pan (Order 830 893 M91)	1
13		825	295	Ml	Gasket, Drain Plug	ī
14	1	881	933	Ml	Gasket, Oil Pan Filter Screen	î
15		825	164	м91	Filter Assembly, Oil Screen	î
16		825	219	M1	Plug, Drain, Oil Pan	î
17			140		Pipe Assembly, Suction, Oil	1
18			145			
19			146		Sleeve, Pipe Nut, Pipe	1
26						_
27					Filter Assembly, Oil (See Page 41)	1
21		829	184	MI	Gasket, Filter to Block	1
31	1	850	377	M96	Gauge Assembly, Oil Pressure	1
32		827	620	M91	Line Assembly, Oil Gauge, Upper	1
33		827	622	Ml	Connector, Oil Lines	1
34		827	626	M91	Line Assembly, Oil Gauge, Lower	1
35		827	632	Ml	Clip, Lower Line Retaining	1
36		826	003	MI	Bolt, Union, Oil Pressure Line	1
37		825	484	Ml	Washer, Union Bolt	2
41		353	675	хı	Bolt (5/16 x 1/2" NC, Hex.)	x
42		353	678	X1	Bolt (5/16 x 7/8" NC, Hex.)	x
43	1	884			Bolt (5/16 x 1" NC, Hex.)	
44		884			Bolt (5/16 x 1-5/8" NC, Hex.)	x
45			615		Bolt (5/16 x 2-1/2" NC, Hex.)	x
46			624		Bolt (5/16 x 3-5/8" NC, Hex.)	×
47			627		Bolt (5/16 x 4" NC, Hex.)	×
48	1	884			Bolt (5/16" NC, Hex., Special)	x
49			324		Stud (5/10" NC, next, Special)	x
50			200		Stud (5/16" NF)	X
51			916		Nut (5/16" NF, Hex.)	x
52			693		Bolt (3/8 x 1-1/4" NC, Hex.)	x
53			633		Bolt (3/8 x 4-1/4" NC, Hex.)	×
54			434		Washer (3/8" Lock)	x
		300	737		HEGICA (U/O HOUR)	x

F 1540



Ref.						Ma
No.		Part	No	) .	Description	No.
			-	_	Description ,	Req.
1		826 0	57	M91	Body Assembly, Oil Pump	1
2		826 0	09	M1	Bushing, Oil Pump Body	î
3		827 6	15	M91	Shaft Assembly, Oil Pump	î
4		826 0			Gear, Pump Driven	
5		13 1			Din Drive Coan	1
6		826 0	_		Pin, Drive Gear	. 1
		020 0	-		Gasket, Pump Body	1
11		826 1	47	W1	Pen Oil	
		830 8			Pan, Oil	1
12				MJA	Gasket Set, Oil Pan	1
13		825 2	95	w1	Gasket, Oil Pan (Order 830 893 M91)	1
14	1	881 9			Gasket, Drain Plug	1
15	•	825 1			Gasket, Oil Pan Filter Screen	1
16					Filter Assembly, Oil Screen	1
17		825 2			Plug, Drain, Oil Pan	1
18		826 1			Pipe Assembly, Suction, Oil	1
		826 1			Sleeve, Pipe	1
19		826 1		Ml	Nut, Pipe	1
26						
27		920-1	04		Filter Assembly, Oil (See Page 41)	1
<b>4.</b>		829 1	184	MT .	Gasket, Filter to Block	1
31	,	850 3		***		
32	1	_			Gauge Assembly, Oil Pressure	1
33		827 6			Line Assembly, Oil Gauge, Upper	1
34		827 6	-		Connector, Oil Lines	1
35		827 6	_		Line Assembly, Oil Gauge, Lower	1
36		827 6			Clip, Lower Line Retaining	1
37		826 0			Bolt, Union, Oil Pressure Line	1
31		825 4			Washer, Union Bolt	2
41					N	
42		353 6			Bolt (5/16 x 1/2" NC, Hex.)	x
43		353 6			Bolt (5/16 x 7/8" NC, Hex.)	x
		353 6			Bolt (5/16 x 1" NC, Hex.)	X
44		353 6			Bolt (5/16 x 1-5/8" NC, Hex.)	x
45		354 6			Bolt (5/16 x 2-1/2" NC, Hex.)	×
46		354 6			Bolt (5/16 x 3-5/8" NC, Hex.)	x
47		354 6	527	X1	Bolt (5/16 x 4" NC, Hex.)	x
48		826 (	064	MI	Bolt (5/16" NC, Hex., Special)	×
49		825 3	324	W1	Stud (5/16" NF)	x
50		375 2	200	X1	Washer (5/16" Lock)	x
51		353 9	916	Xl	Nut (5/16" NF, Hex.)	x
52		353 €	593	Xl	Bolt (3/8 x 1-1/4" NC, Hex.)	
53		354 €	633	Xl	Bolt (3/8 x 4-1/8" NC, Hex.)	x
54		353	434	X1	Washer (3/8" Lock)	×


F1541 50

## OIL FILTER

### (STANDARD MOTORS DIESEL)

Ref.				No.
No.		Part No.	Description	Req.
1		829 484 M91	Filter Assembly, Oil	1
2		1 851 161 M91	Body Assembly, Oil Filter Sump	1
3		827 446 M1	Seal, Sump (Top)	1
4		1 851 170 M1	Guide, Element (Top)	1
5		1 851 169 M1	Circlip (Top)	1
6		1 851 168 M1	Seal, Sump Top	1
8		826 137 M91	Element (Order 830 902 M91)	1
_		1 850 938 M1	Circlip, Guide Retaining	1
9		827 453 M1	Guide, Element (Bottom)	1
10 11		827 454 M1	Gasket, Spring Cushion	
12		827 455 M1	Washer, Filter Spring	1
13		827 458 M1	Spring, Filter	1
14		1 015 319 M1	Seal, Bottom	1
		i 851 167 M1	Washer, Bolt	1
16		1 851 164 M1	Bolt, Element Guide, Center	1
17	8		Head, Oil Filter	1
18		827 692 M91 825 311 M1	Valve Assembly, Engine Relief	1
19		825 115 M1	Screw, Valve Adjusting  Nut, Lock, Adjusting Screw	1
20		825 310 M1	Spring, Valve Body	î
21		825 301 M1	Ball, Valve	
22	•	825 104 M1	Washer, Lead, Valve	1
23		1 754 263 M1	Washer, Relief Valve	1
24		827 448 M1	Seal, Oil, Relief Valve	1
25		1 851 165 M1	Seat, Ball	1
26		1 851 166 M1	Spring	1
27		13 535 X	Ball	1
28		1 850 936 M1	Washer	· 1
			1	
36		828 777 M91	Filter Assembly, Oil (Order 829 484 M91)	1
37		827 571 M91	Body Assembly, Oil Filter Sump	1
38 39		827 457 M1	Washer, Sump Reinforcement	1
40		827 459 M1	Seal, Sump, Bottom	. 1
41		827 458 M1 827 455 M1	Spring, Filter	î
42		827 454 M1	Gasket, Spring Cushion	1
43		827 453 M1	Guide, Element, Bottom	ī
44		1 850 938 M1	Ring, Snap, Guide Retaining	ī
45		826 137 M91	Element Assembly, Oil Filter (Order 830 902 M91)	1
46		827 446 M1	Gasket, Head to Body	1
47		1 850 344 M1	Bolt, Element Guide, Center	1
	(A)	1 851 019 M1	Head, Oil Filter	1
48	(B)	1 850 341 M1	Head, Oil Filter	1
50		827 692 M91	Valve Assembly, Engine Relief	1
51 52		825 311 M1 825 115 M1	Screw, Valve Adjusting  Nut, Lock, Adjusting Screw	
53		825 310 M1	Spring, Valve Body	
54		825 301 M1	Ball, Valve	
•		825 104 M1	Washer, Lead, Valve	ī
56		1 754 263 M1	Washer, Relief Valve	1
57		827 448 M1	Seal, Oil, Relief Valve	1
58		1 850 343 M1	Cover, Filter Relief Valve	
59		1 850 345 M1	Gasket, Relief Valve Cover	
	(A)		Spring, Filter Relief Valve	
	(B)		Spring, Filter Relief Valve	
62		825 301 M1	Ball, Valve	1
66		830 902 M91	Element Kit	x
67		000 302 mg1	Element	
68		827 446 M1	Gasket	
70				

Notes: (A) - Used Engine Serial Number SJ 859 83E and up.
(B) - Used prior to Engine Serial Number SJ 859 83E.



Ref.			
No.	Part No.	Description	No.
		Description	Req.
1 (A)	1 039 258 M1	Manifold	1
2 (A)	355 547 X1	Plug (1/8" Pipe Sq. Hd.)	1
3 (A)	1 750 138 M1	Stud (7/16" NC x 1-3/8")	2
1 (B)	1 027 660 M91	Manifold Assembly	,
2	355 547 X1	Plus (1/0) plus de us )	
3	1 750 138 M1	Plug (1/8" Pipe Sq. Hd.)	1
4	1 750 045 M1	Stud (7/16" NC x 1-3/8")	
5	181 144 M93	Gasket, Manifold	1
	101 144 M93	Shield Assembly, Heat	1
10 (C)	187 118 M91	Cleaner Assembly, Air (13-7/8" Long)	1
10 (D)	182 243 M91	Cleaner Assembly, Air (12-1/2" Long)	1
11	1 751 275 M1		
11	1 751 473 M1	Cup, Oil (Outer)	1
13	15 203 A	Cup, Oil (Inner)	1
14	1 010 459 M1	Clamp Assembly, Cup Retaining	1
15	180 362 M1	Bolt, Clamp	1
16	181 525 M1	Tube, Air Inlet Scoop	1
17	180 062 M1	Pipe, Cleaner to Carbureter	1
18	195 694 M1	Hose, Air Cleaner Pipe	2
	133 694 MI	Clamp, Hose (2" Clamp)(Order 832 713 M1)	4
22	505 545 M91	Muffler Assembly (34-1/4" Long) (De-Luxe Model)	1
22	185 467 M92	Muffler Assembly (28-5/8" Long) (Special Model)	1
23	181 600 M92	Pipe Assembly, Exhaust	î
24	180 104 M1	Gasket, Pipe	î
25	180 070 M1	Clamp, Pipe	î
26	180 715 M1	Bracket, Muffler (to Step Plate)	î
27	180 365 M2	Bracket, Muffler (to Axle Housing)	î
		Digone , marrat (to Anto Housting)	•
31	181 867 M91	Muffler Assembly (Vertical)	1
32	181 866 M2	Elbow, Exhaust	1
33	180 104 M1	Gasket, Elbow	1
34	181 868 M1	Clamp, Elbow	1
35	181 869 M1	Pipe, Exhaust	1
36	180 070 M1	Clamp, Pipe	1
40	252 660 83	D. 24 /2 /4 24 Mg M	
41	353 669 X1	Bolt (1/4 x 1" NC, Hex.)	x
42	354 028 X1	Screw (1/4 x 1-1/4" NC, Flat Hd.)	x
43	353 441 X1	Washer (1/4" Lock)	×
	355 564 X1	Nut (1/4" NC, Hex.)	x
44	195 540 M1	Nut (1/4" NC, Sq.)	×
45	353 679 X1	Bolt (5/16 x 1" NC, Hex.)	x
46	353 446 X1	Washer (5/16" Lock)	x
47	355 565 X1	Nut (5/16" NC, Hex.)	x
48	21 207 A	Stud (3/8" NC x 1-1/2")	×
49	1 000 500 111	Stud (3/8" NC x 1-5/8")(Order 1007 532 M1)	x
50	1 007 532 M1	Stud (3/8" NC x 1-3/4")	x
51	353 756 X1	Washer (3/8" Regular Flat)	x
52	354 123 X1	Nut (3/8" NC, Hex.)	x
53	353 557 X1	Bolt (7/16 x 3/4" NC, Hex.)	x
54	1 750 138 M1	Stud (7/16" NC x 1-3/8")	x
55	353 565 X1	Bolt (7/16 x 1-3/4" NF, Hex.)	×
56	353 432 X1	Washer (7/16" Lock)	x
57	195 653 M1	Nut (7/16" NC, Hex.)	×
58	353 426 X1	Nut (7/16" NF, Hex.)	x

1st Print

Notes: (A) - Used Late Production Machines.
(B) - Used Early Production Machines.
(C) - Used Tractor Serial Number 204 181 and up.
(D) - Used prior to Tractor Serial Number 204 181.

1st Print

F393-2


693 063 M4 (Issue 1) 9/70

## MANIFOLD, MUFFLER, AIR CLEANER

(STANDARD MOTORS DIESEL)

Ref.	Part No.	Description	No.
1 2 3 4 5 6 7 8 9 (A	829 181 M1	Manifold, Exhaust  Manifold, Air  Gasket, Manifold, Outer  Gasket, Manifold, Center  Stud, Manifold (Long)  Stud, Manifold (Short)  Washer, Spring, Manifold Stud  Nut, Manifold Stud  Plug, Manifold (Air Heater Hole)  Washer, Plug (Copper Asbestos)  Henter, Manifold (Starting Aid)	1 2 7 9 9
16 17 18 19 20 21 22 23 24 25	826 961 M92 1 850 832 M1 1 850 831 M1 1 850 830 M1 1 850 833 M92 826 963 M1 826 964 M1 375 227 X1 827 080 M1 826 965 M91 186 469 M1	Cleaner Assembly, Air. Gasket, Body. Cup, Oil Element, Air Cleaner Clamp Assembly, Cup Retaining. Hose, Air Cleaner to Manifold. Clamp, Hose (at Air Cleaner)(2-3/16" Clamp)(Order 364 126 X1). Clamp, Hose (at Manifold)(1-13/16" Clamp)(Order 364 126 X1). Tube, Scoop, Air Inlet. Bracket Assembly, Air Cleaner Mounting. Decal, Air Cleaner Instructions.	1 1 1 1 1 1 1 1 1
30 31 32 33 34 35 36	505 545 M92 826 990 M91 825 003 M1 891 933 M1 180 070 M1 180 715 M1 180 365 M2	Muffler Assembly  Pipe Assembly, Exhaust  Gasket, Pipe to Manifold  Stud, Pipe to Manifold  Clamp, Pipe to Muffler  Bracket, Muffler Support (to Platform)  Bracket, Muffler Support (to Axle Housing)	1 2 1 1
40 41 42 43 44 45 46 47 48 49 50 51 52	353 669 X1 354 028 X1 353 441 X1 354 121 X1 195 540 M1 353 516 X1 353 519 X1 353 679 X1 353 446 X1 355 565 X1 353 916 X1 353 756 X1 353 756 X1 353 434 X1 825 187 M1	Bolt (1/4 x 1" NC, Hex.)  Bolt (1/4 x 1-1/4" NC, Flat Hd.).  Washer (1/4" Lock).  Nut (1/4" NC, Hex.).  Nut (1/4" NC, Sq.).  Bolt (5/16 x 5/8" NF, Hex.).  Bolt (5/16 x 1" NF, Hex.).  Bolt (5/16 x 1" NC, Hex.).  Washer (5/16" Lock).  Nut (5/16" NC, Hex.).  Nut (5/16" NF, Hex.).  Washer (3/8" Small Flat).  Washer (3/8" Lock).  Nut (3/8" Hex.).	x x x x x x x x x x x x x x x x x x x
		VERTICAL	
58 59 60 61 62 63 64 65 66	1 850 293 M91 827 705 M1 1 850 294 M1 827 706 M1 359 495 X1 187 479 M91 353 516 X1 353 446 X1 353 916 X1	Pre-Cleaner. Pipe, Air Intake Clamp, Intake Pipe to Pre-Cleaner Hose, Connecting. Clamp, Hose to Intake Pipe. Support Assembly, Intake Pipe. Bolt, Support (5/16 x 5/8" NF, Hex.) Washer (5/16" Lock). Nut (5/16" NF, Hex.)  VERTICAL EXHAUST KIT (NOT ILLUSTRATED)	. 1 . 1 . 1 . 1 . 3
	824 245 M1 894 291 M1 894 297 M1 640 012 M1 825 685 M1 825 686 M1	Elbow Clip. Silencer. Pipe, Extension. Clip, Pipe to Silencer. Clip, Silencer to Elbow.	. 1 . 1 . 1
	354 061 X1 353 678 X1 354 616 X1 353 755 X1 353 446 X1 355 65 X1 353 898 X1 353 756 X1 353 434 X1 355 566 X1	Cotter Pin (1/8 x 1-1/4").  Bolt (5/16 x 7/8" NC, Hex.).  Bolt (5/16 x 2-5/8" NC, Hex.).  Washer (5/16" Flat).  Washer (5/16" Lock).  Nut (5/16" NC, Hex.).  Bolt (3/8 x 3-1/4" NC, Hex.).  Washer (3/8" Flat).  Washer (3/8" Lock).  Nut (3/8" NC, Hex.).	. 1 . 2 . 2 . 2 . 1 . 2

Notes: (A) - Used Tractor Serial Number 188 851 and up.
(B) - Used prior to Tractor Serial Number 188 851.



1st Print


693 063 N4 (Issue 1) 9/70


Rei				No.
No.	_	Part No.	Description	Req.
1	(A)	186 830 M91	Radiator Assembly (24-21/64" High)	. 1
1	(B)	180 291 M1	Radiator Assembly (22-53/64" High)	-
2		180 224 N91	Cap Assembly, Radiator	
3		194 376 M91		
4	(A)	186 989 M1	Shroud, Radiator	
4	(B)	180 785 M1	Rod, Tie, Radiator (10-1/4" Long)	
5	(1)		Rod, Tie, Radiator (9-3/8" Long)	
6		180 705 M1	Pad, Radiator Support	
7		763 716 M1	Cock, Drain	
8		180 783 M1	Hose, Radiator, Lower	
9		181 521 M1	Body, Thermostat	
10		181 528 M1	Gasket, Body to Head	
		836 000 M91	Thermostat Kit	_
11			Thermostat (160°)	-
12		181 526 M1	Gasket, Body to Elbow	
		184 406 M2	Gasket (Not required this application)	
14		181 520 M1	Elbow, Engine Outlet	
	(A)	186 826 M1	Home, Radiator, Upper (6" Long)	
	(B)	180 085 M1	Hose, Radiator, Upper (5-1/2" Long)	. 1
17		195 694 M1	Clamp, Hose (1-7/8" Clamp) (Order 832 713 M1)	. 4
20	)	1 750 213 M91	Body Assembly, Water Pump	. 1
21	1	21 207 A	Stud (3/8" NC x 1-1/2")	
22	(C)	1 750 077 M1	Gasket, Body to Block	
23		1 750 080 M1	Support, Water Pump	
24	(C)	1 750 079 M2	Gasket, Support to Body	
2		1 750 084 M91	Seal Assembly, Water Pump	
20	,-,	1 750 078 M1	Impeller	_
	. , .	1 750 083 M91	Shaft Assembly	
2		1 750 579 M1	Slinger, Water	
2	- (-,	1 750 145 M1	Ring, Snap, Shaft Retaining	
3	,-,	1 750 081 M1	Pulley, Water Pump	
3		1 750 075 M1	Shroud, Pulley	
3		181 522 M91	Fan Assembly	ī
3		509 572 M1	Belt, Fan Pulley	1
3	A	830 691 M91	Repair Kit, Water Pump, w/Support (Incl. Items marked "D")	×
3	•	830 514 ¥91	Works Kit	
		1 750 079 M2	Gasket	î
	6	830 495 M91	Repair Kit, Water Pump, less Support (Incl. Items marked "C")	
J		030 433 M31	Repair Alt, water rump, lead buppert (lines: leads amines o )	
3	8	365 936 X1	Screw (#10 - 24 Self-Tapping)	x
3	19	353 676 X1	Bolt (5/16 x 5/8" NC, Hex.)	x
4	0	353 446 X1	Washer (5/16" Lock)	x
4	11	353 691 X1	Bolt (3/8 x 1" NC, Hex.)	
4	2	353 438 X1	Bolt (3/8 x 3-3/8" NC, Hex.)	. x
4	3 .	15 245 A	Stud (3/8" NC x 1-3/8")	. x
4	14	1 003 886 M1	Stud (3/8" NC x 1-5/8")	. x
4	45	1 752 893 W1	Stud (3/8" NC x 3-1/4")	
	46	353 434 X1	Washer (3/8" Lock)	. x
	47	354 119 X1	Nut (3/8" NC, Hex.)	. х
	48	353 828 X1	Bolt (7/16 x 1-1/4" NF, Carr.)	
	49	353 757 X1	Washer (7/16" Reg. Flat)	
	50	353 432 X1	Washer (7/16" Lock)	
	51	355 645 X1	Nut (7/16" NC, Hex.)	
			•	

TO-35 TRACTOR

Printed in U.S.A.

Notes: (A) - Used Tractor Serial Number 204 181 and up.
(B) - Used prior to Tractor Serial Number 204 181.





# RADIATOR AND THERMOSTAT, WATER PUMP


(STANDARD MOTORS DIESEL)

ı.	•							No.
٠.	_			Par	t No		Description	Rec
1				000				
2				828			Radiator Assembly	1
_				826			Cap, Radiator	1
3				828	097	Ml	Shroud, Radiator	1
1				826	989	M1	Rod, Tie, Radiator	1
5				180	705	M1	Pad, Radiator Support	2
5		: 1		851			Cock, Drain	1
7				826			Hose, Radiator, Bottom	1
3					_		Ober Radiator, Bottom	
•				825			Clamp, Bottom Hose (Order 832 713 M1)	
)		, "		827			Hose, Radiator, Top	
				826			Clamp, Top Hose (Order 832 713 M1)	
L				827	484	Ml	Elbow, Water	
2.				825	659	M1	Gasket, Water Elbow	
3				826	199	M1	Connection, Water, By-Pass	
				364	125	X1"	Clip, Connection	
5				826	9		Body, Thermostat	
5			_	883			Gasket, Thermostat Body	.*
							Manuel A	
				828	141	M T	Thermostat	
2	(A)			826	119	M91	Pump Assembly, Water	
	(A)			825			Housing Assembly, Pump Bearing	
	,			_				
				825		WI	Housing, Bearing	
			M	(P 1			Grease Fitting, Housing	
	(C)			825			Bearing, Water Pump	
'	(C)			825	743	pf 1	Spindle, Pump Bearing	
	(C)	•		825	376	Ml	Washer, Bearing Thrust	
	(C)			353	213	X1	Ring, Snap, Bearing	
	(C)				370		Spacor, Bearing	
	(c)				371		Ring, Snap, Bearing Housing	
	(C)				309		Seal, Water Pump Spindle	
	(B)				377		Hub, Fan, Pulley	
ŀ					379		Spacer, Hub	
				825	380	M1	Cotter Pin, Hub	
				375	200	X1	Washer (5/16" Lock)	
7				353	916	X1	Nut (5/16" NF, Hex.)	
				825	372	Ml	Washer, Retainer	
				195	663	Ml	Nut, Nyloc, Thin	
)	(C)				742		Impeller, Water Pump	
	(c)				374		Seal, Impeller	
	(0)							
2					770		Body, Water Pump	
	(C)				141		Gasket, Body	
ŀ				825	145	Ml	Stud, Bearing Housing to Body	
•				353	434	Xl	Washer, (3/8" Spring)	
			e	353	431	X1	Nut (3/8" NF, Hex.)	
)	(C)				144		Gasket, Body to Block	
	,					N91	Pulley Assembly, Fan	
					491		Hub, Extension, Fan Pulley	
							Fan Assembly	
					_	M91	Balance, Fan	
				_	363			
5					930		Belt, Fan	
				830	895	M91	Repair Kit, Water Pump (Incl. all items marked "C")	
				254	0.40	V1	Cotter Pin (3/32 x 1/2")	
	4			354				
L	•				936		Bolt (5/16 x 7/8" NC, Hex.)	'
2					678		BOIL (5/16 X 7/8" NC, Hex.)	•
3				353	679	X1	Bolt (5/16 x 1" NC, Hex.)	•
ŀ				353	532	X1	Bolt (5/16 x 2-5/8" NF, Hex.)	
5					446		Washer (5/18" Lock)	
5					565		Nut (5/16" NC, Hex.)	
					267		Bolt (3/8 x 2-1/4" NC, Hex.)	
7							Washer (3/8" Lock)	
8					201		Washer (7/16" Small Flat)	•
9					757		washer (7/10" Small Flat)	•
0				353	432	X1	Washer (7/16" Lock)	•
•						X1	10. A (M (3.01) 1100 11-11 )	

Notes: (A) - For repairs order (1) 1885 489 M91 Partial Pump (1) 1884 273 M1 Connection and (1) 1881 807 M91 Hub (with Keyway).


(B) - Used only with 826 119 M91 Pump Assembly (no Keyway).

TO-35 TRACTOR



Ref.			No.
No.	Part No.	Description	Req.
		Contract of the Contract of th	
1 (A)	186 825 M91	Lever Assembly, Throttle	1
1 (B)	182 389 M91	Lever Assembly, Throttle	1
1 (C)	180 675 M91	Lever Assembly, Throttle	1
2	180 711 M91	Plate Assembly, Throttle Lever	1
3	180 687 M1	Ball, Joint, Throttle Rod	1
4	354 041 X1	Cotter Pin (1/16 x 3/4")	1
5	180 686 M1	Rod, Throttle Linkage	1
6	187 688 M1	Ball, Joint, Throttle Rod	1
7	180 713 M2	Washer, Center (29/64 x 2-1/2 x 1/8" Cork)	1
8	180 724 M91	Plate Assembly, Friction	î
9	180 714 M1	Washer, Thrust (15/32 x 1-1/2 x 7/64")	1
10	180 689 M1		î
11	180 710 M1	Spring, Throttle Tension	
12	180 703 M1	Clamp, Throttle Rod	1
	100 105 #1	Rod, Throttle	1
16	193 302 M91	Rod Assembly, Choke Control	1
17	193 346 M1	Knob, Choke Rod	1
18	358 990 X1	Nut, Choke Rod	1
19	181 534 M2	Rod, Carbureter to Governor (9-5/8" Long)	
19	181 534 M1	Rod, Carbureter to Governor (9-3/8" Long)	1
20	195 551 M1		1
21	354 187 X1	Clevis, Governor Rod	1
	304 101 XI	Pin, Clevis	1
25	181 536 M1	Rocker, Governor Linkage	1
26	181 537 M1	"U" Bolt, Rod to Rocker	1
27	181 533 M1	Link, Compensator Spring	1
28	181 535 W1	Spring, Compensator	1
29	181 567 M1	Rod, Governor Lever Arm	1
30	180 297 M1	Ball, Joint, Rod to Rocker	1
31	180 093 M1	Plunger, Throttle Contol	1
32	180 088 M1	Spring, Plunger to Lever	1
33	1 750 211 M91	Lever Assembly, Governor Shaft	1
34	11 943 X	Pin, Rocker Shaft (5/32 x 3/4" Groove)	1
35	1 750 100 M1	Bearing, Needle	1
36	1 750 108 M1	Seal, Oil (7/16 x 1 x 3/8")	
37	1 750 103 W1	Seal, Dust (7/16 x 1 x 1/4" Felt)	1
38	1 002 849 M91	Governor Assembly	1
39	1 002 867 M91	Cup Assembly, Governor, w/Shaft	1
40	1 101 101 101	Drive Assembly, Governor (Order 1002 849 M91)	1
41	1 500 098 M1	Nut, Lock, Governor Drive	1
		, 200m) <b>G</b>	1
46	354 039 X1	Cotter Pin (1/16 x 1/2")	x
47	354 046 X1	Cotter Pin (3/32 x 1/2")	x
48	353 501 X1	Bolt (1/4 x 1/2" NF, Hex.)	x
49	353 441 X1	Washer (1/4" Lock)	x
50	354 121 X1	Nut (1/4" NC, Hex.)	x
51	353 918 X1	Nut (1/4" NF, Hex.)	x
52	353 919 X1	Nut (1/4" NC, Half Hex.)	×
53	354 390 X1	Bolt (5/16 x 15/16" NF, Hex.)	x
54	353 446 X1	Washer (5/16" Lock)	x
55	353 916 X1	Nut (5/16" NF, Hex.)	×
		, , , , , , , , , , , , , , , , , , , ,	^


Notes: (A) - Used Tractor Serial Number 204 181 and up.
(B) - Used Tractor Serial Number 154 616 thru 204 180.
(C) - Used prior to Tractor Serial Number 154 616.



## THROTTLE, FUEL SHUT-OFF CONTROL

#### (STANDARD MOTORS DIESEL)

Ref.			No.
No.	Part No.	Description	Req.
1	826 992 M91	Throttle Assembly, Control Lever	1
2	826 998 M91	Bracket Assembly Throttle Mounting	1
3	826 997 M1	Disc Friction (13/32 x 1-1/2 x 3/16")	1
4	827 001 M1	Washer (25/64 x 1-1/2 x 7/64")	1
5	827 002 M1	Spring, Layer Tension	1
6	827 003 M1	Lever Throttle Control	1
7	353 506 X1	Rolt Lever Clamping (1/4 x 1-1/8" NF, Hex.)	1
8	353 754 X1	Waghar (1/4" Small Flat)	1
9	353 441 X1	Wagher (1/4" Lock)	1
10	353 918 X1	Nut (1/4" NP Nex )	1
11	353 756 X1	Wocher (3/8" Small Flat)	1 2
12	354 048 X1	Cotter Pin (3/32 x 3/4")	1
13	827 005 M91	Link Assembly, Throttle Rod, Upper	
14	827 008 M91	Lever Assembly, Bellcrank	1
15	827 011 M1	Pin, Pivot, Bellcrank	
16	827 012 M91	Link Agembly Throttle, Intermediate	1
17	827 016 M1	Chaft Throttle Cross	1
18	827 017 M1	Taxon Chora Chaft	4
19	375 202 X1	Din Cross Chaft Layers (1/8 x 3/4" GTOOVE)	_
20	827 015 M1	Dweeket Cross Sheft	
21	826 152 M91	Rod Assembly, Throttle Link	1
26	827 594 M91	Rod Assembly, Fuel Shut-off Control	i
27	193 346 M1	Knob, Shut-off Rod	1
28	827 023 M1	Spring, Shut-off Rod Return	ī
29	827 022 M1	Clip, Spring, Upper	1
30	827 024 M1	Clip, Spring, Lower	
35	354 039 X1	Cotter Pin (1/16 x 1/2")	×
36	354 041 X1	Cotton Nam (1/18 x 3/4")	
37	354 048 X1	Cotton Din (3/32 x 3/4")	
38	355 732 X1	Screw (#10 x 3/8" NF. Rd. Hd.)	~
39	353 753 X1	Wacher (#10 Flat)	^
40	353 445 X1	Washar (#10 Lock)	
41	358 990 X1	Nut (#10 NF Hor.)	
	353 500 X1	Dol+ /1/4 = 3/8" NF Hex.)	
43	353 665 X1	Polt (1/4 v 1/2" NC Hex.)	
44	353 503 X1	Polt (1/4 v 3/4" NP Hex.)	
	353 754 X1	Washer (1/4" Small Flat)	•
46	353 441 X1	Washer (1/4" Lock)	x
47	353 564 X1	Nut (1/4" NC, Hex.)	×
48	353 918 X1	Nut (1/4" NF, Hex.)	X
49	353 518 X1	Bolt (5/16 x 7/8" NF, Hex.)	. x
50	353 446 X1	Washer (5/16" Lock)	. х
51	353 917 X1	Nut (5/16" NF, Half Hex.)	. x
52	353 756 X1	Washer (3/8" Small Flat)	
		AIR CLEANER SHUT-OFF	
		(USED TRACTOR SERIAL NUMBER 199774 AND UP)	
		Lever, Throttle Control and Air Cleaner Shut-off	. 1
58	186 914 M1	Rod, Lever to Air Cleaner	. î
59	186 913 M1	Joint, Ball, Rod to Lever	. 1
60	180 297 M1	Spring, Shut-off Rod	. 2
61	186 947 M1	Guide, Shut-off Rod	. 1
62	186 912 M1	Arm, Link, Shut-off Rod	. 1
63	186 911 M1	chaft Shut-off Disc.	. 1
64	186 910 M1	74 Am to Shaft (3/32 v 5/8" Roll)	. 1
65	357 614 X1 186 909 N1	Disc Air Cleaner Shut-off	. 1
66 67	186 942 M1	Ring, Shaft Support	. 1
0.		Cotter Pin (1/16 x 1/2")	
72	354 039 X1	Cotter Pin (1/16 x 1/2")	. x
73	358 679 X1	Screw (#6 - 32 x 3/8" Rd. Hd.)	. x
74	355 615 X1	Washer (#G Took)	X
75	195 441 W1	come (#10 v 3/16" NF. Sckt. Hd.)	X
76	355 801 X1	Wesher (1/4" Small Flat)	X
77	353 754 X1	Weeher (1/4" Lock)	X
78	353 441 X1 353 919 X1	Nut (1/4" NF. Half Hex.)	x
79 80	353 919 X1 353 918 X1	Nut (1/4" NF, Hex.)	х
80	232 210 VI		



# FUEL TANK, FUEL FILTER AND LINES


(GAS)

Ref.			No.
No.	Part No.	Description	Req.
1	189 209 N93	Tank Assembly, Fuel	1
2 (A)	520 948 M91	Cap Assembly, Fuel Tank	
3 (B)	180 144 M91	Cap Assembly, Fuel Tank	
4 (C)	180 082 M1	Strap. Fuel Tank	
5	180 063 M1	Cushion, Fuel Tank	2 2
6	180 083 M1	Spring, Fuel Tank, Front Support	2
7	180 086 M2	Pad, Fuel Tank, Front (11/32 x 1 x 1/4" Rubber)	2
12	180 141 M91	Filter Assembly, Fuel (Sediment Bowl)	1
13	180 098 M1	Body, Filter	
14	180 077 M1	Strainer, Fuel	1
15	1 001 514 M1	Powl Sediment (Glass)	
15	678 362 N1	Bowl. Sediment (Steel) (Not included in 180 141 M91 Assembly)	1
16	180 060 M1	Gasket. Bowl	
17	1 001 515 M91	Rail Assembly, Bowl Retaining	. 1
18	180 061 M1	Wheel Fuel Valve Control	
19	180 053 M1	Packing Valve Stem	
20	180 059 M1	Nut. Packing Retaining	. 1
21	180 074 M1	Stem. Fuel Valve	1
22	180 073 W1	Washer, Valve Stem	1
23	180 076 W1	Screw. Wheel to Stem (#6 - 32 x 1/4" Rd. Hd.)	1
24	195 441 W1	Washer (#6 Lock)	1
25	180 597 M91	Tube Assembly, Fuel	
26	195 444 M1	Nut, Tube	2
30	353 678 X1	Bolt (5/16 x 7/8" NC, Hex.)	x
31	353 804 X1	Bolt (5/16 x 2-3/4" NF, Carr.)	x
32	353 755 X1	Washer (5/16" Small Flat)	x
33	353 446 X1	Washer (5/16" Lock)	X
34	195 454 M1	Nut (5/16" NF, Self-Locking)	X

TO-35 TRACTOR

Printed in U.S.A.

Notes: (A) - Used Late Production Machines.
(B) - Used Early Production Machines. For repairs order
(1) 520 948 M91 Cap Assembly.
(C) - No longer required, for repairs order (1) 180 086 M2 Pad.




### (STANDARD MOTORS DIESEL)


Re	f.						
No	<u>.                                    </u>		Pa	rt N	0.	Description	No. Req.
1			890	054	M91	Tank Assembly Fuel Made	
2	(A)		520	948	M91	Tank Assembly, Fuel, Main	. 1
3	(B)			144		Cap Assembly	. 1
4				780		Cap Assembly	. 1
5				783		Bracket Assembly, Support, Rear	. 1
6						Pad, Rear Support (1 x 7/8 x 3/16" Rubber)	2
7				785		Pad, Rear Support (1-1/2 x 7/8 x 3/16" Rubber)	. 2
8				784		Plate, Hear Support (1-1/2 x 7/8 x 5/64" Steel)	2
9				086		Pad, Front Support	2
_	(-)			083		Spring, Cushion, Fuel Tank, Front	. 2
	(C)			178		Line Assembly, Fuel Tank to Filter	1
	(D)		188	466	M91	Tank Assembly, Fuel Reserve	1
	(D)		893	360	M91	Pipe Assembly, Reserve Tank to Main Tank	. 1
	(D)		185	556	M91	Line Assembly, Reserve Tank to Fuel Shut-off	. 1
	(D)		185	558	M91	Line Assembly, Fuel Shut-off to Starting Aid	. 1
15	(D)		359	997	X91	Shut-off Assembly	1
	,			113		Shut-off Assembly	1
				114		Nut, Shut-off Cock	2
17	(D)			315		Sleeve, Shut-off Cock	2
18	(D)			316		Stud, Banjo Fitting (to Starting Aid)	1
	(D)			223		Washer, Banjo Fitting	2
20	,			096		Pipe Assembly, Reserve Tank to Filter	1
21			_	097		Stud, Banjo Fitting (to Filter)	1
			021	091	WI	Washer, Banjo Stud	2
22			827	318	M91	Filter Assembly, Fuel	
23			827	043	M91	Cover Assembly, Filter	1
24			827	044	M91	Valve Assembly Fiel Chut off	1
			359	244	X1	Valve Assembly, Fuel Shut-off	1
				732		Ring, Valve Sealing	1
27				952		Screen, Valve Stem	1
28		1		496		Screen, Fuel Filter	1
29				498		Gasket, Cover to Bowl	1
29				279		Bowl, Sediment (Glass)	1
30		1		038		Bowl, Sediment (Steel) (Not part of 827 318 M91 Assembly)	1
31		-		885		Retainer Assembly, Sediment Bowl	1
			021	000	<b>E</b> 51	Pipe Assembly, Fuel Filter to Pump	1
35						Fuel Pump Assembly (See Page 59)	1
41			829	606	wi	Carlot Bull Burn As Divis	
42				889		Gasket, Fuel Pump to Block	1
43				803		Line Assembly, Fuel Pump to Secondary Filter	1
44				299		Stud, Banjo Fitting	1
45						Washer, Banjo Stud (Inner)	1
40			623	293	MI	Washer, Banjo Stud (Outer)	1
51			353	516	X1	Bolt (5/16 x 5/8" NF, Hex.)	_
52			353	804	X1	Bolt (5/16 x 2-3/4" NF, Carr.)	×
53		1	884	089	<b>M1</b>	Stud (5/16" NF)	×
54				755		Washer (5/16" Small Flat)	×
55				446		Washer (5/16" Lock)	x
56				916		Nut (5/16" NF, Hex.)	x
57				454		Nut (5/16" NF, Hex., w/Nylon Insert)	x
58				787		Bolt, Fuel Tank Rear Mounting	x
59				786		Wagher Tah Rear Mounting Dolt	x
					~-	Washer, Tab, Rear Mounting Bolt	x
Not	es:	(A) (B)	- U	sed 1	Early P	roduction Machines. Production Machines. For repairs order (1)	

<sup>520 948</sup> M91 Cap Assembly.

(C) - Used Tractor Serial Number 188 851 and up.

(D) - Used prior to Tractor Serial Number 188 851.





693 063 M4 (Imaue 1) 9/70


### FUEL PUMP

Ref							No.
No.			Par	t No	<u>,                                     </u>	Description	Req.
1	(A)	1	884	857	มดา	Pump Assembly, Fuel	1
2	(12)	•	004		401	Body Assembly (Order 1884 857 M91)	1
3		1	850	820	MI	Arm, Rocker	1
4		1	850	827	Ml	Pin, Rocker Arm	1
5		1	850	821	Ml	Washer, Rocker Arm Pin	2
6		1	852	029	MI	Retainer, Rocker Arm	2
7		1	884	858	Ml	Spring, Rocker Arm	1
8			827	545	MI	Link, Rocker Arm to Diaphragm	1
9		1	853	202	Ml	Diaphragm	1
10		1	850	331	Ml	Spring, Diaphragm	1
11						Cover, Fuel Pump (Order 1884 857 M91)	1
12			827	699	м91	Valve Assembly, Fuel	2
13		1		821		Seal, Oil	1
	(D)			332		Retainer, Valve	1
15	(a)	-		679		Screw, Valve Retaining	2
16	<b>\- &gt;</b>	1		740		Screw, Cover to Body	5
17		•		445		Washer, Lock	5
18				546		Spring, Priming Lever	1
				0.0		Spring, Francis Dovor	
26	(B)		827	891	M91	Pump Assembly, Fuel (Order 1884 857 M91)	1
27	<b></b> ,	1		824		Body Assembly, w/Hand Primer	1
28				820		Arm, Rocker	1
29		1	850	827	W1	Pin, Rocker Arm	1
30				542		Washer, Rocker Arm Pin	2
31		1		828		Retainer, Rocker Arm	2
32			827	543	Ml	Spring, Rocker Arm	1
33			827	545	W1	Link, Rocker Arm to Diaphragm	1
34	(C)	1		152		Diaphragm Assembly	1
35				821		Seal, Oil	1
36		1	850	331	M1	Spring, Diaphragm	1
37						Cover, Fuel Pump (Order 1884 756 M91)	1
38	(C)		827	699	M91	Valve Assembly, Fuel	2
	(C)	1	850	333	W1	Gasket, Valve	1
40	,	1	850	332	W1	Retainer, Valve	1
41				679		Screw, Valve Retainer	2
42			363	582	X1	Screw, Cover to Body	5
43				445		Washer, Lock, Cover Screw	5
44				546		Spring, Priming Lever	1
_		1		825		Priming Set, Hand	1
			830	896	W91	Repair Kit, Fuel Pump (Incl. items marked "C")	×

Notes: (A) - Used Late Production Machines.
(B) - Used Early Production Machines.
For repairs order 1884 857 M91.

<sup>(</sup>D) - Used Early Production Machines.


F375-1



#### (USED TRACTOR SERIAL NUMBER 175 639 AND UP)


Re	ſ.						87 m
No	<u>.</u>		Par	rt No	<u>.</u>	Description	No. Req.
1	(A)		184	458	M91	Carbureter Assembly (Carter)	1
2		1	753	772	M91	Shaft Assembly, Throttle Lever	1
3		1	751	189	Ml	Screw, Throttle Lever Adjusting	
4				204			1
5				186		Disc, Throttle	1
6	(B)			190		Screw, Throttle Disc	2
7	(B)			185		Seal, Dust, Throttle Shaft	1
8				193		Retainer, Dust Seal	1
9	(B)			172		Plug, Body	1
10	(-,			168		Strainer Assembly, Fuel	1
11				180		Screw, Idle Adjusting	1
12	(B,C)					Spring, Idle Adjusting Screw	1
13	(0,0)			771		Gasket, Bowl to Body	1
14				776		Float Assembly	1
	(B)					Spring, Float	1
	(B)			174		Pin, Float Pivot	1
				774		Seat Assembly, Float Needle	1
	(C)			778		Gasket, Float Seat	1
18	/			773		Nozzle Assembly, Fuel	1
19	,.,					Gasket, Nozzle	1
20				169		Shaft Assembly, Choke Lever	1
21				170		Disc Assembly, Choke	1
22				186		Screw, Choke Disc	2
23				190		Seal, Dust, Choke Shaft	1
24				185		Retainer, Dust Seal	1
25		1	751	193	Ml	Plug, Bowl	1
26				167		Spring, Choke Lever Return	1
27	,	1	751	178	M91	Needle Assembly, Hi-Speed Adjusting	1
28	1-1			175		Packing, Adjusting Needle	1
29		1	751	176	Ml	Gasket, Retaining Nut	1
30		1	751	192	M1	Nut, Packing Retaining	1
	(B)	1	753	779	Ml	Jet, Metering	1
32		1	751	179	Ml	Plug, Bowl Drain	1
33	(B)	1	751	196	Ml	Seal, Air Horn, Dust	1
34		1	751	185	M1	Retainer, Dust Scal	1
35		1	751	187	M91	Screw Assembly, Bowl to Body	1
41			181	531	Ml	Gasket, Carbureter to Manifold	1
42			195	550	M1	Stud (5/16" NC x 1-3/16")	2
43			195	549	MI	Washer (5/16" Int. Skpf.)	2
44			355	565	X1	Nut (5/16" NC, Hex.)	2
			835	538	M91	Repair Kit, Carbureter (Incl. Items Marked "B")	×
			835	537	M91	Gasket Kit (Incl. Items Marked "C")	×

Note: (A) - Used as Alternate Carbureter to 183 576 M91, see Page 69.



R	ef.						
N	ο.		1	Part	No.		No.
					NO.	Description	Req
	1 (A)		18	2 7	48 M91	Combunation	
	2 (B)		1 75	1 11	81 M91	Carbureter (Carter) (See Note)	1
	3		1 75	1 1	32 W1		1
	4 (B)		1 75	1 32	28 M1		1
	5		1 75	1 10	00 M1	, The Trade Discourse of the Control	2
	В				35 M1		
	7		1 75	1 10	39 M1	Just Seal	1
	8		1 75	1 10	8 M1	The state of the s	1
5	9		1 75	1 16	8 MI	, rate Majusting,	1
10	(B)		1 75	1 16	0 M1	-PB) Idle Adjusting Needle	1
11	(2)		1 75	1 17	3 M1		1
12			1 75	1 17	2 M91	and brighter Assembly Fig.	1
13	(0)		1 /2	1 17	7 M91	Valve and Seat Assembly, Fuel	1
14	/		1 75	1 18	8 M1	Gasket, Fuel Valve Seat	1
15			1 75	1 18	3 M1	Venturi	1
16			1 75	1 17	1 M91	Float Assembly, Fuel	1
17	(0)		1 75	1 17	4 M1	Pin, Float Pivot.	1
			1 75	1 19	4 M1	Spring, Float	1
18	( /		1 75	1 18	4 M1	Spring, Float	1
19			1 752	41	7 M91	Jet, Idling	1
	(B)		1 75			Nozzle Assembly, Fuel	1
	(B)	1	1 75	41	0 M1	The state of the s	1
	(B)	]	1 751	17	8 M91	The same of the sa	1
	(B)	1	751	17	5 M1	nouse Assembly, night Speed Adjusting	1
24		1	751	170	6 M1		1
25			751			THE THE PACKAGE CONTRACTOR OF THE PACKAGE CO	1
	(B)	1	751	196	3 M1	The factorial formation of the factorial factorial factorial formation of the factorial factoria	1
27		1	751	185	5 M1	During Dust	1
28		1	751	179	) M1	washer, bust Seal Ketaining	1
29		1	751	169	M91	- ag, ruot bigin	1
30			751			and Level Assembly, Choke	1
31	(B)		751			oping, choke Return	1
32	(B)	1	751	185	М1	bust, choke Shait	1
33		1	751	170	N91	we defined, Dust Seal	1
34		1	751	186	W1	DISC ABBEMBLY, CHOKE	1
35	(B,C)	1	751	165	W1	ociew, Disc Attaching	2
36					M91	dasket, inrottle Body to Bowl	1
37	(C)	_		531		below and washer Assembly	4
38	(-,			550		dasket, Carbureter to Manifold	ī
39			195			544 (5/10 NC X 1=3/16")	2
40			195			addict (5/10 lift. Skpi.)	2
11					M91	Mat (5/10 MC, Mex.)	2
-					M91	"CPULL ALL (INCL. ILEMR MATERA "D")	1
			930	201	MAI	Gasket Kit (Incl. Items Marked "C")	1


Note: (A) - Used Tractor Serial Numbers (Single Clutch) 166 768 and up; (Dual Clutch) 167 258 thru 167 805, 168 319 thru 168 339 and 168 505 thru 175 638. For repairs order 183 576 M91 Carbureter, See Page 69.



n -							
Re							No.
No	<u>.</u>		P	rt ]	No.	Description	Req.
1	(A)		181	578	8 M91	Cambunatan turu 13 (a. 1. 1/a. 1. 1/a. 1.	
2	(B)	1			1 M91	Carbureter Assembly (Carter) (See Note)	1
3				182		Shaft and Lever Assembly, Throttle	1
4	(B)			328		Disc, Throttle	
5				190		Screw, Throttle Disc	2
6				18		Seal, Dust, Throttle Shaft	1
7				189		Retainer, Dust Seal	
8				168		Screw, Throttle Stop	1
9				180		Needle, Idle Adjusting	1
10	(B)			173		Spring, Idle Adjusting Needle	1
11	(0)				M91	Plug, Idle Passage	1
12	(B)				M91	Elbow and Strainer Assembly, Fuel	1
	(c)			188		Valve and Seat Assembly, Fuel	1
14	(0)			183		Gasket, Fuel Valve Seat	1
15					M91	Venturi	1
16	(B)			174		Float Assembly, Puel	1
17	(1)			194		Pin, Float Pivot	1
18	(B)			184		Spring, Float	1
19	(6)				M1 M91	Jet, Idling	1
20	(B)			188		Nozzle Assembly, Fuel	1
	(B)					Gasket, Nozzle	1
22	(B)			195		Jet, Main Fuel	1
23	(B)				M91	Needle Assembly, High Speed Adjusting	1
24	(6)			175		Packing, Adjusting Needle	1
25				176		Retainer, Packing	1
26	(B)			192		Nut, Packing	1
27	(B)			196		Seal, Leak-off Dust	1
28				185		Washer, Dust Seal Retaining	1
29				179		Plug, Fuel Drain	1
30					M91	Shaft and Lever Assembly, Choke	1
31	(D)			167		Spring, Choke Return	1
32	(B)			190		Seal, Dust, Choke Shaft	1
33	(B)	_		185		Retainer, Dust Seal	1
34					M91	Disc Assembly, Choke	1
	(0.0)			186		Screw, Disc Attaching	2
35 36	(B,C)					Gasket, Throttle Body to Bowl	1
	(0)	ī		187		Screw and Washer Assembly	4
	(C)			531		Gasket, Carbureter to Manifold	1
38				550		Stud (5/16" NC x 1-3/16")	2
				549		Washer (5/16" Int. Skpf.)	2
40				548		Nut (5/16" NC, Hex.)	2
41				502		Repair Kit (Incl. Items Marked "B")	1
			930	501	MAT	Gasket Kit (Incl. Items Marked "C")	1

Note: (A) - Used prior to Tractor Serial Numbers (Single Clutch) 166 768; (Dual Clutch) 167 258, also used 167 806 thru 168 318 and 168 340 thru 168 504. For repairs order 183 576 M91 Carbureter Assembly, See Page 69.






693 063 M4 (Issue 1) 9/70

Re	ľ.						**-
No	<u>.</u>		PR	rt N	0.	Description	No. Req.
1	(A)		101	520	M91		
	(B)	3			M91	Carbureter Assembly (Marvel-Schebler)(See Note)	1
	(B)		505			Lever Assembly, Throttle	1
4		•				Packing, Dust, Throttle Lever	1
5	(5)	٠,		489		Retainer, Dust Packing	1
6			751			Screw, Adjusting Throttle Lever	1
-	(B)	1	751			Spring, Adjusting Screw	1
8	(B)			470		Needle, Idle Adjusting	1
9	(8)			471		Spring, Idle Needle	1
10		1			M91	Needle Assembly, Main Adjusting	1
11				472		Spring, Main Adjusting Needle	1
12	100			474		Washer, Main Adjusting Needle	1
	(C)			473		Gasket, Main Adjusting Needle	1
13					м91	Strainer Assembly, Fuel	1
14		1	751	218	Ml	Disc, Throttle	1
15	(0)		29	981	X	Screw Assembly, Throttle Disc	2
	10,		15	469	A	Jet, Idle	1
	(B)		15	479	A	Valve Assembly	î
18	(C)		14	856	A	Gasket, Valve	î
19			29	980	X	Screw Assembly, Body to Bowl	4
22			15	480	A	Float Assembly	1
	(B)		15	481	A	Pin, Float Hinge	î
24	(C)		15	462	A	Gasket, Bowl	î
25		1	751	223	MI	Venturi	î
26		1	751	222	M1	Nozzle, Main	î
27	(C)		14	846	A	Gasket, Main Nozzle	1
28		1	751	209	M91	Shaft Assembly, Choke	1
	(B)		15	443	A	Retainer, Choke Shaft	1
	(B)		15	442	A	Packing, Dust, Choke Shaft	î
31	(B)	1	751	208	M1	Spring, Choke Shaft	1
32		1	751	216	M91	Disc Assembly, Choke	1
33	(B)		29	981	X	Screw Assembly, Choke Disc	2
34			15	461	A	Plug, Bowl Drain	1
38	(C)		181	531	M1	Gasket, Carbureter to Manifold	1
39			195	550	Wl	Stud (5/16" NC x 1-3/16")	_
40			195	549	W1	Washer (5/16" Int. Skpf.)	2
41			195	548	MI	Nut (5/16" NC, Hex.)	2
			841	245	M91	Repair Kit (Incl. Items Marked "B")	2
			830	503	м91	Gasket Kit (Incl. Items Marked "C")	1
						THE VALUE RELACE C J	x


Note: (A) - Used prior to Tractor Serial Numbers (Single Clutch) 166 768; (Dual Clutch) 167 258, also used 167 806 thru 168 318 and 168 340 thru 168 504.





Re	f.						
No.			Part No.			Description	
1	(A)		183	576	W91	Combunation	Req.
2	(B)	1			M91	Carbureter Assembly (Marvel-Schebler) (See Note)	. 1
3	(B)			306		Lever Assembly, Throttle	. 1
4	(B)			489		Packing, Dust, Throttle Lever	. 1
5		1		210		Retainer, Dust Packing	. 1
6				211		Screw, Adjusting Throttle Lever	. 1
7	(B)	•		470		Spring, Adjusting Screw	. 1
8				471		Needle, Idle Adjusting	. 1
9	(2)	1			M91	Spring, Idle Needle	. 1
10		•		472		Needle Ambembly, Main Adjusting	. 1
11				474		Spring, Main Adjusting Needle	. 1
12	(C)			473		washer, Main Adjusting Needle	. 1
13	(0)	,				Gasket, Main Adjusting Needle	1
14				212	M91	Strainer Assembly, Puel	. 1
15	(B)	•				Disc, Throttle	. 1
	(B)			981		Screw Assembly, Throttle Disc	2
	(B)			469		Jet, Idle	1
	(C)			479		valve Assembly	1
19	(0)			856		Gasket, Valve	1
22				980		Screw Assembly, Body to Bowl	Ā
	(B)			480		Float Assembly	1
	(C)			481		Pin, Float Hinge	î
25	(0)	_		462		Gasket, Bowl	î
26				223		Venturi	î
	101	1		222		Nozzle, Main	î
28	(C)	_		846		Gasket, Main Nozzle	î
40		1			M81	Shaft Assembly, Choke	i
	(B)			443		Retainer, Choke Shaft	1
-	(B)			442		Packing, Dust, Choke Shaft	1
	(B)			208		Spring, Choke Shaft	1
32		1	751	216	<b>M91</b>	Disc Assembly, Choke	1
	(B)			981		Screw Assembly, Choke Disc	2
34			366	368	X1	Plug, Bowl Drain.	1
38			181	531	MI	Gasket, Carbureter to Manifold	
39				550		Stud (5/16" NC x 1-3/16")	1
40				549		Washer (5/16" Int. Skpf.)	2
41			195	548	M1	Nut (5/16" NC, Hex.)	2
				245		Renair Kit (Incl. all Years Marked House	,
	(B)		836	611	<b>M91</b>	Gasket Kit (Incl. all Items Warked "C")	1

Note: (A) - Used as Alternate to 184 458 M91.




#### (STANDARD MOTORS DIESEL)

f.	p	art No.	(USED TRACTOR SERIAL NUMBER 188 851 AND UP)	R
	_		Description	-
(A)	82	7 766 M92	Pump Assembly, Injection (See Page 79 & 81)	
1117		6 104 M1	Housing Assembly, Injection Pump Drive	
		4 131 M1	Bushing, Drive Gear Shaft	
(C)		7 797 M1	Gasket, Housing to Block (.008" Paper)	
(0)		8 208 M1	Gasket, Housing to Block (.012" Paper)	
		8 209 M1	Shim, Housing to Block (.005" Steel)	
		6 105 M1	Shim, Housing to Block (.010" Steel)	
		6 106 M1	Gear, Pump Drive	
			Adapter, Drive Gear	
		6 107 M1	Screw, Lock, Adapter	
		6 151 M1	Ring, Snap, Injection Pump Drive Retaining	
		4 130 M1	Gasket, Housing to Pump	
		8 201 M1	Pin, Pump Locating	
		6 101 M1	Gear, Idler	
		6 097 M1	Shaft, Idler Gear	
		6 100 M1	Bushing, Idler Gear	
		6 098 M1	Bearing, Shaft	
		6 027 M1	"O" Ring, Bearing	
		6 099 M1	Washer, Thrust, Idler Shaft	
		6 103 M1	Washer, Copper (Front)	
		6 125 M1	Washer, Copper (Rear)	
(4)		5 663 M1	Nut, Idler Shaft (w/Nylon Insert)	
(A) (B)		8 902 M91	Cap Assembly, Oil Filter	
,		7 766 M92	Housing Assembly, Injection Pump Drive	
, - ,		5 398 M91	Car Assembly, Oil Filter	
(D)	1 86	0 818 M1	Plug, Head	
			Nozzle Assembly, Fuel Injector (See Page 77)	
	-	9 205 M1	Shield, Heat, Injector Nozzle	
		9 206 M1	Washer, Heat Shield (Copper)	
		9 204 M1	Washer, Sealing (Corrugated)	
		6 218 M1	Washer, Nozzle Seat	
		6 219 M1	Clamp, Injection Nozzle	
	-	6 166 M1	Stud, Injection Nozzle Clamp	
		6 220 M1	Nut, Clamp Stud	
		9 165 M91	Line Assembly, Injection (#1 Cylinder)	
		9 166 M91	Line Assembly, Injection (#2 Cylinder)	
		1 350 M91	Line Assembly, Injection (#3 Cylinder)	
		9 168 M91	Line Assembly, Injection (#4 Cylinder)	
		7 495 M1	Grommet, Injection Lines	
		7 500 M91	Bracket Assembly, for #4 Injection Line	
		7 498 M91	Bracket Assembly, for #2 Injection Line	
		7 497 M91	Bracket Assembly, for #1 Injection Line	
		7 838 M1	Spacer, for #4 and #2 Brackets	
		7 494 M2	Clip, Lines	
		9 427 M91	Clamp Assembly, for #2 and #3 Lines	
		9 427 M91	Clip, Lower	
		2 666 X	Nut, Clamp	
		9 162 M1	Heater, Fuel (Glow Plug)	
		9 147 N1	Wire, Heater Plug Connector (Ends)	
		9 148 M1	Wire, Heater Plug Connector (Center)	
		9 149 M1	Wire, Heater Plug Ground	
		7 257 M92	Line Assembly, Leak-off	
	82	7 290 M92	Line Assembly, Lead-off (to Tank)	
	82	7 794 M91	Bracket Assembly, Fuel Filter Mounting	
			Filter Assembly, Primary (C.A.V.) (See Page 75 and 77)	
		0 600 403	Filter Assembly, Secondary (Purolator) (See Page 75 and 77)	
		7 609 M91	Line Assembly, Secondary to Primary Filter	
		7 278 M91	Line Assembly, Primary Filter to Injection Pump	
		7 282 M91	Line Assembly, Injection Pump to Primary Filter	
		7 099 M1	Stud, Banjo Fitting (Primary Filter)	•
		7 100 M1	Washer, Banjo Stud	•
		1 803 M1	Stud, Banjo Fitting (Secondary Filter)	•
		5 299 M1	Washer, Banjo Stud (Inner)	•
	82	5 293 M1	Washer, Banjo Stud (Outer)	•
	01	7 200 N1	Bolt (#10 Hex. Hd.)	
		3 445 X1	Washer (#10 Lock)	
		3 516 X1	Bolt (5/16 x 5/8" NF. Hex.)	
		3 679 X1	Bolt (5/16 x 1" NC, Hex.)	
		4 090 M1	Stud (5/16" NC-NF)	
		6 109 M1	Stud. Injection Pump to Drive Housing	
		3 518 X1	Bolt (5/16 x 7/8" NF, Hex.)	•
		3 680 X1	Bolt (5/16 x 1-1/8" NF, Hex.)	•
	-	3 755 X1	Washer (5/16" Small Flat)	•
		3 446 X1	Washer (5/16" Lock)	•
		3 916 X1	Nut (5/16" NF, Hex.)	
			Bolt (3/8 x 1-1/4" NF Hex.)	
	35	3 540 X1 3 434 X1	Bolt (3/8 x 1-1/4" NF, Hex.)	

Printed in U.S.A.

Notes: (A) - Used Engine Serial Number SJ100805E and up.
(B) - Used prior to Engine Serial Number SJ100805E.
(C) - For repairs order 1 each of 828 209 Ml and 828 208 Ml.
(D) - Used w/o Glow Plug.



# INJECTION PUMP AND DRIVE, FUEL FILTERS AND LINES


#### (STANDARD MOTORS DIESEL)

## (USED PRIOR TO TRACTOR SERIAL NUMBER 188 851)

Ref.			No.
No.	Part No.	Description	Req.
1		Pump Assembly, Injection (See Page 79 & 81)	. 1
2	827 766 M91	Mousing Assembly Injection Pump Drive	
3	826 104 M1	Duching Drive Cear Shaft (Order 827 766 M91)	
4	1 884 131 M1	Casket Housing to Block ( DOS" Paner)	
4	827 797 M1	Gasket, Housing to Block (.012" Paper)	. x
4	828 208 M1	Shim, Housing to Block (.005" Steel)	. x
4		Shim, Housing to Block (.010" Steel)	. x
5	828 209 M1	Gear, Pump Drive	. 1
6	826 105 M1	Adapter, Drive Gear	. 1
	826 106 M1	Screw, Lock, Adapter	. 1
7	826 107 M1	Ring, Snap, Injection Pump Drive Retaining	. 1
8	826 151 M1	Ring, Snap, Injection Pump Drive Retaining.	. x
9	1 884 130 M1	Gasket, Housing to Pump Pin, Pump Locating	. 1
	828 201 M1	Pin, Pump Locating	. 1
12	826 101 M1	Gear, Idler	. 1
13	826 097 M1	Shaft, Idler Gear	. 1
14	826 100 M1	Bushing, Idler Gear	. 1
15	826 098 M1	Bearing, Shaft	. 1
16	196 027 M1	"O" Ring, Bearing	. 2
17	826 099 M1	Washer, Thrust, Idler Shaft	. 1
18	826 103 M1	Washer, Copper (Front)	. 1
19	826 125 M1	Washer, Copper (Rear)	. î
20	195 663 M1	Nut, Idler Shaft (w/Nylon Insert)	3
21	825 398 M91	Cap Assembly, Oil Filler	A .
25		Novele Accemble Fuel Injector (See Page 77)	0 18
26	826 219 M1	Claus Indector Norsele	
27	826 166 M1	Cand Indecation North Clamp.	0 10
28	826 220 M1	Wat Olem Chud	
29	826 222 M91	Time Assembly Injection (#1 Cylinder)	
30	826 223 M91	Time Accombly Injection (#2 Cylinder)	
31	826 224 M91	ting teraphly Injection (#3 Cylinder)	
32	826 225 M91	Time Accombly Injection (#4 Cylinder)	
	827 497 M91	Dwe shot Aggembly #1 Injection Line	. A
	827 498 M91	Procket Assembly #2 Injection Line	
	829 427 M91	Procket Assembly #3 Injection Line	. 1
	827 500 M91	Procket Assembly #4 Injection Line	. 1
37	827 494 M1	Clin Injector Lines	
38	827 495 M1	Grownet Injector Lines	
39	827 257 M92	Tine Aggembly, Leak-off	. 1
40	827 290 M92	Line Assembly, Leak-off (to Tank)	. 1
48	827 794 N91	Bracket Assembly, Fuel Filters Mounting	. 1
49		Filter Assembly, Primary (C.A.V.) (See Pages 75 & 77)	. 1
51		Filter Assembly, Secondary (Purolator) (See Pages 75 & 77)	. 1
52	827 609 M91	Line Assembly, Secondary to Primary Filter	. 1
53	827 278 M91	tine Assembly, Primary Filter to Injection Pump	. 1
54	827 282 M91	tine Accembly. Injection Pump to Primary Filter	. 1
55	827 099 M1	Stud Banio Fitting (Primary Filter)	. 3
56	827 100 M1	Wesher Banio Stud	. 6
57	731 803 M1	Stud, Banjo Fitting (Secondary Filter)	. 1
58	825 291 M1	Wacher Benjo Stud (Inner)	. 1
59	825 293 M1	Washer, Banjo Stud (Outer)	. 1
33	020 200 22		
65	827 200 M1	Bolt (#10 Hex. Hd.)	. x
66	353 445 X1	Washer (#10 Lock)	. x
67	353 516 X1	Bolt (5/16 x 5/8" NF, Hex.)	. x
68	353 679 X1	Bolt (5/16 x 1" NC. Hex.)	. X
	1 884 090 M1	Stud (5/16" NC-NF)	. X
68	826 109 M1	Stud. Injection Pump to Drive Housing	. x
69		Washer (5/16" Small Flat)	. X
70	353 755 X1	Wesher (5/16" Lock)	. X
71	353 446 X1	Nut (5/16" NF, Hex.)	. x
72	353 916 X1	Bolt (3/8 x 1-1/4" NF, Hex.)	. x
73	353 540 X1	Washer (3/8" Lock)	. x
74	353 434 X1	##SITOT (0)0 TOOW)	

TO-35 TRACTOR


F1545



### (STANDARD MOTORS DIESEL)

Ref.			No.
No.	Part No.	Description	
1 (A)	1 852 087 M91	Filter Assembly, Primary (C.A.V.)	. 1
2		Head, Filter (Order 1852 087 M91)	. 1
3	1 012 006 M2	Element, Filter	. 1
4	1 015 221 M1	Gasket	. 1
5	1 018 123 M1	Bolt, Filter Cover	. 1
6	1 851 908 M1	Washer, Filter Cover, Bolt	. 1
7	1 851 895 M1	Collar, Filter	. 1
8	1 015 225 M1	Seal, Collar	. 1
9	1 851 896 M1	Ring, Snap	. 1
10	1 851 899 M1	Cup. Filter Base	. 1
11	1 851 900 M1	Ring. Cup Base Sealing	. 1
12	1 851 901 M1	Spring	. 1
13	1 851 905 M1	Sleeve, Locating	. 1
14	1 851 906 M1	Ring. Snap. Center Bolt	. 1
15	1 024 393 M1	Washer, Spring Locating	. 1
16		Body Assembly (Order 1852 087 M91)	. 1
17	1 024 388 M1	Bolt, Filter Center	. 1
18	1 851 902 M1	Bolt. Vent	. 1
19	1 851 889 M1	Washer, Vent Bolt	. 1
20	1 851 904 M1	Plug, Vent	. 1

Note: (A) - Used Late Production Machines - Early Production, See Page 77.




lst Print

693 063 M4 (Issue 1) 9/70

## FUEL FILTER

# (STANDARD MOTORS DIESEL)

Ref.			No.
кет. No.	Part No.	Description	Req.
-	- ATT	(C.A.V.) (Oyder 1852 087 M91)	1
1	827 038 M91	Filter Assembly, Primary (C.A.V.)(Order 1852 087 M91) Element, Fuel Filter	1
2	1 012 006 M1		
3	1 015 221 MI	m - m - 4 m 4 m 4 m 4 m 4 m 4 m 4 m 4 m	
4	1 015 222 Ml		
5	1 015 224 M1		
6	1 015 223 M1		
7	1 015 225 M1		
8	1 015 226 M1		
9	1 024 396 M1		
10	1 015 227 M1		
11	1 015 233 M1		
12	1 015 229 M1		
13 14	1 015 230 M1 1 024 375 M1		
15	1 015 232 MI	plug, Filter Cover	
		Filter Assembly, Secondary (Alternative w/890 971 M91)	. 1
20	1 850 252 M91		
21	1 850 454 M91		
22	1 850 453 M1		
23	1 850 452 M1		
4	1 850 451 M91	Seal, Filter, Lower	. i
25	1 850 450 Ml	Element, Fuel Filter (Incl. Item 20)	. 1
26	1 850 449 M1 1 850 448 M1	Seal, Filter, Upper	. 1
27 28	827 446 Ml		
29	1 850 444 Ml	Gasket, Head to Body Nut, Head Retaining	. 1
30	1 850 445 M1	Nut, Head Retaining	. 2
31	1 650 192 M1		
32	1 650 193 Ml	Washer, Vent and Drain Plug	
	000 071 1101	Filter Assembly, Secondary (Alternative w/1850 252 M91)	. 1
36	890 971 M91 1 851 842 M1	Filter Assembly, Secondary (Alternative W. Lead, Filter	. 1
37 38	1 850 931 M91	Hend, Filter  Body Assembly, Filter	. 1
39	1 850 933 MI	Body Assembly, Filter	. 1
40	1 850 450 Ml	Element, Filter	. 2
41	1 850 934 M1	Gasket, Element Ends	. 1
42	1 850 935 M1	Roll, Center	. ' 1
43	1 851 843 Ml	Retainer, Oil Seal	. ]
44	1 015 319 M1	Seal, Oil, Body	•
45	1 850 932 M1	Plate, Element, Lower	•
46	827 458 M1	Spring, Tension, Element	
47	827 455 M1	Washer, Spring	
48	827 454 M1	Seal, Oil, Element Plate	
49	1 850 938 M1	Ring, Snap, Center Bolt Retaining Plug, Filter, Bleed and Drain	
50	1 650 192 M1	Plug, Filter, Bleed and Drain	•
51	1 650 193 Ml		
		INJECTION NOZZLE	
	000 000 WG3	Nozzle Assembly, Fuel Injector	
55	890 006 M91	Novyle Assembly	
56	890 007 M91	Nut Nozzle Cap	
57	1 012 706 M2	Wacher Nozzle	
58	829 208 M1	Spindle	
59	1 012 708 MI	Cowing	
60	1 017 888 MI	Can Spring, Upper	
61	1 012 710 Ml	Nut Spring Retaining	
62	1 012 711 M1	Soring Compression.	
63	1 012 712 M1	Nut lock. Compression Serement	
64	1 012 713 M1 1 012 715 M1	Not Can Nozzie Holder	
65	1 012 715 M1 1 022 505 M1	Washer Nozzle Holder Nut	
66	1 012 716 M1	Connection. Fuel Inlet	
67	1 012 707 M1	Connection, Fuel Leak-011	
68	1 014 946 M1	Washer, Fuel Inlet Connection	
69			




## INJECTION PUMP


### (STANDARD MOTORS DIESEL)


#### (SERVICE REPLACEMENT)


## SEE PAGES VII - XII FOR CERTIFIED C.A.V. SERVICE STATIONS

Ref.						No.
No.		Par	t No	<u>.</u>	Description	Req.
1		893	573	M91	Pump Assembly, Injection (DPA 3242108)	1
2	1		882		Combat Dumn Cough.	-
3	1	038	316	Ml	Power Adducting Throttle Control	_
4	1	034	654	Ml	Not look Adjusting Screw	-
5	1	022	309	MI	Gleans Addusting Gorew Cover	-
6	1	028	086	M1	Tank Adducting Corow Cleave	-
7	1	028	087	M91	Want Amenha Cover	_
8	1	026	231	W1	Comment of the state of the sta	
9	1	028	088	M1	Water Care Vent Cover	_
10	1	851	881	W1	m to Once Mand	-
11	1	851	880	W1	Mark Contact Charles	
12	1	851	884	Ml	The Transfor Dimp Cover	
13		731	175	N1		_
14	1	038	917	Ml	Walter Trees (Disin)	_
15		22	427	X	washing Towns (Sknf )	_
16	1	034	654	MI	No. A Thomas Toronto Data (ning	_
17	1	038	815	Ml	Washing Think Index Aduntation	_
18	1	028	496	M91	Vant Anamhly Dody	_
19	1	026	231	M1	Course Body Nont	-
20	1	851	869	MI	Weeken Dody Vent Screw	_
21	1	851	872	Ml	demonstrate the lines	-
22	1	038	432	Ml	Washam Was I times Connector	_
24	1	851	859	Ml	Carbot Tampoction Cover	-
25	1	851	860	Ml	Games Tanantian Cover	_
26		22	427	X	Washen Indraction Cover	_
27	1	851	946	Ml	Compaction Fuel Outlet	
28	1	851	871	MI	Washer, Fuel Outlet Connector	1
29	1	012	717	M.	Sheft, Quill	, -










## INJECTION PUMP

### (STANDARD MOTORS DIESEL)

### SEE PAGES VII THRU XII FOR CERTIFIED C.A.V. SERVICE STATIONS


Ref.			No.
No.	Part No.	Description	Req.
1	829 703 M91	Pump Assembly, Injection (DPA 3242107) (Order 893 573 M91)	1
2	1 851 882 M1	Gasket, Pump Cover	1
3	1 038 816 M1	Screw, Adjusting Throttle Control	1
4	1 851 854 M1	Nut, Lock, Adjusting Screw	1
5	1 022 309 M1	Sleeve, Adjusting Screw Cover	1
6	1 028 086 M1	Lock, Adjusting Screw Sleeve	1
7	1 028 087 M91	Vent Assembly, Cover	1
8	1 851 868 M1	Screw, Cover Vent	1
9	1 028 088 M1	Washer, Cover Vent Screw	1
10	1 851 881 M1	Washer, Cover Stud	2
11	1 851 880 M1	Nut, Cover Stud	2
12	1 851 884 M1	Cap, Dust, Injection Pump Cover	2
13	731 175 M1	Lever, Fuel Shut-off	1
14	1 038 917 M1	Washer, Pump Levers (Plain)	2
15	22 427 X	Washer, Pump Levers (Skpf.)	2
16	1 034 654 M1	Nut, Pump Levers Retaining	2
20	1 038 815 M1	Washer, Fuel Inlet Adapter	1
21	1 028 496 M91	Vent Assembly, Body	1
22	1 026 231 M1	Screw, Body Vent	1
23	1 851 869 M1	Washer, Body Vent Screw	1
24	1 851 872 M1	Connection, Fuel Lines	4
25	1 038 432 M1	Washer, Fuel Lines Connector	4
26	1 851 859 M1	Gasket, Inspection Cover	1
27	1 851 860 M1	Screw, Inspection Cover	2
28	22 427 X	Washer, Inspection Cover	2
29	1 851 946 M1	Connection, Fuel Outlet	1
30	1 851 871 M1	Washer, Fuel Outlet Connector	1
31	1 012 717 M1	Shaft, Quill	1
36	007 400 400		1
37	827 490 M91	Pump Assembly, Injection (DPA 3242645)	1
38	1 851 882 M1	Gasket, Pump Cover	1
39	1 012 704 M1	Spring, Governor Control	4
40	1 012 695 M1	"O" Ring, Lever Shafts	1
	1 012 681 M1	Lever, Pump Shut-off	1
41	1 012 682 M1	Lever, Throttle Control	2
42	1 038 917 M1	Washer, Lever Retaining (Plain)	2
43	22 427 X	Washer, Lever Retaining (Skpf.)	2
44	1 034 654 M1	Nut, Lever Retaining	
45	1 026 230 M1	Screw, Vent, Pump Cover	1
50	1 026 231 M1	Screw, Vent, Pump Body	
51	1 021 468 M1	Body, Vent Screw	1
52	1 851 872 M1	Connection, Fuel Lines	4
53	1 851 871 M1	Washer, Fuel Line Connector	4
54	1 012 689 M1	Cover, Pump Inspection	1
55	1 851 859 M1	Gasket, Inspection Cover	1
56	1 012 691 M1	Screw, Inspection Cover	2
57	1 012 684 M1	Washer, Inspection Cover Screw	2
58	1 012 693 M1	Spring, Piston Regulating	1
59	1 012 694 M1	Plug, Regulating Piston	1
60	1 012 703 M1	Filter, Fuel Inlet	1
61	1 012 686 M1	Adapter, Fuel Inlet	1
62	1 851 852 M1	Washer, Fuel Inlet Adapter	1
63	1 012 702 M1	Connector, Fuel Inlet	1
64	1 012 687 M1	Connector, Fuel Drain	1
65	1 012 692 M1	Washer, Fuel Drain Connector	1
66	1 012 717 M1	Shaft, Quill	1



# INSTRUMENT PANEL AND INSTRUMENTS

(GAS)

No.		(UNL)	No.
Req.	Part No.	Description	Req.
1 (A)	189 180 M92	Panel Assembly, Instrument	1
1 (B,C		Panel Assembly, Instrument	1
1 (A)	186 735 M93	Panel Assembly, Instrument (TO-35 Special only)	1
1 (B,D		Panel Assembly, Instrument (TO-35 Special only)	1
2 (A)	186 629 M1	Brace, Panel, Right Hand (6" Long)	1
2 (B)	180 669 M1	Brace, Panel, Right Hand (4-5/8" Long)	1
3		Brace, Panel, Left Hand (Used W/Manual Steering)	1
3 (A)	180 670 M1	Brace, Panel, Left Hand (Used w/Power Steering)(5" Long)	1
3 (B)	186 628 M1	Brace, Panel, Left Hand (Used w/Power Steering)(3-5/8" Long)	1
4	183 133 M1	Brace, Panel, Left Hand (Used W/Power Steeling)(3-3/5	1
5 (A)	180 674 M1	Seal, Instrument Panel	1
	186 824 M1	Spacer, Instrument Panel	2
6 (A)	667 517 M1	Spacer, Instrument Panel (3/8" Pipe x 1-1/8")	
8	515 521 M1	Ammeter Assembly	1
9	180 727 M93	Gauge Assembly, Water Temperature	1
10	180 100 M93	Gauge Assembly Oil Pressure	1
11	180 681 M93	Switch Assembly, Ignition and Lighting	1
12	192 427 M1	Key, Switch (Set of Two)	1
13		Nut, Switch	1
14	180 293 M1	Nut, Switch	
15	353 975 X1	SCIEW, SWITCH TERMINAL (3/32 x 1/4" NC, NG. NG. ,	3
	180 231 M1	Clip, Wire	1
16	180 683 M1	Plate, Switch Index	i
17	189 158 M91	Switch Assembly, Starter	1
18	180 293 M1	Nut, Switch	2
19	353 975 X1	Screw, Switch Terminal (5/32 x 1/4" NC, Rd. Hd.)	2
20	180 231 M1	Clip, Wire	2
25 (E)	102 066 801	Tractormeter Assembly	1
25 (F)	193 966 M91	Tractormeter Assembly	1
	193 967 M91	Grommet	2
26	1 751 292 Ml	Washer (3/16" Reg. Flat)	2
27	353 753 X1	washer (3/15" Reg. Flat)	2
28	353 445 X1	Washer (3/16" Lock)	2
29	358 990 X1	Nut (3/16" NF, Hex.)	1
30	183 505 M2	Pad, Mounting	
31 (A)	506 331 M91	Cable Assembly, Tractormeter (Flexible)	1
32	1 751 694 M1	Shaft, Tractormeter Cable (39-17/32" Long)	1
33	1 031 657 M1	Gasket (Small)	1
34	1 037 457 M1	Gasket (Large)	1
31 (B)	521 596 M91	Cable Assembly, Tractormeter (Flexible)	. 1
32	1 751 294 M1	Shaft, Tractormeter Cable (34-21/32" Long)	1
35	1 751 295 M91	Housing Assembly	1
36	835 086 M1	Bearing, Needle	1
37	1 751 301 M92	Gear Assembly, Driven	1
38	1 751 304 M1	Pinion, Drive	. 1
39	1 751 298 M1	Gasket, Plate	. 1
40	1 751 299 M91	Plate Assembly, Housing	. 1
		A Conden on Whole Conden	1
46	677 285 M91	Lamp Assembly, Instrument Panel (Order on Whole Goods)	. 1
47	189 537 M91	Washaw Tamp to Danal (0/16# Flat)	. 1
48	190 787 M1	Washer, Lamp to Panel (9/16" Flat)	
49	190 788 M1	washer, Lamp to Panel (11/10" Flat)	. 1
50	190 789 M1	Strap, Ground	
51	357 185 X1	Washer (5/16" Lock)	. 1
52	195 454 M1	Nut (5/16" NF, Half Hex.)	. 1
50	254 064 93	Screw (5/32 x 7/8" Flat Hd.)	. x
56	354 204 X1	Bolt (1/4 x 3/8" NF, Hex.)	. x
57	353 500 X1		
58	353 441 X1	Washer, (1/4" Lock)	
59	353 918 X1	Nut (1/4" NF, Hex.)	. x
60 (A)	353 527 X1	Bolt (5/16 x 2" NF, Hex.)	. x
60 (B)	353 516 X1	Bolt (5/16 x 5/8" NF, Hex.)	
61	353 697 X1	Bolt (7/16 x 7/8" NC, Hex.)	
62	353 432 X1	Washer (7/16" Lock)	. x
W	(4) Wood Exactor 6	Serial Number 204 181 and up.	
MOLER:	(B) - Head arter to	Tractor Serial Number 204 181.	
	(C) For manager of	rder 1 each of 189 180 M92 Panel, 182 389 M91 Lever Assembly,	
		p and 186 627 Ml Seal.	
	102 307 M1 Ca)	rder (1) 186 735 M93 Panel and (1) 182 387 M1 Cap.	
	(D) - FOR repairs Of	Tractor Serial Number 169 396; also used Tractor Serial Numbers 169 4	08
	(E) - Used prior to	169 429 thru 169 466 and 169 555 thru 169 566.	
	thru 169 418,	169 429 thru 189 466 and 169 555 thru 169 566. Serial Numbers 169 396 thru 169 407, 169 419 thru 169 428, 169 467 thr	71
	169 554 and	169 567 and up.	



### INSTRUMENT PANEL AND INSTRUMENTS:


#### (STANDARD MOTORS DIESEL)

Ref.				No.
No.	-	Part No.	Description	Reg.
1 /		104 ORE MOO	Panel Assembly, Instrument	1
1 (		184 935 M92	Panel Assembly, Instrument	1
2	(8)	184 935 M91	Brace, Panel, Right Hand	1
		180 669 M1	Brace Assembly, Panel, Left Hand	1
3		827 591 M91	Brace Assembly, Panel, Left Hand	1
4		180 674 M1	Seal, Instrument Panel	1
5		359 376 X1	Plug, Panel (5/8" Push-in Type)	
7		180 107 M91	Ammeter Assembly	1
8		182 652 M92	Cours Assembly Water Temperature	_
9		180 746 M1	Clin Monneyetuma Cauga	-
10		1 850 377 M96	Course Assembly Oil Descents	_
11	(A)	829 141 M3	Couldn't transport and Chauton (A Way)	
12		829 741 M1	47	_
13		827 430 M2	Guitan Master and Diamen (4 Way) (Order 525 191 M3)	_
14		829 741 M1	## M. ## = 1	_
15	(0)	827 052 M1	ma-a- w.a wa-m and Cinyton Switch	_
16		890 440 M91	tink in the terminal design the property of the voltage of the vol	_
17			man Anna-13. Wamaing Iight (Incl. HUID)	_
18		890 441 M91	made taxable Manufactiont (Order 1892 333 MAJererererererererererererererererererer	_
19		829 698 M91	m 11 /4 m 14 h	_
		1 851 735 M1	max	_
20	4-1	1 851 524 W1		
16	(C)	829 151 M91	Base Assembly, Warning Light (Incl. Bulb)	. 1
17		829 697 M91	Base Assembly, Warning Light (Incl. Bull)	. 1
18		1 852 333 M1	Body Assembly, Warning Light	. 1
19		829 800 M1	Bulb (12 Volt)	. 1
20		1 851 524 M1	Washer, Spring	. 1
21		829 145 M1	Washer, Spring Wire, Starter Switch to Resistor	. 1
22		890 393 M1		
23		829 146 M1	Wire, Resistor to Heater Plug	
25		1 850 093 M93	Tractormeter Assembly	. 1
26		827 855 M1	mi	_
27		1 850 709 M1		
28		829 489 W91		
29		827 266 M1	Gasket, Gear Box	. 1
0.0			Lamp Assembly, Instrument Panel (Order on Whole Goods)	. 1
36		677 285 M91		
37		189 537 M91	A- D-mol (Q/16" Fig1)	•
38		190 787 W1		
39		190 788 M1		
40		190 789 M1	Washer (5/16" Lock)	. 1
41		357 185 X1	Washer (5/16" Lock)	. 1
42		195 454 M1		
46		353 501 X1	Bolt (1/4 x 1/2" NF, Hex.)	. x
47		353 502 X1	Bolt (1/4 x 5/8" NF, Hex.)	. x
48		353 508 X1	Bolt (1/4 x 1-3/8" NF, Hex.)	. x
49		353 441 X1	/3 /4H Yook)	
50		353 918 X1	10 / / 1 / Att 3170   How \	
51		353 697 X1	Bolt (7/16 x 7/8" NC, Hex.)	. x
52		353 432 X1	Washer (7/16" Lock)	

Notes: (A) - Used Tractor Serial Number 188 851 and up.

(B) - Used prior to Tractor Serial Number 188 851.


(C) - For repairs order 1 each of 1852 333 M1, 1851 524 M1 and 829 697 M91.



### (12 VOLT - GAS)

(USED TRACTOR SERIAL NUMBER 161 250 AND UP)

No.   Part No.   Description   Req.		Ref.					No.
182 532 N1   Clamp, Battery Nold Down		No.	Par	rt No	0.	Description	
182 532 N1   Clamp, Battery Nold Down		1	180	601	WQ 1	Management of the second of th	
Class				-			
101 577 MP   102 Strap Assembly, Battery Ground (15-1/2" Long) (De-Luxe Model)   1   1   1   1   1   1   1   1   1							
105 499 M91   Strap Assembly, Battery Ground (1-1/2" Long)(De-Luxe Model)   1   1   1   1   1   1   1   1   1		_					
100   100		_					
185   185							_
180 189 M1						Cable Assembly, Battery to Solenoid (22-5/8" Long)(De-Luxe Model)	
180 286 M1						Cable Assembly, Battery to Solenoid (16-1/2" Long) (Special Model)	
8 832 TO4 M92 Battery (12 Volt).  12 182 696 M91 Solenoid Assembly. 13 182 620 M93 Cable Assembly. Solenoid to Starter. 14 Starter Assembly (See Page 117 thru 127). 15 182 548 M92 Regulator Assembly, Voltage. 16 181 575 M91 Harness Assembly, Voltage. 17 182 455 M91 Generator Assembly (See Pages 99 thru 115). 18 181 1874 M92 Harness Assembly, Wire (Re-Luxe Model). 19 18 184 545 M91 Harness Assembly, Wire (Re-Luxe Model). 19 18 184 M93 Breaker Assembly, Wire (Special Model). 10 180 776 M1 Boot, Circuit Breaker (Coll Mounting). 11 18 182 558 M94 Wire Assembly, Circuit Breaker to Solenoid. 12 181 142 M1 Washer (23/32 x l x 1/32" Aluminum). 1 1 22 185 187 M91 Wire Assembly, Ignition Switch to Starter Switch (7" Long) (De-Luxe Model). 1 23 706 699 M91 Wire Assembly, Ignition Switch to Starter Switch (11-3/4" Long) 1 24 1 028 569 M91 Coll Assembly, Ignition Switch to Starter Switch (11-3/4" Long) 1 024 262 M1 Screw, Bracket. 1 1 024 262 M1 Screw, Bracket. 1 1 024 262 M1 Screw, Bracket. 1 1 024 262 M1 Wire, Coll to Distributor (Low Tension). 1 1 1 29 830 681 M91 Wire Assembly (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 29 830 681 M91 Wire Assembly, (See Pages 93 thru 97). 1 1 2 2 2 3 3 3 181 603 M91 Wire Assembly, (See Pages 93 thru 97). 1 2 3 3 181 604 M91 Wire Assembly, (See Pages 93 thru 97). 1 3 4 181 543 M1 Nipple, Oil to Distributor (Incl. Item 34). 1 3 5 181 551 M1 Nipple, Distributor (Andel). 3 5 181 551 M1 Nipple, Distributor (Andel). 3 6 834 242 M1 Plug Assembly, Spark Plug (Incl. Item 35). 3 7 180 474 M1 Gasket, Spark Plug (Incl. Item 35). 4 6 353 946 X1 Nut (1/4" NF, Wing). 4 7 353 666 X1 Dil (5/16 x 1/2" NF, Hex.). 5 7 8 8		-				Bolt, Clamp (5/16 x 1-1/2" NC, Sq. Hd.)	1
12		_				Nut (5/16" NC, Hex.)	1
182 620 M93   Cable Assembly, Solenoid to Starter   1		•	832	704	M92	Battery (12 Volt)	
13			182	696	<b>M91</b>	Solenoid Assembly	1
Starter Assembly (See Page 117 thru 127)			182	620	M93		1
182 548 M92   Regulator Assembly, Voltage   1							1
18		15	182	548	M92		1
17		16	181	575	M91		1
18		17	182	455	M91		1
18		18	181	574	M92		1
19		18	185	457	M91		
180 776 M1		19	_				1
1		20					
185 187 M91   Wire Assembly, Circuit Breaker to Solenoid.   1		21					_
182 658 M94   Wire Assembly, Ignition Switch to Starter Switch (7" Long) (De-Luxe Model).   1		22					
Model		23				Wire Assembly, Critical Breaker to Starter Switch (7" Long) (De-Luxe	-
23   706 699 M91   Wire Assembly, Ignition Switch to Starter Switch (11-3/4" Long)   Special Model).   1   1   1   1   1   1   1   1   1			102	000	MOT		1
Special Model   1   25		23	706	699	M91		
24 1 028 569 M91 Coil Assembly, Ignition. 1 25 1 750 500 M1 Bracket, Coil Mounting. 1 26 1 750 501 M1 Clip, Terminal. 2 358 990 X1 Nut, Terminal. 2 27 182 852 M91 Distributor Assembly (See Pages 93 thru 97) 1 28 181 562 M1 Wire, Coil to Distributor (Low Tension). 1 29 830 681 M91 Wire Kit (Hi-Tension) 1 30 181 602 M91 Wire Assembly, Coil to Distributor (Incl. Item 34) 1 31 181 604 M91 Wire Assembly, #1 and #3 Spark Plug (Incl. Item 35) 2 32 181 605 M91 Wire Assembly, #2 Spark Plug (Incl. Item 35) 1 33 181 603 M91 Wire Assembly, #4 Spark Plug (Incl. Item 35) 1 34 181 543 M1 Nipple, Coil 1 35 181 551 M1 Nipple, Coil 1 36 834 242 M1 Plug Assembly, Spark (Std.) 5 36 834 243 M1 Plug Assembly, Spark (Std.) 4 37 180 474 M1 Gasket, Spark Plug. (Mtd.) 4 40 353 987 X1 Screw (1/4 x 3/8" NC, Rd. Hd.) x 41 353 441 X1 Washer (1/4" Lock) x 42 355 582 X1 Nut (1/4" NF, Wing) x 43 353 516 X1 Bolt (5/16 x 5/8" NF, Hex.) x 44 353 916 X1 Nut (5/16" NF, Hex.) x 45 353 916 X1 Nut (5/16" NF, Hex.) x 46 353 916 X1 Nut (5/16" NF, Hex.) x 47 353 696 X1 Bolt (7/16 x 3/4" NC, Hex.) x							1
25		24	1 028	569	M91		1
1 024 262 M1   Screw, Bracket   1   1   1   1   1   1   1   1   1		25	1 750	500	Ml		1
26 1 750 501 M1 Clip, Terminal			1 024	262	Ml		1
358 990 X1		26	1 750	501	M1		2
182 852 M91			358	990	X1		2
28		27	182	852	W91		1
29 830 681 M91 Wire Kit (Hi-Tension)		28	181	562	M1		1
181 602 M91   Wire Assembly, Coil to Distributor (Incl. Item 34)   1		-29	830	681	M91		1
31       181 604 M91       Wire Assembly, #1 and #3 Spark Plug (Incl. Item 35)       2         32       181 605 M91       Wire Assembly, #2 Spark Plug (Incl. Item 35)       1         33       181 603 M91       Wire Assembly, #4 Spark Plug (Incl. Item 35)       1         34       181 543 M1       Nipple, Coil       1         35       181 551 M1       Nipple, Distributor Cap       5         36       834 242 M1       Plug Assembly, Spark (Std.)       4         36       834 243 M1       Plug Assembly, Spark (Hot)       x         37       180 474 M1       Gasket, Spark Plug       4         40       353 987 X1       Screw (1/4 x 3/8" NC, Rd. Hd.)       x         41       353 441 X1       Washer (1/4" Lock)       x         42       355 582 X1       Nut (1/4" NF, Wing)       x         43       353 515 X1       Bolt (5/16 x 1/2" NF, Hex.)       x         44       353 516 X1       Bolt (5/16 x 5/8" NF, Hex.)       x         45       353 916 X1       Nut (5/16" NF, Hex.)       x         46       353 916 X1       Bolt (7/16 x 3/4" NC, Hex.)       x         47       353 696 X1       Bolt (7/16 x 3/4" NC, Hex.)       x		30					1
32       181 605 M91       Wire Assembly, #2 Spark Plug (Incl. Item 35)       1         33       181 603 M91       Wire Assembly, #4 Spark Plug (Incl. Item 35)       1         34       181 543 M1       Nipple, Coil       1         35       181 551 M1       Nipple, Distributor Cap       5         36       834 242 M1       Plug Assembly, Spark (Std.)       4         36       834 243 M1       Plug Assembly, Spark (Hot)       x         37       180 474 M1       Gasket, Spark Plug       x         40       353 987 X1       Screw (1/4 x 3/8" NC, Rd. Hd.)       x         41       353 41 X1       Washer (1/4" Lock)       x         42       355 582 X1       Nut (1/4" NF, Wing)       x         43       353 515 X1       Bolt (5/16 x 1/2" NF, Hex.)       x         44       353 516 X1       Bolt (5/16 x 5/8" NF, Hex.)       x         45       353 446 X1       Washer (5/16" Lock)       x         46       353 916 X1       Nut (5/16" NF, Hex.)       x         47       353 696 X1       Bolt (7/16 x 3/4" NC, Hex.)       x		31					2
181 603 M91   Wire Assembly, #4 Spark Plug (Incl. Item 35)		32				Wire Assembly, #2 Snark Plug (Incl. Item 35)	1
34       181 543 M1       Nipple, Coil       1         35       181 551 M1       Nipple, Distributor Cap       5         36       834 242 M1       Plug Assembly, Spark (Std.)       4         36       834 243 M1       Plug Assembly, Spark (Hot)       x         37       180 474 M1       Gasket, Spark Plug       4         40       353 987 X1       Screw (1/4 x 3/8" NC, Rd. Hd.)       x         41       353 441 X1       Washer (1/4" Lock)       x         42       355 582 X1       Nut (1/4" NF, Wing)       x         43       353 515 X1       Bolt (5/16 x 1/2" NF, Hex.)       x         44       353 516 X1       Bolt (5/16 x 5/8" NF, Hex.)       x         45       353 446 X1       Washer (5/16" Lock)       x         46       353 916 X1       Nut (5/16" NF, Hex.)       x         47       353 696 X1       Bolt (7/16 x 3/4" NC, Hex.)       x							1
35 181 551 M1 Nipple, Distributor Cap. 5 36 834 242 M1 Plug Assembly, Spark (Std.) 4 36 834 243 M1 Plug Assembly, Spark (Hot)							1
36 834 242 M1 Plug Assembly, Spark (Std.) 4 36 834 243 M1 Plug Assembly, Spark (Hot) x 37 180 474 M1 Gasket, Spark Plug 4 40 353 987 X1 Screw (1/4 x 3/8" NC, Rd. Hd.) x 41 353 441 X1 Washer (1/4" Lock) x 42 355 582 X1 Nut (1/4" NF, Wing) x 43 353 515 X1 Bolt (5/16 x 1/2" NF, Hex.) x 44 353 516 X1 Bolt (5/16 x 5/8" NF, Hex.) x 45 353 446 X1 Washer (5/16" Lock) x 46 353 916 X1 Nut (5/16" NF, Hex.) x 47 353 696 X1 Bolt (7/16 x 3/4" NC, Hex.) x							
36 834 243 M1 Plug Assembly, Spark (Hot) x 37 180 474 M1 Gasket, Spark Plug. 4  40 353 987 X1 Screw (1/4 x 3/8" NC, Rd. Hd.) x 41 353 441 X1 Washer (1/4" Lock) x 42 355 582 X1 Nut (1/4" NF, Wing) x 43 353 515 X1 Bolt (5/16 x 1/2" NF, Hex.) x 44 353 516 X1 Bolt (5/16 x 5/8" NF, Hex.) x 45 353 446 X1 Washer (5/16" Lock) x 46 353 916 X1 Nut (5/16" NF, Hex.) x 47 353 696 X1 Bolt (7/16 x 3/4" NC, Hex.) x					-		
37 180 474 M1 Gasket, Spark Plug							
40 353 987 X1 Screw (1/4 x 3/8" NC, Rd. Hd.) x 41 353 441 X1 Washer (1/4" Lock) x 42 355 582 X1 Nut (1/4" NF, Wing) x 43 353 515 X1 Bolt (5/16 x 1/2" NF, Hex.) x 44 353 516 X1 Bolt (5/16 x 5/8" NF, Hex.) x 45 353 446 X1 Washer (5/16" Lock) x 46 353 916 X1 Nut (5/16" NF, Hex.) x 47 353 696 X1 Bolt (7/16 x 3/4" NC, Hex.) x						Gocket Spark Ding.	
41 353 441 X1 Washer (1/4" Lock)		3,	100	313	m.I	dasket, spark riug	
42 355 582 X1 Nut (1/4" NF, Wing)		40	353	987	X1		
43 353 515 X1 Bolt (5/16 x 1/2" NF, Hex.)		41	353	441	X1		
44 353 516 X1 Bolt (5/16 x 5/8" NF, Hex.)		42	355	582	X1		
45 353 446 X1 Washer (5/16" Lock)		43	353	515	X1	Bolt (5/16 x 1/2" NF, Hex.)	x
45 353 446 X1 Washer (5/16" Lock)		44	353	516	X1	Bolt (5/16 x 5/8" NF, Hex.)	x
% 46       353 916 X1       Nut (5/16" NF, Hex.)	*	45	353	446	X1	Washer (5/16" Lock)	×
	4	46	353	916	X1		
48 353 432 X1 Washer (7/16" Lock) x		47	353	696	X1		
		48	353	432	X1	Washer (7/16" Lock)	×




### (6 VOLT - GAS)

# (USED PRIOR TO TRACTOR SERIAL NUMBER 161 250)

Ref.						
No.		Pa	rt N	<u>o.</u>	Description	No. Req.
1		180	691	M91	Platform Assembly, Battery	1
2		182	532	Ml	Clamp. Battery Hold Down	1
3		180	695	M2	Clamp, Battery Hold Down	1
4		180	165	M91	Rod, Clamp Tension	2
5				м91	Strap Assembly, Battery to Ground	1
6			169		Cable Assembly, Battery to Solenoid	1
7			296		Bolt, Clamp (5/16 x 1-1/2" NC, Sq. Hd.)	1
8			696		Nut (5/16" NC, Hex.)Battery (6 Volt)	1
12		182	330	м91		
13				M91	Solenoid Assembly (Magnetic Switch)	1
14				p. 0	Cable Assembly, Solenoid to Starter	1
15		180	142	N92	Starter Assembly (See Page 117 thru 127)	1
16				M91	Regulator Assembly, Voltage	1
17			010	MO T	Harness Assembly, Wire, Regulator to Generator	1
18		181	574	MOS	Generator Assembly (See Page 99 thru 115)	1
19			140		Harness Assembly, Wire	1
20			776		Breaker Assembly, Circuit	1
21			142		Boot, Circuit Breaker	1
22					Washer (23/32 x 1 x 1/32" Aluminum)	1
23			187		Wire Assembly, Circuit Breaker to Solenoid	1
24	,		658		Wire Assembly, Ignition Switch to Starter Switch	1
25			481		Coil Assembly, Ignition	1
			500		Bracket, Coil Mounting	1
0.0		-	262		Screw, Bracket	1
26			501		Clip, Terminal	2
00	1	750	368	Ml	Nut, Terminal	2
27					Distributor Assembly (See Pages 93 thru 97)	1
28			562		Wire, Coil to Distributor (Low Tension)	1
29		181	602	M91	Wire Assembly, Coil to Distributor (Hi-Tension)	1
30		181	551	M1	Nipple, Coil	1
31		834	242	Ml	Plug Assembly, Spark (Std.)	4
31		181	547	M91	Plug Assembly, Spark (Cold)	x
31		834	243	M1	Plug Assembly, Spark (Hot)	x
32		180	474	Ml	Gasket, Spark Plug	4
33		181	604	M91	Wire Assembly, #1 and #3 Spark Plug (9-3/4" Long)	2
34		181	605	M91	Wire Assembly, #2 Spark Plug (7-1/2" Long)	1
35		181	603	M91	Wire Assembly, #4 Spark Plug (11-1/2" Long)	1
36			551		Nipple, Distributor Cap	5
40		353	987	<b>X1</b>	Screw (1/4 x 3/8" NC, Rd. Hd.)	x
41		353	441	X1	Washer (1/4" Lock)	x
42		355	582	X1	Nut (1/4" NF, Wing)	x
43		353	515	Xl	Bolt (5/16 x 1/2" NF, Hex.)	X
44		353	516	X1	Bolt (5/16 x 5/8" NF, Hex.)	· · ×
45			446		Washer (5/16" Lock)	x
46		_	916		Nut (5/16" NF, Hex.)	х
47			696		Bolt (7/16 x 3/4" NC, Hex.)	х
48			432		Washer (7/16" Lock)	x

lst Print




## ELECTRICAL WIRING


#### (STANDARD MOTORS DIESEL)


Ref.			No.
No.	Part No.	Description	Req.
1	826 975 M91	Platform Assembly, Battery, Rear	1
2	670 530 M1	Spacer, Support (1/2 x 13/16 x 1/2")	4
3	826 983 M1	Pad, Battery (1-1/8 x 10 x 1/8")	2
4	826 984 M1	Pad, Battery (1-1/8 x 7 x 1/8")	2
5	184 931 M91	Cover Assembly, Battery Hold-Down	
6	185 015 M1	Cover, Battery Protection	ī
7	184 928 M1	Rod, Hold-Down Cover Retaining	2
8	184 986 M91	Cable Assembly, Battery to Ground	
9	184 941 M91	Cable Assembly, Battery to Battery	
10	827 642 M1	Guard, Cable	
11	185 034 M91	Platform Assembly, Battery, Front	
12	890 286 M1	Strap, Battery Retaining	
13	827 070 M91	Bracket Assembly, Battery Retaining	
14	184 912 M91	Cable Assembly, Battery to Solenoid	1
15	104 J12 MJ1	Starter Assembly (See Pages 117 thru 127)	1
	832 701 M2	Battery (6 Volt)	2
20 (A)	185 938 M91	Harness Assembly, Wire, Main	1
21 (B)	185 008 M91	Harness Assembly, Wire, Main	1
22	182 548 M92	Regulator Assembly, Voltage	
23	185 155 M91	Bracket Assembly, Regulator Mounting	1
24	185 007 M91	Harness Assembly, Wire, Generator	
25	100 001 M31	Generator Assembly (See Pages 99 thru 115)	
26	181 140 M93	Switch Assembly (Neutral Safety)	1
27	180 776 M1	Boot, Safety Switch	
28	181 142 M1	Washer (23/32 x 1 x 1/32" Aluminum)	1
29	185 006 M92	Wire Assembly, Ammeter to Safety Switch	1
35	353 987 X1	Screw (1/4 x 3/8" NF, Rd. Hd.)	x
36	353 754 X1	Washer (1/4" Small Flat)	x
37	353 441 X1	Washer (1/4" Lock)	x
38	353 919 X1	Nut (1/4" NF, Hex.)	×
39	355 592 X1	Nut (1/4" NC, Wing)	x
40	355 582 X1	Nut (1/4" NF, Wing)	x
41	353 517 X1	Bolt (5/16 x 3/4" NF. Hex.)	X
42	353 446 X1	Washer (5/16" Lock)	x
43	353 916 X1	Nut (5/16" NF, Hex.)	. х
44	353 696 X1	Bolt (7/16 x 3/4" NC, Hex.)	. х
45	353 964 X1	Stud (7/16" NC - NF x 1-7/8")	. х
46	353 432 X1	Washer (7/16" Lock)	
47	359 404 X1	Washer (7/16" Skpf.)	. х

Notes: (A) - Used Tractor Serial Number 188851 and up.
(B) - Used prior to Tractor Serial Number 188 851.

F1040-4








### (GAS)

### FOR SERVICE REPLACEMENT ENGINE

Ref.			
No.	Part No.	Department	No.
		Description	Req.
1	194 058 M91	Distributor Assembly (Delce new ward can)	
2	1 024 912 M91	Distributor Assembly (Delco Remy #1112-643)	1
3	1 030 585 M1	Housing Assembly	1
4	1 024 914 M91	Seal	1
5	1 025 028 M1	Cap Assembly	1
5	1 025 029 M1	Screw, Cap Attaching (#8 NC, Zinc Plated)	1
6	1 753 958 M1	Screw, Cap Attaching (#10 NF, Copper Plated)	1
7	1 024 916 M1	Carbon Button	1
8	1 024 915 M1	Rotor	1
9	839 008 M91	Cover Assembly, Housing	1
10	1 022 319 M1	Point and Condenser Set	1
11	1 035 020 M91	Screw, Point Adjusting	1
12	1 025 005 M1	Lead Assembly, Point	1
13	1 033 801 M91	Grommet, Point Lead	1
14		Plate Assembly, Breaker	1
15	1 033 790 M1	Bracket, Condenser	1
17	363 567 X1	Screw, Bracket (#8 x 1/4" NC)	1
18	353 976 X1	Screw, Breaker Plate Retaining	2
19	1 024 917 M91	Shaft and Weight Plate Assembly	1
20	1 750 464 M1	Weight (3/8" Pivot Hole)	4
21	1 752 306 M1	Spring, Weight	2
22	1 024 919 M1	Cam	1
23	1 024 922 M1	Wick, Cam Oiler	î
24	1 025 001 M1	Plate, Weight Hold-Down	î
	353 975 X1	Screw, Plate Retaining	2
25	353 444 X1	Washer, Plate Screw	2
26	1 750 412 M1	Washer, Thrust (1/2 x 7/8 x 1/32")	2
27	1 750 406 M1	Shim, Gear (.005")	
27	1 025 008 M1	Shim, Gear (.010")	X
28	1 025 006 M1	Gear, Driven (9 Teeth)	x
29	1 025 032 M1	Pin, Gear	1
30	194 060 M1	Clamb Distributow Hold Down	1
31	353 679 X1	Clamp, Distributor Hold-Down	1
32	353 446 X1	Bolt, Clamp (5/16 x 1" NC, Hex.)	1
33	.94 061 M1	Washer (5/16" Lock)	1
	,41	Seal, Distributor	1

F 1547



### DISTRIBUTOR

(GAS)

Ref							No.
No.			Par	t No	<b>.</b>	Description	Req.
	_		-		_		
	(A)		182	852	N91	Distributor Assembly (See Note)	1
2		1	038	988	M91	Housing Assembly, Distributor	1
3		1	750	499	Ml	Rushing	1
4			195	591	MI	Plug	
5		1	750	489	MI	Spring, Cap Locking	2
6		1	750	490	M1	Support. Spring and Cap Locating	1
7		1	750	436	M1	Support Spring	1
8			353	976	X1	Screw (#8 - 32 x 3/8" Sltd. Rd. Hd.)	2
9				425		Washer (#8 Lock)	2
10		1	752			Shaft and Weight Plate Assembly	1
11			750			Washer, Thrust	2
12			750			Shim (.005")	x
13			025			Shim (.010")	×
14			025			G ar, Drive	1
15			750			Pin, Drive Gear	1
16			750			Weight Digtributor Advance	4
17			752			Spring, Weight	2
18			752			Cam, Breaker	1
19			024			Wick, Cam Oiler	1
20			750			Plate Wright and Cam Retainer	1
21				990		Nut. Retaining Plate Lock	2
22				445		Washer Special Lock	2
28		1	750		****	Diste Breaker	1
29		_		012		Point Set, Breaker	1
30		1	022			Screw Breaker Point Lock	1
31	(C)	_		0.0	~-	Condenger	1
32		1	017	341	W1	Bracket Condenser	1
33		_		580		Screw Condenser Attaching	1
34				712		Screw Breaker Plate Attaching	1
35				444		Washer, Lock	1
36		1	750			Stud. Terminal	1
37		1	750	495	Ml	Washer Terminal Stud	1
38			354	119	X1	Nut Terminal Stud. Inside	1
39		1	750	519	Ml	Rushing Terminal Stud. Inside	1
40		1	750	513	Ml	Bushing, Terminal Stud, Outside	1
41		1	750	514	M1	Clip, Terminal Stud	1
42			354	119	X1	Nut Terminal Stud. Outside	1
43		1	750	491	M91	Cover Assembly, Housing	1
44		1	750	515	Ml	Seal, Dust (Felt)	1
45		1	750	488	MI	Gasket, Cover	1
46		1	750	875	Ml	Rotor	1
47		1	750	411	M91	Cap Assembly, Distributor	1
48	(B)	1	750	432	Ml	Brush, Center Contact (Carbon) (One Flat Side)	x
48	(B)	1	753	958	Ml	Brush, Center Contact (Carbon) (Ball Type)	×
49			182	912	M91	Clamp Assembly, Distributor	1
50			760	001	M2	"O" Ring, Distributor	1


Notes: (A) - Used Tractor Serial Numbers (Single Clutch) 166 768 and up; (Dual Clutch) 167 258 thru 167 805, 168 319 thru 168 539, 168 505 and up.

(B) - Check Carefully before ordering Carbon Contact Brushes.

(C) - For repairs order 1 each of 1024 924 M91 and 1017 341 M1.

TO-35 TRACTOR

F 1547




#### (GAS)

Re	ef.						
No	٥.		,	Dant	N.		
				Part	NO.	Description	No.
	(A)		18	31 54	14 M91	Digenthus	Req.
2	-		1 03	88 98	38 M91	Distributor Assembly (See Note) Housing Assembly, Distributor	
3			1 75	0 49	9 M1		1
4			19	5 59	1 M1		1
5	•		1 75	0 45	9 M1		1
6	,		1 75	0 40	00 M1	Spring, Cap Locking	1
7			1 75	0 49	6 M1	Support, Spring and Cap Locating	2
8						Support, Spring	1
9					6 X1	Support, Spring	1
10					4 X1	Washer (#8 Lock)	2
11			1 75	4 22	0 M91		2
12			1 75	0 41	2 M1	Shaft and Weight Plate Assembly	1
			1 75	0 40	6 M1		2
13			1 02	5 00	8 M1	Shim (.005")	x
14			1 02	5 00	6 M1		
15			1 75	0 49	2 W1		x
16			1 75	0 46	2 11		1
17			1 75	0 88	2 MI		1
18			75	0 52	4 MI		4
19		1	1 00	4 00	4 MI		2
20		,	25	4 92	2 M1	Wick, Cam Oiler	1
21			75	0 48	2 M1	Plate, Weight and Cam Retainer	1
22		4	750	36	B M1	Nut, Retaining Plate Lock	1
28			35;	3 44	5 X1	Nut, Retaining Plate Lock	2
29		1	750	431	7 M1		2
30			839	012	2 M91		1
		1	022	319	MI		1
	(B)					Diounca Point Lock	i
32		1	017	341	L MI		i
33				580			1
34				712			1
35				444			
36		1	750	520	MI		1
37		1	750	495	мі		_
38				119			1
39		1	750	519	M)		1
40		ī	750	513	MI		1
41		î	750	514	WI		1
42		-				Clip, Terminal Stud.	1
43				119			1
44				491		Nut, Terminal Stud, Outside Cover Assembly, Housing	1
45				515		Seal, Dust (Felt)	1
				488		Gasket, Cover	1
46				875			1
47				411			1
48		1	750	432	Ml		1
49				548			1
50				001			î
							i

Notes: (A) - Used prior to Tractor Serial Numbers (Single Clutch) 166 768; (Dual Clutch) 167 258, also used 167 806 thru 168 318 and 168 340 thru 168 504.

(B) - For repairs order 1 each of 1017 341 M1 and 1024 924 M91.




(12 VOLT - GAS)

## (SOLID TYPE)

(USED TRACTOR SERIAL NUMBER 161 250 AND UR)

ef.	Da w.t. v.	(USED TRACTOR SERIAL NUMBER 161 250 AND UP)	
	Part No.	Description	N
1	182 455 M91		
3	1 750 422 491	Generator Assembly	- marin
	1 750 415 WI	Head Assembly, Comm. End. Bushing.	
	1 750 394 из	bushing	
	1 750 460 MI	Pall, Head Location	
	1 022 604 MI	Utler	
	1 750 425 MI	MACK, 011.	
	1 750 426 MI	Pin, Brush Hinge (Course)	
	1 750 414 M1	Pin, Brush Ston (Crowned as	
	1 750 413 M1	Pin, Brush Hinge (Insulated)	
	1 750 398 M1	Pin, Brush Stop (Insulated)	
	1 750 399 M1	Holder, Brush	
	1 750 400 M1	Spring, Brush Tension (3rd and Ground)	
	1 754 247 M1	Spring, Brush (Main)	
	363 575 X1	Brush AssemblyScrew, Brush Attaching.	
	195 441 M1	Screw, Brush Attaching	3
	1 750 395 M1	Washer, Flat	
	1 750 401 M1	Washer, FlatLead, Brush Ground	
	363 585 X1	Lead, Brush Ground	
	195 441 M1	Screw, Lead Attaching	
	1 750 402 M1	Washer, LockPlate, 3rd Brush	2
	1 750 403 M1	Plate, 3rd Brush	
	1 750 397 M1	Spring, Washer	1
	1 750 428 M1	Screw, Spring Washer	í
	363 577 X1	Clamp, Brush Plate	î
	353 445 X1 1 038 526 M1	Washer, Lock	1
	1 750 423 M1	Plate, Cover Hand	î
	363 576 X1	Gasket, Cover Diate	ī
	22 425 X	Scrow, Cover Plate	1
	1 751 879 M91	Washer, Lock	3
	1 750 869 M1	Coil Assembly Field	3
	1 751 478 M1	Stud, Field Terminal	1
	1 750 516 M1	Clip, Terminal.	1
	1 750 444 M91	Insulation Coil	1
	1 751 478 M1	Stud Assembly, Armature Terminal	2
(A)		Clip, Stud	1
(A)		Bushing, Stud Insulating	1
	1 750 465 M1	Washer, Stud Insulating	2
	375 142 X1	Washer, Stud	2
	357 516 X1	Washer, Lock	2
	363 710 X1	Nut, Terminal	2
	1 751 878 M91	Armature Assembly	2
	1 750 441 M91	Head Assembly Drive Fred	ī
	1 501 962 M1	Oiler, Head	î
	1 750 396 M1	Pin, Head Locating	ī
	1 500 195 M1 1 750 429 M1	Washer, Felt	î
		Retainer Felt Washen	1
	834 015 M1 1 750 504 M1	Bearing, Rell	1
	1 750 505 M1	Plate. Rearing Dotains	1
	1 022 316 M1	Gasket, Retainer Dieto	1
	353 445 X1	Screw, Plate to Head	1
	1 750 404 M1	Washer, Lock	3
	1 754 878 M1	Washer, Armature Thrust	3
	355 465 X1	Pulley, Drive	1
	1 750 424 M1	Key, Pulley. Spacer, Pulley.	1
	1 754 245 W1	Spacer, Pulley	1
	1 006 935 M1	Washer, Lock Nut, Pulley Retaining	1
	1 032 399 M1	Nut, Pulley RetainingBolt, Thru	1
	19 752 X	Washer, Lock Thru Dolt	1
	1 750 452 M91	Washer, Lock, Thru Bolt	2
	22 774 X	Screw Band	2
	358 990 X1	Screw, Band	1
	300 004		1
	187 210 M1	Bracket. Generator Mountain	4
	181 539 M1	Bracket, Generator Mounting. Strap, Generator Adjusting. Bolt (5/16 x 5/8" NC, Hex.).	1
	181 540 M1	Bolt (5/16 x 5/8" NC How	î
	353 520 X1	Bolt (5/16 x 1-1/8" NP Trans	x
	353 446 X1	Washer (5/16" took)	x
	353 916 X1	Nut (5/16" NF uar \	x
	353 698 X1	Bolt (7/16 x 1" vc uox )	x
	353 432 X1	Washer (7/16" Lock)	x
		rder (1) 1032 397 M91 Stud Assembly.	




#### (12 VOLT - GAS)

### (VENTILATED TYPE)

Do. f			No.
Ref.	Part No.		Req.
1 (4)	185 082 401	a land Madalah	1
1 (A) 1 (A)	185 983 M91 185 984 M91	Generator Assembly (Standard Models)	1
2	1 754 547 M91	Head Assembly, Comm. End	1
3	1 009 710 M1	Duching (9/16 v 25/32 v 11/16")	
4	1 022 604 M1	Wick Oiles	
5	1 509 759 M1	Otlaw Need	
6	1 750 394 M1	newel Head togeting (1/8 x 3/8")	
7	1 754 548 M1	Wesher End Pelt	
8	1 754 549 M1	Cun Falt Wacher Detainer	
9	1 750 431 M1	Cover End Rearing	1
10	1 750 423 M1	Caplet End Cover	-
11	1 750 484 M1	Serew Cover (#8 v 7/16" NC. Special)	-
12	22 425 X	Washer (#R Lock)	9
13	1 028 574 M91	Wolder Assembly Brush (Grounded)	1
14	1 028 575 M91	Wolder Assembly Brush (Insulated)	1
15	1 754 877 M91	Dwich Accombly	4
16	1 028 573 M1	Arm Bringh	
17	1 009 707 M1	Caring Drugh Draggure	
18	1 009 708 M1	Washer, Arm Spacer (3/16 x 23/64 x 1/32")	2
19	358 678 X1	Screw, Brush Lead (#6 x 1/4" NC, Rd. Hd.)	2
20	1 750 496 M1	Washer (#6 Lock)	
21	1 009 702 M91	Coil Assembly, Field	î
22	1 023 759 M1	Stud, Field Terminal	1
23	1 031 109 M1	Clip, Terminal Stud	
24	1 750 516 M1	Insulation, Field Coll	2
25 26	1 750 435 M1	Stud, Armature Terminal	1
27	1 028 572 M1	Bushing, Insulating, Armature Stud	1
28	1 009 701 M1	Bushing, Insulating, Field Stud	1
29	1 750 480 M1 1 750 443 M1	Washer, Insulating, Field Stud	1
30	1 750 445 M1	Wacher Terminal Stud (Flat)	2
31	1 750 497 M1	Washer Terminal Stud (Lock)	4
32	1 750 371 M1	Nut Terminal Stud.	- 4
33	1 751 878 M91	Armsture Assembly (Standard Model)	. 1
33	1 014 564 M91	Armsture Assembly (Special Model)	1
34	1 028 729 M91	Head Assembly, Drive End	. 1
35	1 009 711 M1	Oiler, Head	. 1
36	1 750 405 M1	Washer, Drive End, Inner (Felt)	. 1
37	1 750 429 M1	Retainer, Felt Washer	1
38	832 960 M3	Bearing, Ball	. 1
39	1 750 504 M1	Retainer, Ball Bearing	. î
40	1 750 505 M1	Screw, Retainer (#10 x 7/16" NF, Special)	. 3
41	1 750 494 M1	Pin, Head Locating (3/16 x 5/16")	. 1
42	1 750 396 M1	Spacer, Pulley and Fan	. 1
43	1 009 722 M1 1 750 404 M1	Washer, Spacer	. 1
44	1 009 727 M1	Fan, Ventilating	. 1
45 46	1 754 878 M1	Dulley	. 1
47	355 465 X1	Key, Pulley (1/8 x 5/8" Woodruff)	. 1
48	1 754 245 M1	Washer Pulley (Lock)	. 1
49	1 006 935 M1	Nut, Pulley	. 1
50	1 750 417 M1	Rolt Generator Thru	. 2
51	1 750 370 M1	Washer, Thru Bolt (Lock)	. 2
56	187 210 Ml	Bracket, Generator Mounting	. 1
57	185 986 M1	Strap, Generator Adjusting	. x
58	181 540 Ml	Bolt (5/16 x 5/8" NC, Hex.)	
59	353 520 X1	Bolt (5/16 x 1-1/8" NF, Hex.)	. x
60	353 446 X1	Nut (5/16" NF, Hex.)	. x
61	353 916 X1	Polt (3/8 x 3/4" NC Hex.)	. X
62	353 689 X1	Wesher (3/8" Lock)	. x
63 64	353 434 X1 353 698 X1	Rolt (7/16 x 1" NC. Hex.)	X
65	353 432 X1	Washer (7/16" Lock)	. x
93	202 405 VI		

Note: (A) - For repairs order Service Replacement 509 057 M91 Generator (See Page 107) and 1 each of 1007 727 M1 Arm and 1754 878 M1 Pulley.

f 1013-2



## (12 VOLT - GAS)


#### (VENTILATED TYPE)

						(VIIIIIIII XIFE)	
Re	f.						
No	•		Pa	rt N	lo.	Description	No.
						Description	Req.
	(A)		193	516	M91	Generator Assembly (Delco-Remy #1100-435) (See Note)	
2		1	754	547	M91	Head Assembly, Commutator End	1
3		1	009	710	MI	Bushing (9/16 x 25/32 x 11/16")	1
4				604		Wish Oil	1
5				759		Wick, Oil	1
6				870		Oiler, Reservoir	
7				394		Plug, Oil Wick Hole	1
8				548		Pin, Head Locating (1/8 x 3/8")	1
9				549		Washer, Felt	1
10						Retainer, Felt Washer	1
11				431		Cover, End Bearing	1
12				423		Gasket, End Bearing Cover	2
13				576		Screw, Cover Retaining (#8 x 7/16" NC, Rd. Hd.)	3
14				444		Washer (#8 Lock)	3
15					M91	Holder Assembly, Brush (Grounded)	1
					M91	Holder Assembly, Brush (Insulated)	1
16					M91	Brush Assembly	2
17				573		Arm, Brush	2
18		1	009	707	Ml	Spring, Brush Pressure	2
19			353	567	X1	Screw, Brush Lead Attaching (#6 x 1/4" NC, Rd. Hd.)	2
20			195	441	Ml	Washer (#6 Lock)	2
25		1	009	702	M91	Coil Assembly, Field	ĩ
26	(B)					Stud, Field Terminal	î
27		1	031	109	M1		î
28				516		Clip, Armature Terminal	
29				710		Insulation, Field	2
30				572		Screw, Pole Shoe	2
31						Stud, Armature Terminal	1
	(D)	1	009	701	MI	Bushing, Insulating Armature Stud (3/Smooth Surface)	1
	(B)					Bushing, Insulating, Field Stud (w/Recess Machine Hd. Surface)	1
	(B)	_				Washer, Insulating, Field Stud (1/4 x 21/32 x 3/32")	1
34				465		Washer, Terminal Stud (1/4 x 9/16 x 1/32")	2
35			375	142	X1	Washer, Terminal Studs (#12 Lock)	4
36			375	516	Xl	Nut, Terminal Studs (#12 NC, Hex.)	4
37		1	022	601	M91	Armature Assembly	1
42		1	028	729	M91	Head Assembly, Drive End	1
43		1 .	509	759	Ml	Oiler, Reservoir	1
44		1	009	721	Ml	Wick, Oil	1
45		1	500	195	Ml	Washer, Drive End Bearing (Felt)	1
46		1	750	429	Ml	Retainer, Felt Washer	1
47				354		Bearing, Ball, Drive End	1
48				504		Retainer, Ball Bearing	1
49				505		Gasket, Bearing Retainer	ī
50			-	316		Screw, Bearing Retainer (#10 x 7/16" NF, Special)	3
51				396		Pin, Head Locating (3/16 x 5/16")	1
52				722			
53		_		404		Spacer, Pulley and Fan	1
54		_				Washer, Spacer	1
				727		Fan, Ventilating	1
55				878		Pulley	1
56				465		Key, Pulley (1/8 x 5/8" Woodruff)	1
57		_		245		Washer, Pulley	1
58				935		Nut, Pulley Retaining	1
59		1 (	032	399	M1	Bolt, Generator Thru	2
60			19	752	X	Washer, Thru Bolt	2
61	(C)	1 (	032	397	M91	Stud Assembly, Field Terminal	x
				010	***	Preside Congretor Mounting	
65				210		Bracket, Generator Mounting	1
66				986		Strap, Generator Adjusting	1
67				540		Bolt (5/16 x 5/8" NC, Hex.)	x
68		3	353	520	X1	Bolt (5/16 x 1-1/8" NF, Hex.)	x
69		3	353	446	X1	Washer (5/16" Lock)	x
70		3	353	916	X1	Nut (5/16" NF, Hex.)	x
71		3	353	689	X1	Bolt (3/8 x 3/4" NC, Hex.)	x
72				434		Washer (3/8" Lock)	x
73				698		Bolt (7/16 x 1" NC, Hex.)	x
74				432		Washer (7/16" Lock)	
•			_				
			-			andon (1) 800 087 W01 (1) 1000 727 W1 and (1) 1754 979 W1	

Notes: (A) - For repairs order (1) 509 057 M91 (1) 1009 727 M1 and (1) 1754 878 M1.
(B) - Not serviced separately. For repairs order 1032 397 M91, item 61.
(C) - Field Stud Service Kit, includes items 26, 32 and 33.

TO-35 TRACTOR

Printed in U.S.A.




### (12 VOLT - GAS)

# (VENTILATED TYPE)

			(VALITATED TIPE)	
	ef.			
NO	0.	Part No.	Demonstration	No.
			Description	Req.
	(A)	TOO OI! MOI	Generator Association (P.)	
2		1 030 920 M91	Generator Assembly (Delco-Remy #1100-436) (See Note)	1
3		1 022 604 M1	a modelinory, comm. End.	1
4	1	1 750 460 M1		1
5	5	1 750 870 M1	The state of the s	î
6	5	1 750 204 W	b, Oli wick Hole	
7	,	1 750 394 M1	Pin, Head Locating (1/8 x 3/8")	1
8		1 023 694 M1	Support, Oil Wick	1
9		1 023 693 M1	Retainer, Oil Wick	1
_		1 754 548 M1	Retainer, Oil Wick	1
10		1 754 549 M1	Washer, Felt	1
11		1 028 574 M91	Retainer, Felt Washer	1
12		1 028 575 M91	norder Assembly, Brush (Grounded)	1
13		1 754 877 M91	notice Assembly, Brush (Insulated)	1
14		1 028 573 M1	Didsh Assembly	2
15		1 009 707 M1	AIR, Brush	2
16			oping, brush pressure	2
17		363 567 X1	octon, board Actaching (#6 x 1/4" NC. Rd. Hd.)	
25		195 441 M1	Washer (#6 Lock)	2
26	(n)	1 009 702 M91	Coil Assembly, Field	2
	(B)		Stud, Field Terminal	1
27		1 031 109 M1	Clin Armstune Tempinal Clina	1
28		1 750 516 M1	Clip, Armature Terminal Stud	1
29		363 710 X1	Insulation, Field	2
30		1 028 572 M1	Screw, Pole Shoe Retaining	2
31		1 009 701 M1	Stud, Armature Terminal	1
32	(B)	- 000 101 81	busning, insulating, Armature Stud (w/Smooth Surface)	1
33	(B)		busning, insulating, Field Stud (w/Recess Machine ud Suresca)	î
34	(2)	1 750 405 40	masher, insulating, Field Stud (1/4 x 21/32 x 3/32")	î
35		1 750 465 M1	"asher, Terminal Stud (1/4 x 9/16 x 1/32")	
36		375 142 X1	Washer, Terminal Stud (#12 Lock)	2
		357 516 X1	Nut, Terminal Stud (#12 NC, Hex.)	4
37		1 022 600 M91	Armature Assembly	4
42		1 028 729 M91	Head Assembly, Drive End	1
43		1 509 759 M1	Oiler, Reservoir	1
44		1 009 721 M1	Wick Oil	1
45		1 500 195 M1	Washer Prince Ford Property (mark)	1
46		1 750 429 M1	Washer, Drive End Bearing (Felt)	1
47		354 354 X1	Retainer, Felt Washer	1
48		1 750 504 M1	Bearing, Ball, Drive End	1
49		1 750 505 M1	Retainer, Bearing	1
50			dasket, Bearing Retainer	1
_		1 022 316 W1	Screw, Bearing Retainer (#10 x 7/16" NF. Special)	3
51		1 750 396 M1	Pin, head Locating (3/16 x 5/16")	1
52		1 009 722 M1	Spacer, Pulley and Fan	
53		1 750 404 M1	washer, Spacer	1
54		1 009 727 M1	Fan, Ventilating	1
55		1 754 878 M1	Pulley	1
56		355 465 X1	Key, Pulley (1/8 x 5/8" Woodruff)	1
57		1 754 245 M1	Vagher Dullow	1
58		1 006 935 M1	Washer, Pulley	1
59		1 032 399 M1	Nut, Pulley Retaining	1
60			Bolt, Generator Thru	2
	(0)	19 752 X	WRENET, THE HOLL,	2
61	(0)	1 032 397 M91	Stud Assembly, Field Terminal	x
65		187 210 M1	Bracket, Generator Mounting	
66		185 986 M1	Strap, Generator Adjusting	1
67		181 540 M1	Bolt (5/16 x 5/8" NC, Hex.)	1
68		353 520 X1	Bolt (5/16 x 1-1/8" NF, Hox.)	x
69		353 446 X1	Washer (5/16" took)	x
70		353 916 X1	Washer (5/16" Lock)	x
71			Nut (5/16" NF, Hex.)	x
		353 689 X1	DOIL 13/8 X 3/4" NC. HAY.)	x
72		353 434 X1	Washer (3/8" Lock)	x
73		353 698 X1	DOIL (1/10 X I NC. NEX.)	x
74		353 432 X1	Washer (7/16" Lock)	
				x
-				

Notes: (A) - For repairs order (1) 509 057 M91, (1) 1009 727 M1 and (1) 1754 878 M1. (B) - Not serviced Serarately. For repairs order 1032 397 M91, item 61. (C) - Field Stud Service Kit, includes items 26, 32 and 33.




#### (12 VOLT - GAS)

#### (NEVER USED IN PRODUCTION - USED ONLY AS A SERVICE REPLACEMENT)

He	f.						No.
No			Pa	rt N	io.	Description	Req.
			-	-	-	Discription	
1			509	057	M91	Generator Assembly (Delco-Remy #1100 439)	1
2		1	754	547	M91	Head Assembly, Commutator End	1
3		1	009	710	M1	Bushing (9/16 x 25/32 x 11/16")	1
4		1	022	604	Ml	Wick, 011	1
5		1	509	759	M1	Oiler	1
6		1	750	870	M1	Plug, Oil Wick Hole	1
7		1	750	394	M1	Pin, Dowel, Head Locating	1
٠3				548		Washer, Felt	1
				549		Retainer, Felt	1
1,1				526		Cover, End Bearing	1
11				423		Gasket, End Cover	1
12				576		Screw, Brush Lead (#8 - 32 x 7/16" Rd. Sltd. Hd.)	3
1.3				444		Washer (#8 Lock)	3
14		1			M91	Holder Assembly, Brush (Grounded)	1
15					M91	Holder Assembly, Brush (Insulated)	1
16					M91	Brush Assembly	2
17				573		Arm, Brush	2
18				707		Spring, Brush Pressure	2
19		_		567		Screw, Brush Lead (#6 x 1/4" Rd. Sltd. Hd.)	2
20				441		Washer (#6 Lock)	2
21		1			M91	Coll Assembly, Field	1
22	(A)	_		.02	27	Stud, Field Terminal	î
2:1		1	033	109	w1	Clip. Terminal	î
24				516		Insulation, Field Coil	-
25				765		Screw, Field Ground	1
26		-		441		Washer, Ground Screw	1
27				710			2
28		1		572		Screw, Pole Shoe	1
29				701		Stud, Armature Terminal	1
	(A)	•	003	101	m T		1
	(A)					Bushing, Insulating, Field Terminal (w/Recess Machine Head Surface)	1
32	(,		757	754	v1	Washer, Insulating, Field Terminal Stud (1/4 x 21/32 x 3/32")	2
33				142		Washer, Terminal Studs (1/4" Flat)	4
34				516		Washer (#12 Lock)	_
35		1		601		Nut (#12 NC, Hex.)	4
36		•		465		Armature Assembly	1
37		1		729		Head Assembly, Drive End	
38			-	759		Oiler	1
39				721		Wick, Oil	1
40				195		Washer, Drive End Bearing (Felt)	
41				429		Retainer, Felt Washer	1
42		-		354			
43		1		504		Bearing, Ball	1
44				505			1
45				316		Gasket, Retainer	1
46				396		Screw, Retainer (#10 x 7/16" NF, Rd. Sltd. Hd.)	3
47				722		Pin, Dowel, Head Locating	1
48				404		Washer, Spacer	1
49				245		Washer Nut Lock	1
50				935		Washer, Nut Lock	1
51				399		Nut, Pulley Bolt, Thru	1
52		•		446		Washer, Thru Bolt (5/16" Lock)	2
_	(B)	1		397		Stud Assembly, Field Terminal	2
_	,	-					x

Notes: (A) - Not serviced separately. For repairs order (1) 1032 397 M91 Stud Assembly. (See Item 53).
(B) - Field Stud Service Kit includes items 22, 30 and 31.




693 063 M4 (Issue 1) 9/70

### (6 VOLT - GAS)

# (USED PRIOR TO TRACTOR SERIAL NUMBER 161 250)


***	liny t No	Discursing from	No.
1000	Part No.	Description	
42	231 524 M91	Generator Assembly (Delco-Remy #1100 530)	1
	1 /50 422 M91	Head Assembly, Comm. End	
4.6	1 750 415 M1	Bushing	1
5	1 750 394 M1 1 750 460 M1	Pin, Dowel	
5,	1 022 604 M1	Wick, Oil	
	750 463 M91	Brush Kit	1
r	1 790 398 M1	Holder, Brush	3
_1	+ 750 399 M1	Spring Brush (3rd and Ground)	4
1 * 1	' 750 400 M1	Spring, Brush (Main)	1
1	363 575 X1	Screw, Brush Attaching	3
- 2	305 444 M1	Washer, Lock	3
	1 50 395 M1	Washer, Flat	3
1-6	7 750 401 M1	Lead. Brush Ground	1
1.5	363 585 X1	Screw, Lead Attaching	2
15	195 441 M1	Washer, Lock	2
- ) +	1 750 402 M1	Plate and Pin, 3rd Brush	1
18	1 750 403 M1	Spring, 3rd Brush Plate Tension	1
19	1 750 397 M1	Pin, Tension Spring	1
21	1 750 428 M1	Clamp, 3rd Brush Plate	1
22	363 577 X1	Screw, Clamp	1
23	353 445 X1	Washer, Lock	1
24	1 038 526 M1	Plate, Head Cover, Comm. End	î
25	1 750 423 M1 363 576 X1	Screw, Cover Plate	3
26	353 444 X1	Washer, Lock	3
27	1 750 512 M91	Coil Assembly, Field	1
28	1 751 478 M1	Clip, Terminal	1
29	1 750 869 M1	Stud, Terminal	1
31	363 710 X1	Screw, Pole Shoe	2
33	1 750 444 M91	Stud and Lead Assembly, Armature Terminal	1
33	1 751 478 M1	Clip, Terminal	1
36	1 750 480 M1	Bushing, Terminal Stud	2
35	1 750 443 M1	Washer, Insulating, Terminal Stud	2
36	1 750 465 M1	Washer, Flat, Terminal Stud	2
37	1 750 497 M1	Washer, Lock, Terminal Stud	4
38	1 750 371 M1	Nut, Hex	4
39	1 751 042 M91	Armature Assembly	1
40	1 750 441 M91 1 501 962 M1	Head Assembly, Drive End	1
42	1 750 396 M1	Pin, Dowel	1
43	834 015 M1	Bearing, Armature	î
44	1 750 405 M1	Washer, Felt	î
45	1 750 429 M1	Washer, Felt Retaining	î
46	1 750 504 M1	Plate, Bearing Retaining	1
47	1 750 505 M1	Gasket, Bearing Retaining Plate	ī
48	1 022 316 M1	Screw, Bearing Retaining Plate	3
49	353 445 X1	Washer, Lock	3
50	1 750 404 M1	Washer, Armature Shaft Spacer	1
51	1 032 399 M1	Bolt, Generator Thru	2
52	353 446 X1	Washer, Lock	2
53	1 750 452 M91	Band Assembly, Comm. Cover	1
54	355 747 X1	Screw, Cover Band	1
55	358 990 X1	Nut, Hex	1
56	1 754 878 M1	Pulley, Drive	1
5 <b>7</b>	355 465 X1	Key, Woodruff	1
58	1 750 424 M1	Spacer, Pulley	1
59 60	1 754 245 W1	Washer, Lock	1
60	1 006 935 M1	Nut, Hex	1
61	187 210 M1	Bracket, Generator	1
62	181 539 M1	Strap, Generator Adjusting	1
63	181 540 MI	Bolt (5/16 x 5/8" NC, Hex.)	1
64	353 520 X1	Bolt (5/16 x 1-1/8" NF, Hex.)	2
65	353 446 X1	Washer (5/16" Lock)	2
66	353 916 X1	Nut (5/16" NF, Hex.)	2
67	353 698 X1	Bolt (7/16 x 1" NC, Hex.)	2
68	353 432 X1	Washer (7/16" Lock)	2



# (STANDARD MOTORS DIESEL)

### (SOLID TYPE)

Fall NO.	Ref.			N -
1	No.	Part No.	Description	No. Req.
1			Generator Assembly	,
1 1750 394 MI Olifer Comm. Infe. 1 1750 496 MI Olifer Comm. Infe. 1 1750 492 MI MI Olifer Comm. Infe. 1 1750 492 MI PIN. Brush Hinge (Grounded). 2 1 1750 432 MI PIN. Brush Hinge (Grounded). 3 1 1750 413 MI PIN. Brush Hinge (Grounded). 3 1 1750 413 MI PIN. Brush Hinge (Insulated). 3 1 1750 413 MI PIN. Brush Hinge (Insulated). 3 1 1750 413 MI PIN. Brush Hinge (Insulated). 3 1 1750 398 MI Molder, Brush Hinge (Insulated). 3 1 1750 398 MI Molder, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring, Brush Hinge (Insulated). 3 1 1750 399 MI Spring Masher. 3 1 1750 496 MI Spring Masher. 3 1 1750 496 MI Spring Masher. 4 1 1750 497 MI Spring Masher. 4 1 1750 498 MI Spring Masher. 4 1 1750 497 MI Spring Masher. 5 1 1750 498 MI Spring Masher. 5 1 1750 498 MI Spring Masher. 6 1 1750 497 MI Spring Masher. 7 1 1750 498 MI Spring Masher. 8 1 1750 498 MI Spring Masher. 8 1 1750 498 MI Spring Masher. 9 1 1750 498		1 750 422 M91	Head Assembly, Comm. End.	_
1		1 750 415 M1	Busning, Head	
1 750 392 MI	5	1 750 394 MI	Pin, head Locating	
1 750 425 M1	-		Olier, Comm. End	
1 750 426 M1			Pin Dayle Many (County)	
1			Pin, Brush Holder Stor (Grounded)	
11		1 750 414 M1	Pin. Brush Hinge (Inculated)	
1750 399 81		1 750 413 M1	Pin, Brush Holder Ston (Insulated)	
1			Holder, Brush	
1 754 247 MI		1 750 399 MI	Spring, Brush Tension (3rd and Ground)	
1 751 041 MI	14		Spring, Brush Tension (Main)	1
1 750 376 MI			Brush Kit	
18			Washer Lock Drugh Attaching	
1		1 750 395 M1	Washer, Disin, Rrush Attaching Screw	
1		1 750 401 M1	Lead, Brush Ground	
1				
1		1 750 496 M1	Washer, Lock, Lead Attaching Screw	
1 750 397 MI	22	1 750 402 MI	Plate, Third Brush	
1 750 428 M1	23	1 750 397 W1		
26   363   577   X   Screw   Plate Clasp   1   27   1750   431   M1   Plate, Cover, Comma End.				
1				
1				
1	•			
1				
1	-			
1 750 869 MI			Washer, Lock, Cover Plate Screw	3
1 751 478 M1			Coil Assembly, Field	1
1 750 516 M1	37		Stud, Field Terminal	
1 750 444 M91				
1   1   750   480 M1   Bushing, Stud (Insulating)   2   2   2   1   750   443 M1   Washer, Stud (Insulating)   2   2   2   44   1   750   497 M1   Washer, Stud (Lock)   2   4   1   750   497 M1   Washer, Stud (Lock)   4   4   1   750   435 M1   Nut, Terminal Studs   4   4   4   1   750   435 M1   Screw, Pole Shoes   2   2   4   1   750   435 M1   Screw, Pole Shoes   2   4   1   750   441 M91   Head Assembly Drive End   1   1   750   460 M1   Oller, Drive End   1   1   1   1   1   1   1   1   1		1 750 444 M91	Stud Assembly. Armsture Terminel	_
1		1 751 478 M1	Clip. Terminal	
1 750 485 M1			Bushing, Stud (Insulating)	
1 750 495 MI			Washer, Stud (Insulating)	
1			Washer, Stud (Plain)	
46       1 750 435 M1       Screw, Pole Shoes       2         47       1 751 878 M91       Armature Assembly       1         48       1 750 441 M91       Head Assembly, Drive End       1         50       1 750 396 M1       Oiler, Drive End       1         51       1 500 195 M1       Pin, Head Locating       1         52       1 750 429 M1       Retainer, Drive End (Felt)       1         53       829 944 M1       Bearing, Ball       1         54       1 750 504 M1       Plate, Bearing Retainer       1         55       1 750 505 M1       Gasket, Bearing Retainer Plate       1         56       1 750 494 M1       Screw, Retainer Plate to Head       3         57       1 750 494 M1       Washer, Armature Thrust       3         58       1 750 404 M1       Washer, Armature Thrust       1         60       355 465 X1       Key, Pulley       1         61       1 750 424 M1       Spacer, Pulley       1         62       1 754 244 M1       Spacer, Pulley       1         63       1 754 244 M1       Mut, Pulley Retaining       1         64       1 032 399 M1       Bolt, Generator Thru       2         65			Washer, Stud (Lock)	
47       1 751 878 M91       Armature Assembly.       1         48       1 750 441 M91       Head Assembly, Drive End.       1         50       1 750 396 M1       Oiler, Drive End.       1         51       1 500 195 M1       Pin, Head Locating.       1         52       1 750 429 M1       Retainer, Felt Washer.       1         53       829 944 M1       Bearing, Ball.       1         54       1 750 504 M1       Plate, Bearing Retainer       1         55       1 750 505 M1       Gasket, Bearing Retainer Plate       1         56       1 750 404 M1       Screw, Retainer Plate to Head.       1         57       1 750 461 M1       Washer, Lock, Retainer Plate Screw       3         58       1 750 404 M1       Washer, Armature Thrust       1         59       1 754 426 M1       Pulley, Generator Drive       1         60       355 465 X1       Key, Pulley.       1         61       1 750 424 M1       Spacer, Pulley.       1         62       1 754 245 M1       Washer, Lock, Pulley       1         63       1 754 244 M1       Nut, Pulley Retaining.       1         64       1 032 399 M1       Bolt, Generator Thru       2	46		Nut, Terminal Studs	
48	47		Armsture Assembly	
1 750 396 Ml		1 750 441 M91	Head Assembly. Drive End.	
1 750 396 M1			Oiler, Drive End	
1   1   1   1   1   1   1   1   1   1			Pin, Head Locating	
53       829 944 M1       Bearing, Ball       1         54       1 750 504 M1       Plate, Bearing Retainer       1         55       1 750 505 M1       Gasket, Bearing Retainer Plate       1         56       1 750 494 M1       Screw, Retainer Plate to Head       3         57       1 750 461 M1       Washer, Lock, Retainer Plate Screw       3         58       1 750 404 M1       Washer, Armature Thrust       1         59       1 754 246 M1       Pulley, Generator Drive       1         60       355 465 X1       Key, Pulley       1         61       1 750 424 M1       Spacer, Pulley       1         62       1 754 245 M1       Washer, Lock, Pulley       1         63       1 754 245 M1       Washer, Lock, Pulley       1         64       1 032 399 M1       Bolt, Generator Thru       2         65       1 750 370 M1       Washer, Lock, Thru Bolt       2         66       1 750 452 M91       Band Assembly, Cover, Comm. End       1         67       22 774 X       Screw, Band Retaining       1         68       358 990 X1       Nut, Cover Band Screw       1         72       184 925 M1       Bracket, Generator Mounting       1 </td <td></td> <td>_</td> <td>Washer, Drive End (Felt)</td> <td>1</td>		_	Washer, Drive End (Felt)	1
1   750   504   M1   Plate   Bearing Retainer   1   1   750   505   M1   Gasket   Bearing Retainer Plate   1   1   750   494   M1   Screw, Retainer Plate to Head   3   1   750   461   M1   Washer, Lock, Retainer Plate Screw   3   1   750   404   M1   Washer, Armature Thrust   1   1   750   404   M1   Washer, Armature Thrust   1   1   754   246   M1   Pulley, Generator Drive   1   1   750   424   M1   Spacer, Pulley   1   1   1   1   1   1   1   1   1			Retainer, Felt Washer	
55			Dista Basing Pataine	
1 750 494 M1   Screw, Retainer Plate to Head.   3   3   3   1 750 461 M1   Washer, Lock, Retainer Plate Screw.   3   3   1 750 404 M1   Washer, Armature Thrust.   1   1 750 4246 M1   Pulley, Generator Drive.   1   1 750 424 M1   Pulley, Generator Drive.   1   1 750 424 M1   Spacer, Pulley.   1   1   1 750 424 M1   Spacer, Pulley.   1   1   1 750 424 M1   Nut, Pulley Retaining.   1   1   1 750 424 M1   Nut, Pulley Retaining.   1   1   1   1   1   1   1   1   1			Gasket. Regring Retainer Diate	
1	56	1 750 494 M1	Screw. Retainer Plate to Head.	
1 750 404 M1			Washer, Lock, Retainer Plate Screw	
1			Washer, Armature Thrust	
1			Pulley, Generator Drive	
62 1 754 245 M1 Washer, Lock, Pulley. 1 63 1 754 244 M1 Nut, Pulley Retaining. 1 64 1 032 399 M1 Bolt, Generator Thru. 2 65 1 750 370 M1 Washer, Lock, Thru Bolt. 2 66 1 750 452 M91 Band Assembly, Cover, Comm. End. 1 67 22 774 X Screw, Band Retaining. 1 68 358 990 X1 Nut, Cover Band Screw. 1 72 184 925 M1 Bracket, Generator Mounting. 1 73 184 926 M1 Strap, Generator Mounting. 1 74 181 540 M1 Bolt (5/16 x 5/8" NC, Hex.)			Key, Pulley	1
1			Spacer, Pulley	
1 032 399 M1			Nut Dulley Retaining	
66     1 750 370 M1     Washer, Lock, Thru Bolt.     2       66     1 750 452 M91     Band Assembly, Cover, Comm. End.     1       67     22 774 X     Screw, Band Retaining.     1       68     358 990 X1     Nut, Cover Band Screw.     1       72     184 925 M1     Bracket, Generator Mounting.     1       73     184 926 M1     Strap, Generator Adjusting.     1       74     181 540 M1     Bolt (5/16 x 5/8" NC, Hex.)     x       75     353 677 X1     Bolt (5/16 x 3/4" NC, Hex.)     x       76     353 520 X1     Bolt (5/16 x 1-1/8" NF, Hex.)     x       77     353 446 X1     Washer (5/16" Lock)     x       78     353 916 X1     Nut (5/16" NF, Hex.)     x       79     354 272 X1     Bolt (3/8 x 2-7/8" NC. Hex.)     x			Bolt. Generator Thru	
1 750 452 M91 Band Assembly, Cover, Comm. End.  1 22 774 X Screw, Band Retaining.  1 8358 990 X1 Nut, Cover Band Screw.  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	65		Washer, Lock, Thru Bolt	
68     358 990 X1     Screw, Band Retaining.     1       72     184 925 M1     Bracket, Generator Mounting.     1       73     184 926 M1     Strap, Generator Adjusting.     1       74     181 540 M1     Bolt (5/16 x 5/8" NC, Hex.).     x       75     353 677 X1     Bolt (5/16 x 3/4" NC, Hex.).     x       76     353 520 X1     Bolt (5/16 x 1-1/8" NF, Hex.).     x       77     353 446 X1     Washer (5/16" Lock).     x       78     353 916 X1     Nut (5/16" NF, Hex.).     x       79     354 272 X1     Bolt (3/8 x 2-7/8" NC. Hex.).     x		1 750 452 M91	Band Assembly, Cover, Comm. End	
72 184 925 M1 Bracket, Generator Mounting. 1 73 184 926 M1 Strap, Generator Adjusting. 1 74 181 540 M1 Bolt (5/16 x 5/8" NC, Hex.). x 75 353 677 X1 Bolt (5/16 x 3/4" NC, Hex.). x 76 353 520 X1 Bolt (5/16 x 1-1/8" NF, Hex.). x 77 353 446 X1 Washer (5/16" Lock). x 78 353 916 X1 Nut (5/16" NF, Hex.). x 79 354 272 X1 Bolt (3/8 x 2-7/8" NC, Hex.). x 79			Screw, Band Retaining	
73	68	358 990 X1	Nut, Cover Band Screw	
73			Bracket, Generator Mounting	1
74 181 540 M1 Bolt (5/16 x 5/8" NC, Hex.)			Strap, Generator Adjusting	
76 353 577 X1 Bolt (5/16 x 3/4" NC, Hex.)			Bolt (5/16 x 5/8" NC. Hex.)	
76 353 520 X1 Bolt (5/16 x 1-1/8" NF, Hex.)			BOIT (5/16 x 3/4" NC. Hex.)	
79 354 272 X1 Bolt (3/8 x 2-7/8" NC. Hex.)			BOIT (5/16 x 1-1/8" NF. Hex.)	
79 354 272 X1 Bolt (3/8 x 2-7/8" NC, Hex.)			Nut (5/16" NF Way )	
80 353 434 X1 Washer (3/8" Lock)			Bolt (3/8 x 2-7/8" NC. Hex.)	
			Washer (3/8" Lock)	




## (STANDARD MOTORS DIESEL)

#### (VENTILATED TYPE)


Ref						(VANITURIED TIFE)	
No.	-		Par	t No	) .		No.
			-			Description	Rec
	(A)		185	985	M91	Generator Assembly	. 1
2		1	754	547	M91	Head Assembly, Comm. End	
3		1	009	710	M1	Bushing (9/16 x 25/32 x 11/16")	. 1
4				604		Wick, Oiler	
5		1	509	759	M1		
6				394		Oiler, Head  Dowel, Head Locating (1/8 x 3/8")	. ]
7				548		Wacher Fad Fall	
8				549		Washer, End Felt	
9				526		Cup, Felt Washer Retainer	
0				423		Cover, End Rearing	
11				576		Gasket, End Cover	
12				425		Screw, Cover (#8 x 7/16" NC, Special)	
3		1		574		Washer (#8 Lock)	
4				575		Holder Assembly, Brush (Grounded)	
5				877		Holder Assembly, Brush (Insulated)	
6				573		Brush Assembly	
17				707		Arm, Brush	
8				708		Spring, Brush Pressure	
19		•		678		Washer, Arm Spacer (3/16 x 23/64 x 1/32")	
0				441		Screw, Brush Lead (#6 x 1/4" NC, Rd. Hd.)	
21		3		702		Washer (#6 Lock)	
22				759		Coil Assembly, Field	
23				109		Stud, Field Terminal	
24						Clip, Terminal Stud	
5				516		Insulation, Field Coil	
6		1		710 572		Screw, Pole Shoes	
7						Stud, Armature Terminal	
8	(B)	1	009	701	WI	Bushing, Insulating, Armature Stud	
29	(B)					Bushing, Insulating, Field Stud	
10	(6)	,	750	465	103	Washer, Insulating, Field Stud	
31		•		142		Washer, Terminal Stud (Flat)	2
32						Washer, Terminal Stud (Lock)	4
33		1		516 564		Nut, Terminal Stud	
34				729		Armature Assembly	. 1
35				711		Head Assembly, Drive End	. 1
36				405		Oiler, Head	
37				429		Washer, Drive End, Inner (Felt)	
8				960		Retainer, Felt Washer	
9		,		504		Bearing, Ball	
10				505		Retainer, Ball Bearing	
1				316		Gasket, Retainer	
2						Screw, Retainer (#10 x 7/16" NF, Special)	
3				396	-	Pin, Head Locating (3/16 x 5/16")	. :
4				722		Spacer, Pulley and Fan	
				404		Washer, Spacer	
5				727		Fan, Ventilating	,
ö		1			M91	Pulley Assembly	
7		_		465		Key, Pulley (1/8 x 5/8" Woodruff)	
8				245		Washer, Pulley (Lock)	
9				244		Nut, Pulley	
0		1		417		Bolt, Generator Thru	
1			19	752	X	Washer, Thru Bolt (Lock)	•
6				210		Bracket, Generator Mounting	
7				179		Strap, Generator Adjusting	
8				540		Bolt (5/16 x 5/8" NC, Hex.)	
9				520		Bolt (5/16 x 1-1/8" NF, Hex.)	
0				446		Washer (5/16" Lock)	
1				916		Nut (5/16" NF, Hex.)	_
2			353	689	X1	Bolt (3/8 x 3/4" NC, Hex.)	_
3				434		Washer (3/8" Lock)	_
			353	698	X1	Bolt (7/16 x 1" NC, Hex.)	
34				432			

Notes: (A) - For repairs order Service Replacement Generator 1017 890 M91 (See Page 111).
(B) - For repairs order 1032 397 M91 Stud Assembly.



# (NEVER USED IN PRODUCTION, USED ONLY AS A SERVICE REPLACEMENT)

Ref.						No.
No.		Pa	rt No	0.	Description	Req.
1	1	017	890	м91	Generator Assembly (Delco-Remy #1947579)	1
2		754			Frame Assembly, Comm. End	1
3		009			Rushing	1
4		750			Din	1
5		022			Wick, Oil	1
6		509			Oiler	1
7		750			Plug, Oil Wick Hole	1
8		014			Armature Assembly	1
9			710		Yorew Dole Chop	2
10		009			Coil Aggestia Pield	1
11		750			Inculation (Order (1) 1009 702 W91)	2
12	•		010	m A	Stud Field Towning   (See Item 47)	1
13					Clip, Field Terminal	1
14	,	028	579	мэ	Stud, Armature Terminal	1
15		009	-		Bushing, Armature Terminal	1
16		754			Washer, Commutator End (Felt)	1
17					Cup, Retainer	1
18		754			Plate, Cover, Commutator End Frame	1
19		038			Gasket	2
20		1 750			Screw, Cover Attaching	3
21			576		Washer, Lock	1
22		-	444		Brush Assembly	2
23		754			Spring, Brush	2
24		009			Arm, Brush	2
25		028			Washer, Brush Arm Spacer	2
26		1 009			Washer, Brush Arm Spacer	2
27			678		Washer, Brush Lead Screw	2
28			441		Holder Assembly, Brush (Grounded)	1
29		1 028			Holder Assembly, Brush (Grounded)	1
		1 028			Holder Assembly, Brush (Insulated)	1
30		028			Frame Assembly, Drive End	1
31		1 509			Oiler	1
32		1 009			Plug, Drive End, Felt	1
33		1 009			Collar, Drive End (Outside)	î
34		750			Washer, Drive End (Inside)	î
35		1 500			Washer, (Felt)	î
36		1 750			Retainer	î
37			960		Bearing, Drive End Ball	î
38		1 750			Plate, Bearing Retainer	3
39 40		1 022			Screw, Bearing Retaining Plate	1
		1 750			Pin, Drive End Frame Locating	1
41		1 750	-		Washer, Pulley Retaining (Lock)	1
42		1 754			Nut, Pulley Retaining	1
43		1 006			Nut, Pulley Retaining	
44		1 032			Bolt, Thru	2
45			446		Washer, Thru Bolt	1
46			465		Key, Drive End Shaft (Woodruff)	
47		1 032	397	M91	Kit, Terminal Stud	
48					Stud, Field Terminal (Order 1032 397 M91)	1
49					Bushing, Field Terminal (Order 1032 397 M91)	_
50					Washer, Field Terminal Stud Insulating (Order 1032 397 M91)	•
55		353	754	X1	Washer, Terminal Stud (1/4" Flat)	2
56			142		Washer, Terminal (1/4" Lock)	
57			516		Nut, Terminal Stud (1/4" NF, Hex.)	
0.		00,				




#### (12 VOLT - GAS)

# (USED TRACTOR SERIAL NUMBER 161 250 AND UP)

- 0- 4							No.
Ref							
No.	-		Par	rt No	0.	Description	Req.
	(A)		100		w00	Starter Assembly	1
2	(A)			454		Starter Assembly	1
3				890		Head Assembly, Comm. End	
		1		897		Support Assembly, Brush Holder	
4				198		Screw, Support Attaching	
5			353	445	X1	Washer (#10 Lock)	
6			354	120	X1	Nut	
7		1	039	569	M91	Lead, Brush Ground	1
8		1	034	150	M1	Pin, Brush Holder Pivot	1 2
9		1	030	218	Ml	Holder, Grounded Brush	_
10		1	751	895	Ml	Holder Insulated Brush	. 2
11		1	751	892	Ml	Brush	. 4
12		1	032	784	MI	Scrow Brush Attaching	. 4
13		1	751	893	MI	Spring Bruch	2
14		1	751	883	M91	Coil Accembly Field	
15		1	751	884	M1	Inculation Field Cail	. 9
18			363	710	Xl	Sorem Dole Shoes	. 4
19		1	751	885	MI	Stud Terminal	
20		1	034	956	M1	Buching Terminal Stud	
21				921		Washer Terminal Stud. Insulating	2
22				888		Washer Terminal Stud (3/8" Flat)	. 2
23		_		434		Washer Terminal Stud (3/8" Lock)	2
24				109		Nut Terminal Stud (3/8" NC. Hex.)	2
25				583		Screw Field Lead to Terminal Stud	
26				445		Washer, Lock	1
27		1		880		Armature Assembly	1
28				923		Washer, Thrust, Comm. End	1
29				440		Washer, Thrust, Drive End	1
30	(B)			454		Drive Assembly, Bendix	1
31	(3)			447		Pinion Assembly	1
32				439		Spring, Meshing	1
33				446		Spring, Anti-Drift	1
34				458		Shaft Assembly, Drive	. 1
35				445		Ring, Snap, Pinion to Drive Shaft	1
36				459		Spring, Drive	. 1
37				518		Plate, Drive Spring	2
38				456		Ring, Snap, Drive Spring Retaining	. 1
39				457		Pin, Drive Locating	1
40				568		Key (#6 Woodruff, 3/32 x 5/8" Alloy Steel)	1
41		,		902		Housing, Drive	. 1
42				409		Bushing	. 1
43				396		Pin, Dowel, Housing	
44				221		Bolt. Thru	
45	1	1				Bolt, Starter Attaching (7/16 x 7/8" NC, Hex.)	-
				697		Washer (7/16" Lock)	
46			353	432	YI	Washer (7/10" Lock)	

Notes: (A) - For repairs order Service Replacement Starter - 190 004 M91 (See Page 119).
(B) - For repairs order 1035 335 M91 Drive (Serviced only as a Complete Assembly).


F754 -2



# (12 VOLT - GAS)

#### (NEVER USED IN PRODUCTION - USED ONLY AS A SERVICE REPLACEMENT)

Ref.						No.
No.		Paı	t No	<u>.</u>	Description	Req.
1		190	004	м91	Starter Assembly (Delco-Remy =1107 226)	1
2	1	751	890	M91	Head Assembly, Comm. End	
3	1	731	897	1191	Support Assembly, Brush Holder	
4			198		Screw, Support Attaching	
5			445		Washer (=10 Lock),	
6			120	-	Nut, Support Attaching Screw	
7			898		Lead. Brush Ground	1
8		-	150		Pin. Brush Holder Pivot	1
9			218		Holder, Grounded Brush	
10			895		Holder, Insulated Brush	
11			892		Brush	
12			784		Screw, Brush Attaching	
13			893		Spring. Brush	2
18			883		Coil Assembly, Field	1
19			884		Insulation. Field Coil	4
20			710		Screw, Pole Shoes	4
21			885		Stud, Terminal	1
22			956		Bushing, Terminal Stud	1
23			290		Insulation, Terminal Stud. Inner	1
24			921		Washer, Terminal Stud Insulation	2
25		_	888		Washer, Terminal Stud (3/8" Flat)	2
26					Washer, Terminal Stud (3/8" Lock)	2
27			434		washer, Terminal Stud (3'B Lock)	2
28			109		Nut, Terminal Stud (3/8" NC. Hex.)	1
29			581 445		Screw. Field Lead to Terminal Stud	1
34			267		Armature Assembly	1
35			288			1
36			923		Pin, Armature Shaft	1
37					Washer, Thrust, Commutator End	1
38			440		Washer. Thrust, Drive End	1
39			269		Drive Assembly, Bendix	,
40			467		Housing Assembly. Drive	1
• ••			409		Bushing	1
41			396		Pin. Dowel. Housing	1
12			221		Bolt, Thru	2
43			697		Bolt. Starter Attaching (7/16 x 7/8" NC. Hex.)	2
44		353	432	X1	Washer (7/16" Lock)	2




#### (6 VOLT - GAS)

# (USED PRIOR TO TRACTOR SERIAL NUMBER 161 250)


No. Part No. Description  1 181 541 M91 Starter Assembly. 2 1 750 477 M1 Coil, Field, Left Hand. 2 1 750 478 M1 Coil, Field, Right Hand. 3 1 750 476 M1 Shoe, Pole. 4 1 022 321 M1 Screw, Pole Shoes.	1 1
2 1 750 477 M1 Coil, Field, Left Hand	1 1
2 1 750 477 M1 Coil, Field, Loft Hand. 2 1 750 478 M1 Coil, Field, Right Hand. 3 1 750 476 M1 Shoe, Pole. 4 1 022 321 M1 Screw, Pole Shoes.	1 1
2 1 750 478 M1 Coil, Field, Right Hand. 3 1 750 476 M1 Shoe, Pole. 4 1 022 321 M1 Screw, Pole Shoes	1
3 1 750 476 M1 Shoe, Pole. 4 1 022 321 M1 Screw, Pole Shoes	4
4 1 022 321 M1 Screw, Pole Shoes	
Screw, Pole Snoes	4
Stud, Terminal	
washer, insulating, inner (11/10" U.D.)	
washer, insulating, outer (1/2 0.b.)	
wasner, Flat	2
wasner, Lock	
Nut, Terminal	
11 1 750 467 M91 Head Assembly, Comm. End	1
12 1 750 425 M1 Pin, Brush Hinge (Grounded)	
12 1 750 414 M1 Pin, Brush Hinge (Insulated)	
13 1 750 471 M1 Pin, Brush Stop (Grounded)	1
13 1 750 413 M1 Pin, Brush Stop (Insulated)	1
14 1 750 434 M1 Bushing, Hoad	1
15 1 750 450 M1 Plug, Head	1
16 363 582 X1 Screw, Head to Frame	2
17 353 445 X1 Washer, Lock	
18 1 750 469 M1 Brush Assembly	
19 1 750 408 M1 Holder, Brush	
20 1 750 468 M1 Spring, Brush Tension	
21 1 750 470 M1 Lead, Brush Ground	2
22 353 975 X1 Screw, Brush Lead	
23 353 444 X1 Washer, Lock	
24 375 213 X1 Screw, Brush to Holder	
25 195 441 M1 Washer, Lock	
26 1 750 466 M91 Armature Assembly	
27 1 754 264 M1 Washer, Armature (Comm. End)	
28 1 750 440 M1 Washer, Armature (Drive End)	
29	
32 (A) 1 750 454 M91 Drive Assembly, Starter	
33 1 750 447 M91 Pinion Assembly	
34 1 750 439 M1 Spring, Meshing	
35 1 750 446 Ml Spring, Anti-Drift	
36 1 750 458 M91 Shaft Assembly, Drive	
37 1 750 457 M1 Pin, Pilot	
38 1 750 445 M1 Ring, Snap, Pinion	
39 1 750 518 Ml Plate, Drive Spring	
40 1 750 459 Ml Spring, Drive	
41 1 750 456 M1 Ring, Snap, Spring Retaining	
42 1 750 506 M91 Head Assembly, Drive End	
43 1 750 409 M1 Bushing, Head	
44 1 750 364 M1 Screw, Head to Frame	4
45 353 445 X1 Washer, Lock	
46 1 750 487 M91 Band Assembly, Cover	
47 355 747 X1 Screw, Band	1
48 358 990 X1 Nut, Band	
49 353 698 X1 Bolt, Starter (7/16 x 1" NC, Hex.)	2
50 353 432 X1 Washer (7/16" Lock)	2

Note: (A) - For repairs order 1035 335 M91 Drive (Serviced only as a Complete Assembly).



# (STANDARD MOTORS DIESEL)

No.	Part No.	Description	No. Req.
,		Description:	neq.
1 2	184 907 191	Starter Assembly (Order 193 192 M91)	
3	1 028 568 M91 1 750 425 M1	Head Assembly, Comm. End	. 1
4	1 750 425 M1	Pin, Brush Hinge (Grounded)	
5	1 750 414 41	Pin, Brush Holder Stop (Grounded)	
6	1 750 413 41	Pin, Brush Hinge (Insulated)	
7	1 009 755 11	Pin, Brush Holder Stop (Insulated)	
8	1 009 758 11	Bushing, Comm. End	
9	1 750 394 11	Plug (3/4" Expansion)	
10	1 754 255 41	Pin, Comm. Head Locating	
11	1 030 220 M1	Oiler, Comm. End	
12	1 028 571 41	Wick, Oiler	
13	1 750 408 11		
14	1 754 258 M1	Holder, Brush	
15	375 213 X1	Screw, Brush Attaching	
16	195 441 11	Washer, Lock, Attaching Screw	
17	1 754 259 41	Lead, Brush Ground	
18	353 975 X1	Screw, Ground Lead	
19	353 444 X1	Washer, Lock, Load Screw	
20	1 754 260 11	Lead, Brush Jumper	
21	22 446 X	Screw, Jumper Lead	
22	353 445 X1	Washer, Lock, Jumper Screw	
23	1 754 248 491	Armature Assembly	
24	1 754 250 M1	Coil, Field, Upper	
25	1 754 251 M1	Coil, Field, Lower	1
26	1 022 321 11	Screw, Pole Shoes	H
27	1 754 261 M1	Washer, Armature Thrust, Comm. End	1
28	1 754 264 M1	Washer, Armature Thrust, Drive End	3
34 35	1 028 566 31	Stud, Terminal	
36	1 034 956 11	Washer, Insulating, Large	
37	1 030 921 M1	Washer, Insulating, Small	
38	1 751 888 M1	Washer, Terminal Stud, Plain	1
39	353 434 X1 375 109 X1	Washer, Terminal Stud, Lock	
40	1 754 266 M91	Nut, Terminal Stud	
41	1 021 907 M1	Housing Assembly, Drive End	1
42	1 754 255 M1	Bushing, Housing	1
43	1 754 256 31	Oiler, Drive End	1
44	1 750 396 M1	Wick, Oiler Pin, Drive Housing Locating	1
45	1 754 262 491	Bearing Assembly, Center	1
46	1 009 767 91	Bushing, Center Bearing	1
47	353 732 X1	Screw, Contor Bearing Attaching	2
48	1 759 461 M1	Washer, Lock, Center Dearing Screw	2
49	1 755 245 M91	Drive Assembly, Pinion	1
50	1 754 273 11	Collar, Starter Drive	1
51	1 754 274 M1	Spring, Collar Tension	1
52	1 754 275 M1	Lockwire, Collar Retaining	
53	1 754 276 M1	Bushing, Pinion Drive	
54	1 754 271 11	Collar, Spacer, Pinion Drive	
55 56	1 754 277 11	Spring, Assist, Starter Drive	1
57	1 754 263 M1 22 042 X	Washer, Stop, Assist Spring	1
58	1 009 774 M1	Ring, Snap, Stop Washer Retaining	1
59	1 009 774 31	Collar, Stop, Pinion Drive	. 1
60	1 754 278 M1	Ring, Shap, Stop Collar Retaining	1
61	353 441 X1	Bolt, Thru.	2
62	1 754 252 491	Washer, Lock, Thru Bolt	2
63	355 747 X1	Band Assembly, Cover, Comm. End	1
	358 990 X1	Nut, Cover Band Screw	




# (STANDARD MOTORS DIESEL)

Ref.					
No.	D:	rt N	0		No.
		17 6 14	<u>o.</u>	Description	Req.
65	1 032	727	MOI	Town Object	
66	1 754			Lever, Shift, Drive Pinion	1
67		630		Plunger, Solenoid Switch	1
68	1 754			Pin, Lever to Plunger	1
69				Bolt, Shift Lever	1
70		446		washer, Lock, Shift Lever Bolt	1
71		108		Nut, Shift Lever Bolt	1
75	1 025			Spring, Solenoid Plunger Return	1
76	1 025	381	M91	Switch Assembly, Solenoid	1
77	1 754			Stud, Battery Terminal	1
78		123		Nut, Battery Stud	1
79	1 009			Stud, Connector	1
80		109		Nut, Connector Stud	2
00	1 009			Washer, Stud Insulating	2
82		434		Washer, Lock, Connector Stud	1
	1 019	378	Ml	Stud, Terminal (Short)	ī
83	1 031			Clip, Terminal Stud	ī
84	1 009	869	Ml	Washer, Terminal Stud Insulating	ī
85	353	444	X1	Washer, Terminal Stud Lock	ī
86	354	119	X1	Nut, Terminal Stud	2
87	1 024	354	MI	Cover, Solenoid	1
88	1 754	289	MI	Gasket, Cover	î
89	363	584	X1	Screw, Cover Attaching	2
90	1 009			Washer, Cover Attaching Screw	2
91	1 025	568	M91	Contact Assembly, Solenoid	ĩ
92	1 009			Spring, Contact Return	î
93	1 754			Connector, Switch	
94		458		Screw, Solenoid to Drive Housing	1
95		441		Washer, Lock, Solenoid Screw	2 2
109	353	705	¥1		
109		568		Bolt (7/16 x 1-7/8" NC, Hex.)	1
109		194		Bolt (7/16 x 2-1/8" NF, Hex.)	1
112		432		Stud (7/16" NC-NF x 2-1/4")	1
		426		Washer (7/16" Lock)	4
	353	420	YI	Nut (7/16" NF, Hex.)	3

# (STANDARD MOTORS DIESEL)

Ref.		(STANDARD MOTORS DIESEL)	
No.	Part No.	Description	No.
1	193 192 M91		Req.
2 3	1 020 104 M91	Starter Assembly (Delco-Remy)	1
4	1 009 755 M1		
5	1 009 758 M1	Bushing, Comm. End Cover.  Plug, Comm. End Cover.  Wick. 011	
6	1 030 220 M91 195 591 M1		
7	1 020 106 M1		1
8	1 751 893 M1		
9 10	1 030 218 M1		2
11	1 751 895 M1		2
12	1 030 328 M1	Holder, Brush (Insulated)	2
13	1 751 897 M91 1 039 569 M91	bear wasemply, Brush Holder	2
14	1 034 150 M1	Dona, Diugh Ground	1
15 16	354 198 X1	in, brush Support,	ī
17	353 445 X1	Screw, Support	2
18	354 120 X1	Nut, Support Screw	2
19	1 020 107 M91 1 020 108 M1	COLL Masemply, Fleid	2
20	1 020 109 M1	connector, Field Coll to Solenoid	1
21 22	363 584 X1	or onnector	ī
23	353 445 X1	Screw, Lead Attaching to Connector	1
28	363 710 X1	Washer, Lead Attaching Screw	1
29	1 754 248 M91 1 030 923 M1	Armature Assembly	8
30	1 754 262 M91	washer, Brake, Comm. End.	î
31	1 009 767 M1	bearing Assembly, Center	ī
32 33	1 022 316 M1	busing, Center Bearing	1
34	353 445 X1	Screw, Center Bearing Attaching Washer, Center Bearing Attaching Screw	2
35	1 755 245 M91	Dilve Assembly, Pinion	2
36	1 754 273 M1 1 754 274 M1	collar, Starter Drive	1
37	1 754 275 M1	Spring, Collar Tension	1
38 39	1 754 276 M1	Lockwire, Collar Retaining	1
40	1 754 271 M1	Bushing, Pinion Drive	1
41	1 754 277 M1 1 754 263 M1	Spirit, Assist, Starter Drive	1
42	22 042 X	"asher, Stop, Assist Spring	î
43	1 023 764 M91	name, onap, Stop washer Retaining	ī
44 45	1 754 267 M1	Housing Assembly, Drive End Bushing, Drive End Housing	1
46	1 030 220 M1	Wick, Oil.	1
47	195 591 M1 1 754 264 M1	Fig. OII WICK HOIE	1
48	1 750 396 M1	"asher, inrust, prive End	î
49	1 024 981 M1	Fin, Drive End Housing Locating	1
50 51	1 032 727 M1	Bolt, Thru. Lever, Shift.	2
52	1 754 307 M1 353 446 X1	Screw, Smilt Lever pivot	1
53	375 108 X1	"ASHEL, SHILL LEVER PIVOL SCROW	1
54	1 754 282 M1	many blight bever plvot screw	î
55 56	1 025 009 M1	Plunger, Solenoid Switch	1
60	357 630 X1 1 025 381 M91	, bull bever to plunger	1
61	1 025 568 M91	The rest assembly, Solemond	1
62	1 009 864 M1	Contact Aggembly, Solenoid	î
63	1 024 354 M1	Spring, Contact Return. Cover, Solenoid. Gasket Cover	1
64 65	1 020 122 M1		1
66	363 584 X1 1 009 869 M1		1 2
67	1 028 576 M1		2
68	1 009 858 M1		1
69	1 019 384 M1	Washer, Terminal Stud Insulating	1
70 71	354 123 X1	Nut, Terminal Stud	2
72	1 035 258 M1 22 427 X		2
73	353 434 X1		i
74	354 123 X1		1
75	1 019 378 M1	Stud, Switch Terminal	1
76 77	1 031 215 M1		1
78	1 023 765 M1 1 019 381 M1		1
79	354 119 X1		i
80	357 458 X1	Screw, Switch Mounting.	1
81	353 441 X1	Screw, Switch Mounting	2
82 82	353 711 X1		2
84	353 576 X1 353 432 X1	Bolt, Starter Mounting (7/16 x 3-1/8" NF, Hex.)	2
85	353 426 X1		3
	764	Nut (7/16" NF, Hex.)	1




HOOD MOUNTED

#### (12 VOLT)

(USED TRACTOR SERIAL NUMBER 161 250 AND UP)

				(USED TRACTOR SERIAL AURDER 101 200	Man
	ef,				Reg.
N	0.		Part No.	Description	
11 11 11 11 11 12	1 4 (C) 5 6 7 8 9	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	182 927 M91 182 928 M91 751 347 M91 751 415 M91 752 311 M91 750 642 M1 353 979 X1 750 650 M91 510 438 M1 750 659 M1 751 823 M91 751 833 M1 751 834 M1 751 836 M1	Lamp Assembly, Right Hand, Front (Incl. items 3 thru 5)  Lamp Assembly, Left Hand, Front.  Bulb Assembly, Headlamp (Right or Left)  Moulding Assembly, Bulb (Chrome)  Moulding Assembly, Bulb (Red)  Spring, Bulb Retaining.  Bolt, Lamp Mounting.  Screw, Moulding (5/16 x 1-1/4" NC, Rd. Hd.)  Wire Assembly, Headlamp to Connector.  Bracket, Headlamp Mounting (Right)  Bracket, Headlamp Mounting (Left)  Reinforcement, Bracket.  Lamp Assembly, Rear (Tail Lamp).  Lens, Tail Lamp.  Bulb, Tail Lamp.  Gasket, Lens.  Reflector, Tail Lamp.  Gasket, Reflector.  Spring, Lens Retaining.	1
2 2	_		751 835 M1	Bolt, Tail Lamp to Bracket	1
2			751 824 M91 750 674 M1		
2			751 353 M2	Bracket, Tail Lamp Mounting	1
2	5	1	751 606 M1	Boot, Socket Protection	
2 2 3 3 3 3 3 3 3 3	0 0 2 4 5 6 7	1 1 1 1 1 1	182 929 M91 002 803 M91 751 415 M91 752 311 M91 750 642 M1 751 524 M1 353 979 X1 750 656 M1 353 975 X1 750 657 M91 750 687 M91 750 673 M1	Lamp Assembly, Rear (Work Lamp)  Bulb Assembly, Work Lamp.  Moulding Assembly, Bulb (Chrome)  Moulding Assembly, Bulb (Red)  Spring, Bulb Retaining.  Bolt, Lamp Mounting.  Screw, Moulding (5/16 x 1-1/4" NC, Rd. Hd.)  Switch, Toggle.  Screw, Switch (5/32 x 1/4" NC, Rd. Hd.)  Wire Assembly, Switch to Bulb.  Wire Assembly, Switch to Connector  Bracket, Work Lamp.	x x 4 1 2 1 2 1 1 1 1
4	<b>2</b> 3	1	750 681 M91 750 623 M91	Harness Assembly, Head Lamps  Connector Assembly (2 Way)  Harness Assembly, Tail Lamps	_
4	5		750 601 M91 750 619 M91	Wine Accombly Toil Ismps	
4	_		750 621 M91	Wine Agenthly Work lamb	1
4	7	1	750 616 M92	Wine Agrambly Temp Connecting	. 1
4			750 623 M91	Connector Assembly (2 Way)	3
5	0		750 618 M91 750 602 M91	Wire Aggembly Fuse Holder	. 1
	ĭ		750 614 M1	Holder Fuse	. 1
5	2		15 358 A	Fuse (20 Amp)	1
			750 603 M91 750 610 M91	Wine Agramhly Holder to Connector	. 1
			750 613 M1	Saving Fuse Tension	. 1
5			180 739 M1	Clip (to Grille)	. 3
5	8		750 686 M1 750 627 M1	Clip (Head Lamp Harness)	. 1
	8	-	751 387 M1	Clin (Word lawn Warness)	. 1
	0	_	180 746 M2	Clip (to Axle and Fender)	. 4
	1 2		750 679 M1 750 678 M1	Clip (to Fender)	. 2
6 6 7 7 7 7	6 7 8 9 0 1 2 3 4 5		353 441 X1 354 121 X1 353 514 X1 355 047 X1 353 755 X1 353 446 X1 354 122 X1 353 432 X1 353 426 X1 195 982 M1	Washer (1/4" Lock)	. x . x . x . x . x
N	otes:	(B)	- For repair	s order 186 141 M91 Lamp Assembly (See Page 133). s order 186 142 M91 Lamp Assembly (See Page 133). s order 1751 821 M91 Lamp Assembly (See Page 129). s order 182 926 M91 Lamp Assembly (See Page 129).	

F 1550



# HOOD MOUNTED

# (6 VOLT)

Ref.		(USED PRIOR TO TRACTOR SERIAL NUMBER 161 250)	No.
No.	Part No.	Description	Req.
1 (A)	1 751 418 M91	Lamp Assembly, Right Hand, Pront	1
1 (A)	1 751 419 M91	Lamp Assembly, Left Hand, Front	3
4 (B)	1 002 802 M91 1 750 639 M1	Bulb Assembly, Headlamp	1
5	1 750 638 M1	Moulding, Bulb Retaining (Cast) (Order 830 626 M91)	1
6	1 750 640 M1	Ring, Mounting	2
7	353 976 X1	Strap, Ground	1
9	353 444 X1	Washer (#8 Lock)	i
10	1 750 652 M1	Screw, Moulding (#8 x 1-1/8" NC, Oval Hd.)	2
11	1 751 524 M1	Bolt, Lamp Mounting	1
12	353 439 X1	Washer (1/2" Lock)	1
13	353 438 X1 1 750 650 M91	Nut (1/2" NF, Half Hex.)	1
14 (C)	830 626 M91	Wire Assembly, Headlamp	1
15	1 750 642 M1	Moulding Kit (Stamped)	4
16	353 979 X1	Screw, Moulding	2
17 18	510 438 M1	Bracket, Headlamp Mounting (Right Front and Rear)	2
19	510 439 M1	Bracket, Headlamp Mounting (Left Front)	1
	1 750 659 M1	Reinforcement, Bracket	2
22 (D)	1 750 662 M91		
23	190 927 M91	Lamp Assembly, Rear (Tail Lamp)	1
24	195 803 M1	Lens Assembly, Tail Lamp	2
25 26	761 338 M1	Bulb, Tail Lamp	1
27	1 750 664 M1	Lens, License	1
28	1 750 666 M1	Gasket, License Lens	1
29	1 750 665 M1	Clip, Lens Retaining	2
30	195 850 M1 1 750 668 M91	Screw, Clip (#6 x 5/16" NC, Rd. Hd.)	2
31	1 750 674 M1	Wire Assembly, Tail Lamp	1
32	1 750 671 891	Support Assembly, Tail Lamp	1
33	1 750 680 M1	Socket, Auxiliary Lamp	î
36 (E)	1 770 000		
37	1 750 692 M91 1 750 656 M1	Lamp Assembly, Rear (Work Lamp)	1
38	353 975 X1	Switch, Toggle	1
39	1 750 657 H1	Screw, Switch (5/32 x 1/4" NC, Rd. Hd.)	2
40	1 750 687 M1	Wire, Connector to Switch	1
41	1 750 673 M1	Bracket, Work Lamp	î
45	1 750 000 000		
46	1 750 681 M91 1 750 623 M91	Harness Assembly, Head Lamp	1
	1 750 601 M91	Connector Assembly (2 Way)	2
48	1 750 619 M91	Harness Assembly, Tail Lamps	1
49	1 750 621 M91	Wire Assembly, Work Lamp	1
50 51	1 750 616 M91	Wire Assembly, Lamp Connecting	i
52	1 750 623 M91	Connector Assembly (2 Way)	i
53	1 750 618 M91 1 750 602 M91	Connector Assembly (4 Way)	3
54	1 750 602 M91	Wire Assembly, Fuse Holder	1
55	15 358 A	Holder, Fuse	1
	1 750 603 M91	Fuse (20 Amp) Wire Assembly, Switch to Holder	1
	1 750 610 M91	Wire Assembly, Holder to Connector	1
50	1 750 613 M1	Spring, Fuse Tension	1
59 60	180 739 M1	Clip (to Grille)	3
61	1 750 686 M1 1 750 627 M1	Clamp (to Oll Pan)	3
61	1 751 387 M1	Clip (Headlamp Harness)	1
63	180 746 M1	Clip (Headlamp Harness)	1
64	1 750 679 M1	Clamp (to Hydraulic Cover and Steering Housing)	4
65	1 750 678 M1	Clip (to Fender)	2
70	250 442		2
71	353 441 X1 354 121 X1	Washer (1/4" Lock)	x
72	353 514 X1	NUL (1/4" NC. Hex.)	x
73	355 047 X1	DOIL (3/10 X 3/8" NF. HAX.)	x
74	353 755 X1	Screw (5/16 x 1" NC, Rd. Hd.) Washer (5/16" Reg. Flat)	x
75	353 446 X1	wasner (3/16" Lock)	X
76	354 122 X1	NUL (5/16" NC. HOX.)	x
77 78	353 432 X1	washer (//10" Lock)	x
10	353 426 X1	Nut (7/16" NF, Hex.)	×
Notes: (	A) - For remairs	order 231 495 M91 Lamp Assembly (See Page 135).	
	D) - FUL LUDRILE	Order [1] 1752 311 M91 Moulding and (4) 1750 640 up cond	
,	C) - LOI IGDRILE	OFGET [1] 1/31 415 MH1 Moulding and /A) 1750 649 W1 C-win-	
(	D) - FOI Tebairs	order (1) each of 190 927 M91 lamb (See Dage 135) and 1751 894 MQ1	
(	L, - for repairs	order 190 742 M91 Lamp (See Page 135).	

22 131

1 751 60

1 751 76 1 751 78

1 751 78

1 751 1 751 1 750

182

180

354

353

353


Printed in U


# (FENDER MOUNTED)


(12 VOLT)


No.		Dana	N		No.
		Part	NO.	Description	Req
1 (A)			8 M91	Lamp Assembly, Front (Headlamp)	. 2
2		52 86		Bulb Assembly, Headlamp	. 1
3		17 60		Moulding, Bulb	. 1
4		52 86		Spring, Bulb Retaining	. 4
5	1 7	52 86	8 M1	Shield, Headlamp	. 1
6		55 88		Screw, Moulding Retaining (#8 x 13/16" NC, Oval Hd.)	
7	1 7	52 88	4 M91	Wire Assembly, Headlamp	
8	8	32 65	4 MI	Grommet, Wire	
12 (B)	1	83 82	9 M91	Lamp Assembly, Rear (Worklamp)	1
13	1 7	52 86	6 M91	Bulb Assembly, Worklamp	
14	1 0	17 60	3 M1	Moulding, Bulb	
15	1 7	52 86	7 M1	Spring, Bulb Retaining	4
16	3	55 88	3 X1	Screw, Moulding Retaining (#8 x 13/16" NC, Oval Hd.)	
17		50 65		Switch, Toggle	
18		53 97		Screw, Toggle Switch (#8 x 1/4" NC, Rd. Hd.)	2
19	_	50 65		Wire Assembly, Switch to Lamp	
20		52 88		Wire Assembly, Switch to Connector	1
21		52 88		Grommet, Wire	1
22		51 77		Support, Lamp (Inner)	3
13		51 77		Support, Lamp (Outer)	
4		51 78		Support, Lamp (Hinge)	3
15		51 76		Washer, Lamp Stud (Spring)	3
6		55 89			-
7		53 80		Nut, Lamp Stud (Self-Locking)	3
8		51 76		Bolt, Supports (3/8 x 3/4" NF, Carr.)	3
9		95 586		Washer, Support Bolt (Spring)	3
		33 301	D MI	Nut, Bolt (Self-Locking)	3
3 (C)		51 823		Lamp Assembly, Rear (Tail Lamp)	1
4		51 833		Lens, Tail Lamp	1
5		22 13		Bulb, Tail Lamp	1
6		51 834		Gasket, Lens	1
7	1 7	51 837	7 Ml	Reflector, Tail Lamp	1
8	1 7	51 836	Ml	Gasket, Reflector	1
9	1 7	51 838	3 M1	Spring, Lens Retaining	1
0	1 7	1 835	Ml	Bolt, Tail Lamp to Bracket	2
1		51 824		Bracket Assembly, Tail Lamp	1
2		60 674		Bracket, Tail Lamp Mounting	1
3	1 7:	1 353	Ml	Socket, Auxiliary Lamp	1
4	1 75	606	M1	Boot, Socket Protection	1
8	1 75	1 766	M91	Wire Assembly, Headlamps and Worklamp	3
9	1 75	1 780	M91	Wire Assembly, Tail Lamp	1
)	1 75	1 783	M91	Wire Assembly, Tail Lamp Connecting	
	1 75	1 782	M91	Wire Assembly, Worklamp Connecting	1
		0 616		Wire Assembly, Main	1
		0 618		Connector Assembly (4 Way)	1
	_	0 623		Connector Assembly (2 Way)	5
		1 756		Wire Assembly, Fuse Holder	3
		0 614		Holder. Tuse	1
		5 358		Holder, Fuse  Fuse (20 Amp)	1
		1 758		Wire Assembly, Switch to Holder	1
	-	1 757		Wire Assembly, Holder to Main Wire	1
		0 613		Soring Pure Tension	1
		2 952		Spring, Fuse Tension	1
		0 746		Clip, Wire	3
				Clip, Wire	8
		0 678 0 679		Clip, Wire	6
				·	3
		3 441 4 121		Washer (1/4" Lock)	x
				Nut (1/4" NC, Hex.)	X
		3 432 3 426		Washer (7/16" Lock)	x
)			4.1	BUC 1//10" NE. HAY.1.	x


<sup>(</sup>C) - For repairs order 1751 821 M91 Lamp (See Page 129).















# (HOOD MOUNTED)

# (DIESEL)

ef. 0.	Part No.	Description	R
(A)	182 924 N91	Lamp Assembly, Head (Left Front)(Incl. items 3 thru 8)	
(B)	182 925 M91	Lamp Assembly, Head (Right Front)	
	1 002 803 M91	Bulb Assembly	
	1 752 311 M91	United Assembly	
		Moulding Assembly, Lamp (Stamped)	
	1 750 642 M1	Spring, Bulb Retaining	
	353 979 X1	Screw, Moulding Retaining (5/32 x 1-1/4" NC, Rd.Hd.)	
	1 750 650 M91	Wire Aggembly Headlamb	
	1 751 524 M1	Bolt, Lamp Mounting	
	182 926 M91	Lamp Assembly, Rear (Worklamp)	
	1 002 803 M91	Rulb Assembly	
	1 752 311 M91	Moulding Assembly, Lamp (Stamped)	
	1 750 642 M1	Spring, Bulb Retaining	
	353 979 X1	Spring, Bulb Retaining	
	1 750 656 M1	Switch Toggle	
	353 975 X1	Screw Switch to Body (5/32 x 1/4" NC. Rd. Hd.)	
	1 750 657 M91	Wire Assembly Switch to Bulb	
	1 750 687 M91	Wire Assembly, Circuit to Switch	
	1 751 524 M1	Bolt, Lamp Mounting	
	1 751 821 M91	Lamp Assembly, Rear (Tail Lamp)	
	1 751 828 M91	Rody Aggembly Lemn w/Vire	
	1 751 837 M1	Leng. Tgil lamp.	
	22 131 X	Bulb Tail Lamp	
	1 751 834 M1	Gasket Isna	
	1 751 833 M1	Reflector Tail Lamne	
	1 751 836 M1	Gasket, Reflector	
	1 751 838 W1	Spring, Lens, Retaining	
	1 751 835 M1	Bolt, Tail Lamp to Bracket	
	1 750 675 M1	Support, Head Lamp, Left (Outer)	
	1 750 676 M1	Support, Head Lamp, Left (Outer)	
		Support, Head Lamp, Right (Outer)	
	1 750 659 M1	Reinforcement, Head Lamp Brackets	
(0)	1 750 673 M1	Bracket, Work Lamp	
(C)	1 750 677 M1	Support, Work Lamp	
	1 750 674 M1	Bracket, Tail Lamp	
	1 751 824 M91	Support Assembly, Tail Lamp	
	1 751 353 M2	Socket, Auxiliary Light	
	1 751 606 M1	Boot, Socket Protection	
	1 750 681 M91	Harness Assembly, Head Lamps	
	1 750 601 M91	Harness Assembly, Tail Lamps	
	1 750 619 M91	Wire Assembly, Tail Lamp	
	1 750 621 M91	Wire Assembly, Work Lamp	
	1 750 616 M91	Wire Assembly, Lamp Connecting	
	1 750 623 M91	Connector Assembly (2 Way)	
	1 750 618 M91	Connector Assembly (4 Way)	
	1 750 602 M91	Wire Assembly, Fuse Holder	
	1 750 614 M1	Holder, Fuse	
	15 358 A	Fuse (20 Amp)	
	1 750 603 M91	Wire Assembly, Switch to Holder	
		Wise Assembly, Owitch to notuer	
	1 750 610 M91	Wire Assembly, Holder to Connector	
	1 750 613 M1	Spring, Fuse Tension	
	184 989 M91	Switch Assembly, Lights	
	186 959 M91	Knob, Light Switch	
	185 175 M92	Wire Assembly, Voltage Regulator to Light Switch	
	180 739 M1	Clip (to Grille)	
	1 750 686 M1	Clamp (to Oil Pan)	
	1 750 627 M1	Clip (Head Lamp Harness)	
	1 751 387 M1	Clip (Head Lamp Harness)	
	180 746 M2	Clip (to Axle and Fender)	
	1 750 679 M1	Clamp (to Hydraulic Cover and Steering Housing)	
	1 750 678 M1	Clip (to Fender)	
	353 441 X1	Washer (1/4" Lock)	
	354 121 X1	Nut (1/4" NC, Hex.)	
	353 514 X1	Bolt (5/16 x 3/8" NF, Hex.)	
	353 755 X1	Washer (5/16" Reg. Flat)	
	353 446 X1	Washer (5/16" Lock)	•
		Nut (1/2" NF, Hex., w/Nylon Insert)	•
	195 982 Ml		

<sup>(</sup>B) - For repairs order 186 142 M91 Lamp (See Page 133). (C) - For repairs order 1 each of 188 415 M1 Washer and 515 658 M1 Medallion.



# (FENDER MOUNTED)


# (DIESEL)


		(DIESEL)	
Ref.			No.
No.	Part No.	Demonstration	Req.
		Description	Req.
1	182 930 M91	Lamp Assembly, Front (Headlamp)	2
2	1 752 866 M91	Bulb Assembly	1
3	1 752 865 M1	Moulding Bulb	ī
5	1 752 867 M1	Spring, Bulb Retaining	4
6	1 752 868 M1	Shield, Head Lamp	1
7	355 883 X1	Screw, Moulding Retaining (#8 x 31/16" NC, Oval Hd.)	1
8	1 752 884 M91 832 654 M1	Wire Assembly, Head Lamp	1
	002 004 MI	Grommet, Wire	1
12	182 950 M91	Inn Assembly Box (Monthly )	
13	1 752 866 M91	Lamp Assembly, Rear (Worklamp)	1
14	1 017 603 M1	Bulb Assembly	1
15	1 752 867 M1	Moulding, Bulb	1
16	355 883 X1	Spring, Bulb Retaining	4
17	1 750 656 M1	Screw, Moulding Retaining (#8 x 13/16" NC, Oval Hd.)	1
18	353 975 X1	Switch, Toggle	1
19	1 750 657 M91	Screw, Toggle Switch (#8 x 1/4" NC, Rd. Hd.)	2
20	1 752 885 M91	Wire Assembly, Switch to Lamp	1
21	1 752 883 M1	Wire Assembly, Switch to Connector	1
22	1 751 773 M1	Grommet, Wire	1
23	1 751 773 M1 1 751 774 M1	Support, Lamp (Inner)	3
24	1 751 774 MI 1 751 781 MI	Support, Lamp (Outer)	3
25	1 751 781 MI 1 751 767 MI	Support, Lamp (Hinge)	3
26	355 896 X1	Washer, Lamp Stud (Spring)	3
27	353 896 X1	Nut, Lamp Stud (Self-Locking)	3
28		Bolt, Supports (3/8 x 3/4" NF, Carr.)	3
29	1 751 768 M1 195 586 M1	Washer, Support Bolt (Spring)	3
	192 280 MI	Nut, Bolt (Self-Locking)	3
32	1 751 821 M91	Town Assessant Dr. March (March Street)	
33	1 751 828 W91	Lamp Assembly, Rear (Tail Lamp)	1
34	1 751 837 M1	Body Assembly, Lamp, w/Wire	1
35	22 131 X	Lens, Tail Lamp	1
36	1 751 834 M1	Bulb, Tail Lamp	1
37	1 751 834 M1	Gasket, Lens	1
38	1 751 836 M1	Reflector, Tail Lamp	1
39	1 751 838 M1	Gasket, Reflector	1
40	1 751 835 M1	Spring, Lens Retaining	1
41	1 751 833 M1	Bolt, Tail Lamp to Bracket	2
42	1 750 674 M1	Bracket Assembly, Tail Lamp	1
43	1 751 353 M2	Bracket, Tail Lamp Mounting	1
44	1 751 606 M1	Socket, Auxiliary Lamp	1
-8-3	1 /51 000 11	Boot, Socket Protection	1
48	1 751 766 M91	Wire Assembly, Headlamps and Worklamp	2
49	1 751 780 M91	Wire Assembly, Tail Lamp	3
50	1 751 783 M91	Wire Assembly, Tail Lamp Connecting	1
51	1 751 782 M91	Wire Assembly, Worklamp Connecting	1
52	1 750 616 M91	Wire Assembly, Main	
53	1 750 618 M92	Connector Assembly (4 Way)	1
54	1 750 623 M91	Connector Assembly (2 Way)	
	ADD ADA		3
56	1 750 602 M91	Wire Assembly, Fuse Holder	1
57	1 750 602 MS1	Holder, Fuse	1
58	15 358 A	Fuse (20 Amp)	
59	1 750 603 M91	Wire Assembly, Switch to Holder	1
60	1 750 610 M91		
61	1 750 613 M1	Wire Assembly, Holder to Connector	
62	184 989 M91	Spring, Puse Tension	1
63	186 959 M91	Switch Assembly, Lights	1
64		Knob, Light Switch	1
	185 175 M92	Wire Assembly, Voltage Regulator to Light Switch	
65	182 952 M1	Clip, Wire	3
66	180 746 M2	Clip, Wire	. 8
67	1 750 678 M1	Clip, Wire	
68	1 750 679 M1	Clip, Wire	. 3
72	252 441 -1	Wardow (1/4tt Lock)	
72	353 441 X1 354 121 X1	Washer (1/4" Lock)	. х
74	354 121 X1 353 432 X1	Nut (1/4" NC, Hex.)	
75		Washer (7/16" Lock)	. х
13	353 426 X1	Nut (7/16" NF, Hex.)	. х

# (UNIVERSAL TYPE LAMPS)

Ref.			No.
No.	Part No.	Description	Req.
1	186 141 M91	Lamp Assembly, Head, Right Hand (Incl. items 3 thru 6)	1
2	186 142 M91		
3	1 038 428 M91	Lamp Assembly, Head, Left Hand Bulb Assembly, Head Lamp	
4	1 754 918 M1	Bulb Assembly, Head Lamp	î
5	1 754 666 M1	Ring, Bulb Retaining	î
6	1 750 650 M91	Visor, Head Lamp	i
7	1 750 675 M1	Wire Assembly, Head Lamp	1
8	1 750 676 M1	Support, Head Lamp, Right Hand (for Hood)	
9		Support, Head Lamp, Left Hand (for Hood)	2
10	1 750 659 M1	Reinforcement, Head Lamps	
11	506 865 M1	Support, Head Lamp (For Fender)	
	186 230 M1	Bolt, Support to Fender	. 2
16 (A)	186 140 M91	Lamp Assembly, Tail (Work and Warning)	1
17	1 754 916 M91	Bulb Assembly, Tail Lamp	. 1
18	1 754 918 M1	Ring. Bulb Retaining	, 1
19	1 754 667 M91	Lens, Swinging, Tail Lamp	. 1
20	1 754 920 M1	Nut.Lens Retaining	. 2
21	1 750 650 M91	Wire Assembly, Tail Lamp	. 1
22	1 750 677 M1	Support, Tail Lamp	. 1
23	1 750 674 M1	Bracket, Tail Lamp Hounting	. 1
28	186 918 M91	Wire Assembly, Head Lamp (for Hood Mtd. Lights)	. 1
29	1 750 623 M91	Connector Assembly (2 Way)	. 2
30	1 750 602 M91	Wire Assembly, Fuse Holder	. 1
31	1 750 614 M1	Holder, Fuse	. 1
32	15 358 A	Fuse (20 Amp)	. 1
33	1 750 603 M91	Wire Assembly, Switch to Holder	. 1
34	1 750 610 M91	Wire Assembly, Holder to Connector	. 1
35	1 750 613 M1	Spring, Fuse Tension	. 1
36	186 917 M91	Wire Assembly, Main	. 1
37	1 750 618 M91	Connector Assembly (4 Way)	. 1
38	186 447 M91	Wire Assembly, Tail Lamp (also used w/Fender Mtd. Head Lamps)	. 1
39	1 750 623 M91	Connector (2 Way)	. 1
	186 217 W91	Wire Assembly (for Right Hand Fender Mtd. Head Lamp)	. 1
	1 750 623 M91	Connector (2 Way)	. 1
42	1 751 353 W2	Socket, Auxiliary Light	
43	1 750 618 M91	Connector (4 Way)	. 1
44	184 989 M91	Switch Assembly, Lights (Diesel only)	. 1
45	186 959 M91	Knob Assembly, Light Switch	
46	185 175 M92	Wire Assembly, Light Switch to Regulator (Diesel only)	. 1
47	186 930 M1	Clip, Wire	. 2
48	182 952 M1	Clip, Wire	. 2
49	1 751 387 M1	Clip, Wire	. 2
50	180 739 W1	Clip, Wire	
51	180 746 M2	Clip, Wire	
52	1 750 678 M1	Clip, Wire	. 4
53	185 321 M1	Clip, Wire	. 3
58	353 514 X1	Bolt (5/16 x 3/8" NF, Hex.)	
59	353 775 X1	Washer (5/16" Small Flat)	. x
60	353 446 X1	Washer (5/16" Lock)	. x
61	195 982 W1	Nut (1/2" NF. Hex. w/Nylon Insert)	

Note: (A) - For repairs order 1038 428 M91 Lamp (See Page 135).





Ref.			
No.	Part No.	200	No.
	Tare No.	Description	Req.
1	193 599 M91	Tame Assembly Mant 1 of 1	_
2	1 754 916 M91	Lamp Assembly, Work and Warning	1
3	1 754 918 M1	Bulb Assembly, Tail Lamp	1
4	1 023 205 M1	Ring, Bulb Retaining	1
5	1 023 202 M1	Lens, Warning (Red)	1
6	1 023 203 M1	Screw, Lens Retaining (#10 NF, Special)	2
7	1 023 204 M1	Washer, Bushing (#10 Spring Type)	2
8	358 990 X1	Washer, Lens (#10 Spring Type)	4
9	1 750 650 M91	Nut (#10 NF, Hex.)	2
	1 120 620 Mal	Wire Assembly, Tail Lamp	1
	190 742 M91	Lamp Assembly, Work (Not Illustrated)	1
	1 002 802 M91		
	1 750 638 M1	Bulb Assembly	. 2
	1 752 309 M1	Ring	
	1 752 640 M1	Screw and Washer	
	1 750 687 M91	Strap, Ground	
	1 750 657 M91	Wire Assembly	
	1 750 656 M1	Wire Assembly	
	353 975 X1	Switch, Toggle	
	1 751 524 M1	Screw, Body to Switch	
(A)	1 731 324 11	Bolt, Lamp Mounting	
(4,)	257 257	Moulding, Assembly	
	357 357 X1	Screw, Moulding Retaining	. 2
	190 927 M91	Lamp Assembly (Not Illustrated)	. 1
	1 751 828 M91	Body Assembly	
	1 751 835 M1	Stud, Body	
	1 751 834 M1	Gasket Rear	
	1 750 670 M1	Bulb	-
	1 751 833 N1	Lens, License	
	1 751 836 M1	Gasket, Front	
	1 751 837 M1	Lens, Tail	
	1 751 838 W1	Spring, Lens	
	1 751 824 M92	Bracket and Stud Assembly	
4.0			
46	231 495 N91	Lamp Assembly	
47	1 002 803 M91	Bulb	_
48	1 754 918 W1	Ring	_
49	1 754 666 M1	Visor	-
50	1 750 650 M91	Cable Assembly	. 1

Note: (A) - For repairs order (1) 1752 311 M91 Moulding and (4) 1750 642 M1 Spring.

693 063 M4 (Issue 1) 9/70


lst Print

# FRONT AXLE AND SUPPORT

Rei	t.						No.
No.	-		Pa	rt N	0.	Description	Req.
1	(A)		180	242	M91	4-3-4	1
2	()			344		Axle Assembly, Front	2
	(B)			330		Bushing (1-49/64 x 1-29/32 x 1-1/2")	
3	(0)					Support, Front Axle (Gas)	î
4				968		Support, Front Axle (Standard Motors Diesel)	_
5				221		Pin Assembly, Front Axle Pivot	1
6					M91	Extension Assembly, Front Axle, Right	1
7					M91	Extension Assembly, Front Axle, Left	1
8				345		Bushing (1-1/4 x 1-3/8 x 1-1/2")	2
9					M91	Rod Assembly, Radius	2
10					M92	Spindle Assembly, Right	1
11					M92	Spindle Assembly, Left	1
			18	560	X	Bearing, Thrust, Spindle	2
12			180	355	M1	Seal. Dust. Spindle (1-1/4 x 1-13/16 x 9/32")	2
13				350		Arm, Spindle	2
14			350	355	Xl	Key, Arm (5/16 x 1-1/4" Woodruff)	. 2
18			180	780	M92	Link Assembly, Steering (Tie Rod)	2
19			180	391	M91	End Assembly, Rear	1
20			196	099	Ml	Cover Assembly, Dust, Rear End	1
21					M91	End Assembly, Front	1 1
22				521		Bolt, Clamp (5/16 x 1-1/4" NF, Hex.)	1
23				454		Nut (5/16" NF, Hex., Special)	1
24				811		Grease Fitting (1/4" NF, Straight)	1
25				361		Retainer, Grease	2
26				360		Cover, Dust, Front End	2
30			365	572	Y1	Grease Fitting (1/8" P.T., Str.)	x
31				057		Grease Fitting (1/6" P.I., Str./	x
32				572		Cotter Pin (1/8 x 3/4") Bolt (7/16 x 2-5/8" NF, Hex.)	x
33				432		Washer (7/16" Lock)	x
34				426		Washer (7/10" Lock)	x
35				926		Nut (7/16" NF, Hex.)	x
36						Nut (1/2" NF, Hex., Sltd.)	×
37				259		Nut (1/2" NF, Hex., Spec.)	×
38				953		Bolt, Shoulder (5/8 x 1-7/8" NF, Hex.)	×
39				622	**-	Bolt (5/8 x 2-7/8" NF, Hex.)	
40		-		642		Bolt (5/8 x 5-5/16" NF, Hex.)	×
				748		Bolt (5/8" NF, Hex.)(Diesel)	×
40				435		Bolt (5/8 x 11-5/8" NF, Hex.)(Gas)	×
41				287		Bolt (5/8 x 2-5/8" NC, Hex.)	×
41				284		Bolt (5/8 x 2-1/8" NC, Hex.)	×
41				969		Stud (5/8" NC)	x
42				774		Washer (5/8" Heavy Flat)	x
43				433		Washer (5/8" Lock)	x
44				427		Nut (5/8" NF, Hex.)	x
45			375	099	X1	Nut (5/8" NC, Hex.)	×
						(UTILITY AXLE)	
48			183	219	M91	Axle Assembly, Front	1
49				850		Bushing (Flanged)	1
50				221		Pin, Front Axle Pivot	1
51					M91	Rod Assembly, Radius	2
52				623		Bolt, Front Axle (5/8 x 3" NF, Hex.)	4

Notes: (A) - For repairs order 1 each of 183 219 M1 Axle Assembly and 183 221 M1 Pin Assembly.
(B) - For repairs order 1 each of 182 377 M1 Spacer, 182 378 M1 Spacer, 353 621 X1
Bolt, 353 427 X1 Nut, 826 890 M2 Support and (3) 354 285 X1 Bolts.


F1554



#### (MANUAL)

No.						
	-	Pa	rt N	<u>o.</u>	Description	Req
1				M91	Shaft Assembly, Steering, w/Worm	1
2		180	549	M1	Cone, Bearing	1
3		180	548	Ml	Rotainer, Thrust Bearing	1
4		180	547	M1	Eyelet, Steering Worm	
5		180	526	M1	Cup, Bearing	1
6			576		Whol Cross-	1
7	(A)		627		Wheel, Steering	
	(B)		575		Scal, Cover (Rubber)	1
8			572		Seal, Cover (Rubber)	1
9			563		Spring, Steering Shaft	1
10	(A)				Seat, Steering Shaft, Spring	1
	(B)		785		Cap, Steering Column (1-9/64" Long)	1
	(C)		387		Cap, Steering Column (2-1/2" Long)	1
2	(0)		574		Cap, Steering Column (1-5/8" Long)	1
13			573		Seal, Dust (13/16 x 1-9/16 x 3/32" Felt)	1
14			577		Washer (21/32 x 1-27/32 x 3/64")	1
		195	592	Ml	Nut, Steering Shaft Dome	1
15		2	951	X	Key, Wheel to Shaft (3/16 x 3/4" Woodruff)	1
16				M91	Cover Assembly, Housing, Upper	1
17		180	526	Ml	Cup, Bearing	1
8		180	549	M1	Bearing, Roller	1
19				M91	Bearing Assembly, Steering Shaft	ī
0		180	561	Ml	"O" Ring, Cover	1
		830	627	M91	Shim Kit, Housing Cover	×
22					Shim (.002") (Order 830 627 M91)	î
22						
22					Shim (.005")(Order 830 627 M91)	1
22					Shim (.010")(Order 830 627 M91)	1
					Shim (.030")(Order 830 627 M91)	1
6		180	550	M91	Housing Assembly, Steering Gear	1
27		195	590	M1	Stud (3/8" NC - NF x 1-7/16")	2
88		180	553	M1	Bushing (1-1/8 x 1-1/4 x 1-3/8")	2
29		13	710	X	Plug (1-1/4" Expansion)	1
30		180	511	M1	Gasket, Housing	î
31			300		Plug, Housing Filler	î
32		180	557	MI	Gear, Pitman Shaft (Double)	î
33			558		Gear, Pitman Shaft (Single)	1
34				и91	Cover Assembly, Housing, Side	
35			537		Bushing (1-1/8 x 1-1/4 x 27/32")	2
36			560		"O" Ring, Side, Cover (Large)	1
37	1	023				2
	•			M91	Adjuster, Lash, Steering Gear	2
39		030	020	MO I	Shim Kit, Lash Adjuster	x
39					Shim (.063")(Order 830 628 M91)	1
9					Shim (.065")(Order 830 628 M91)	1
					Shim (.067")(Order 830 628 M91)	1
9					Shim (.069")(Order 830 628 M91)	1
0			559		"O" Ring, Side Cover (Small)	2
1			522		Arm, Pitman, Right Hand	1
12			523		Arm, Pitman, Left Hand	1
13			562		Seal. Dust (1-3/32 x 1-7/8 x 3/16" Felt)	2
4		833	455	Ml	Seal, Oil (1-1/8 x 1-7/16 x 1/4")	2
5		375	185	X1	Plug (3/8" Pipe, Sltd. Hd.)	3
8			692		Bolt (3/8 x 1-1/8" NC, Hex.)	x
19			434		Washer (3/8" Lock)	x
50			431		Nut (3/8" NF, Hex.)	×
51		353	700	X1	Bolt (7/16 x 1-1/4" NC, Hex.)	ж
52		353	757	X1	Washer (7/16" Lock)	×
- 0		353	428	X1	Nut (7/16" NF, Half Hex.)	×
33						•
53 54		353	440	X1	Washer (3/4" Lock)	X

Notes: (A) - Used Tractor Serial Number 204 181 and up.
(B) - Used Tractor Serial Number 154 616 thru 204 180.
(C) - Used prior to Tractor Serial Number 154 616.




lst Print

693 063 M4 (Issue 1) 9/70

# (POWER)

Ref.		(POWER)	M -
No.	Part No.	Description	No. Reg.
	Part No.	Description	1104
	183 169 M91	Steering Gear Assembly (Order 189 739 M92 - See Page 143)	1
2	1 751 645 M91	Housing Assembly, Steering Gear	1
3	195 872 M1	Bearing, Needle	1
4	1 793 X	Plug (1-3/8" Expansion)	1
5	195 590 M1	Stud (3/8" NC - NF x 1-7/16")	2
6	180 553 M1	Bushing $(1-1/8 \times 1-1/4 \times 1-3/8")$	2
7	1 751 692 M91	Vent Assembly, Breather	1
8	1 751 666 M91	Shaft Aggembly, Steering	1
9	1 751 637 M91	Adapter Assembly	1
10 11	196 076 M1	Rearing Weedle	1
12	1 751 703 M1	Seal. 011 (1-11/64 x 1-3/4 x 23/64")	1
13	180 561 M1	"O" Ring Adapter	1
14	1 755 047 M91	Valve Assembly (Order 1018 735 M92 - See Page 143)	1
15	1 751 683 M1	Plunger, Valve	10
16	1 018 736 W1	Spring, Valve Plunger	5 2
17	1 751 676 M1	Bearing, Valve Thrust	2
18	1 751 687 M1	"O" Ring, Valve	1
19	1 751 691 M1	Spring, Valve Spool Re-Load	î
20	1 751 647 M1	Nut, Valve Bearing, Lock	î
21	1 751 639 M91	Cover Assembly, Valve  Bearing (13/16 x 1-13/32 x 5/64")	î
22	1 751 700 M1 1 751 702 M1	Seal, Oil (49/64 x 1-3/8 x 25/64")	î
28	1 751 657 M91	Cylinder Assembly	ī
39	1 751 662 M1	Rod, Piston	î.
30	1 751 664 M1	Plate, Rack Stop	ī
31	1 751 659 M91	Adapter Assembly (Order 1019 500 M91 - See Page 143)	ī
32	1 751 701 M1	Seal, Oil (5/8 x 1-1/4 x 25/64")	1
33	1 751 677 W1	"O" Ring, Adapter (Small)	1
34	1 000 543 M1	"O" Ring, Adapter (Large)	2
35	1 751 655 MI	Washer (1/2 x 1 x 3/32")	2
36	1 751 661 M1	Piston. Cylinder	1
37	1 751 663 M1	Ring. Diston	2
38	364 449 X1	Nut (1/2" NF, Hex., Self Locking)	1
39	1 752 931 M1	Gasket, Cylinder	1
40	1 751 665 M1	Rack	1
41	1 751 652 M1	Pin, Rack (3/8 x 27/32")	1
42	1 751 644 M1	Guide, Rack	1
43 44	1 751 643 N1	Cover, Rack Guide	1
44	1 751 688 M1	Shim, Cover (.003")	x
44	1 751 689 M1	Shim, Cover (.005")	×
45	1 751 690 M1 1 751 653 M1	Shim, Cover (.010")	6
50 (		Screw, Cover (3/8" NC, Special)	ĭ
50 (		Gear, Pitman Shaft (Left Hand) (See Note)	î
	A) 1 752 891 M1	Gear, Pitman Shaft (Right Hand) (See Note)	i
51 (	A) 1 751 705 M1	Gear, Pitman Shaft (Right Hand) (See Note)	1
52	180 535 M91	Cover Assembly, Housing, Side	2
53	180 560 M1	"O" Ring, Side Cover (Large)	2
54	1 023 837 M1	Adjuster, Lash, Pitman Shaft Gears	2
	830 628 M91	Shim Kit, Lash Adjuster	1
55		Shim (.063")(Order 830 628 M91)	
55		Shim (.065")(Order 830 628 M91)	
55		Shim (.067")(Order 830 628 M91)	
55 56	100 EEO W1	Shim (.069")(Order 830 628 M91)	
57	180 559 M1 180 522 M1	"O" Ring, Side Cover (Small)	
58	180 523 M1	Arm, Pitman (Left Hand)	1
59	180 562 M1	Seal, Dust (1-3/32 x 1-7/8 x 3/16" Felt)	2
60	833 455 M1	Seal, Oil (1-1/8 x 1-7/16 x 1/4")	
65	1 753 011 M91	Hose Assembly, Pressure	
66	1 753 012 M91	Hose Assembly, Return	
67	1 751 670 M91	Tube Assembly, Cylinder (Valve to Rod End)	1
68	1 751 671 M91	Tube Assembly, Cylinder (Valve to Head End)	1
69	1 751 672 M91	Tube Assembly, Bleed Line	1
70	1 751 875 M1	Fitting, Banjo Type (3/4" Thick)	2
71	1 031 006 M1	Fitting, Banjo Type (7/8" Thick)	. 4
72	763 026 M1	"O" Ring, Banjo Fittings	. 12
73	1 751 876 M1	Fitting, Bolt Type (5/8" NF x 1-11/32")	
74	1 751 675 M1	Fitting, Bolt Type (9/16" NF x 1-15/32")	_
75 76	22 228 X 353 692 X1	Elbow, Bleed Line	. 2
76 77	353 692 X1	Bolt (3/8 x 1-1/4" NC, Hex.)	. 6
78	354 273 X1	Bolt (3/8 x 2-7/8" NC, Hex.)	
79	353 434 X1	Washer (3/8" Lock)	
80	353 431 X1	Nut (3/8" NF, Hex.)	. 2
81	353 432 X1	Washer (7/16" Lock)	. 2
82	353 428 X1	Nut (7/16" NF, Half Hex.)	. 2
83	353 440 X1	Washer (3/4" Lock)	. x
84	353 436 X1	Nut (3/4" NF, Half Hex.)	
-	183 232 M1	Clip, Hose	. 1
86	2· 962 X	Elbow, Home (in Pump)	. 2

Note: (A) - Please check these parts carefully before ordering. See inserts.




1st Print


693 063 M4 (Issue 1) 9/70


# POWER STEERING GEAR


# (SERVICE REPLACEMENT)

Ref.	Part No.	Description	Ho.
1.	189 739 ¥92	Gear Assembly, Steering	1
3	1 751 845 M91	Housing Assembly, Steering Gear	î
3	195 872 M1	Bearing, Needle	ī
<b>4</b> 5	1 793 X	Plug (1-3/8" Expansion)	
6	195 590 M1	Stud (3/8" NC - NF x 1-7/16")	
7	180 553 M1 1 751 692 M91	Bushing (1-1/8 x 1-1/4 x 1-3/8")	
8	1 751 666 M91	Yent Assembly, Breather	1
9	1 017 653 M91	Shaft Assembly, Steering	
10	196 076 M1	Bearing, Needle	
11 (A)	1 751 703 M1	Seal, Oil (1-11/64 x 1-3/4 x 23/64")	
12 (A) 13	180 561 M1	"O" Ring, Adapter (2-39/64" ID x 1/8")	
14	1 018 735 M92	Valve Assembly	1
15	841 524 M91 1 021 063 M91	Repair Kit, Valve	1 5
16	1 021 431 M1	Plunger Assembly, w/Hall Check	_
17	1 018 736 M1	Spring, Centering	
18	1 021 430 M1	Plunger, Centering (Solid)	5
19 20 (A)	1 751 676 M1	Bearing, Valve Thrust	2
20 (A) 21	1 751 687 M1	"O" Ring. Valve (2-53/64" ID x 7/64")	2
22	1 751 691 M1 1 751 647 M1	Spring, Valve Spool Pre-Load	1
23	1 751 639 891	Nut, Valve Bearing Lock	i
24	1 751 700 M1	Bearing (13/16 x 1-13/32 x 5/64")	1
35 (A)	1 751 702 M1	Bes1: 011 (49/64 x 1-3/8 x 25/64")	1
30	1 751 657 M91	Cylinder Assembly	1
31 32	1 751 662 W1	Rod. Piston	1
33	1 751 664 W1	Plate, Rack Stop	1
34 (B)	1 019 500 M91 1 751 701 M1	Adapter Assembly	1
35 (B)	1 751 677 M1	Sea1, Oil (5/8 x 1-1/4 x 25/64")	î
36 (B)	1 000 543 N1	"O" Ring (2-23/32" ID x 1/8")	2
37	1 751 656 MI	Washer (1/2 x 1 x 3/32")	2
38	1 751 661 M1	Piston, Cylinder	1
39 (B)	1 751 663 M1	Ring. Pigton	2
41 (B)	364 449 X1 1 752 931 M1	Nut, Piston Retaining (1/2" MF, Hex., Special)	1
42	1 751 665 M1	Gasket, Cylinder	î
43	1 751 652 M1	Pin. Rack (3/8 x 27/32")	1
44	1 751 644 MI	Guide, Rack	1
45	1 751 643 N1	Cover. Rack Guide	1
46 46	1 751 688 M1	Shim, Cover (.003")	X
46	1 751 689 M1 1 751 690 M1	Shim, Cover (.005")	x
47	1 751 653 M1	Screw, Cover (3/8" NC, Special)	ê
53	1 752 890 M1	Gear, Pitman Shaft (Left Hand)	1
54	1 752 891 M1	Gear, Pitman Shaft (Right Hand)	1
55	180 535 M91	Cover Assembly, Housing, Side	2
56 57	180 560 M1 1 023 837 M1	"O" Ring, Side Cover (2-15/32" ID x 1/8")	2 2
•	830 628 M91	Shim Kit, Lash Adjuster	ĩ
59		Shim (.063")	ī
59		Shim (.065")	1
59		Shim (.067")	1
59 60	028 842 103	Shim (.069")	1
61	835 543 M91 180 559 M1	Adjuster Kit	1
62	22 456 X	Washer (7/16" Lock)	î
63	180 562 M1	Seal, Dust (1-3/32 x 1-7/8 x 3/16" Felt)	2
64	833 445 N1	Seal, 011 (1-1/8 x 1-7/16 x 1/4")	2
65	1 751 670 M91	Line Assembly, Valve to Cylinder (Pront)	1
66	1 751 671 M91	Line Assembly, Valve to Cylinder (Rear)	
68	1 751 672 M91 1 751 875 M1	Line Assembly, Bleed	
69	1 031 006 M1	Fitting, Banjo Type (for Hydraulic Lines)	
70	762 026 N1	"O" Ring, Banjo Fittings (11/16" ID x 7/64")	
71	1 751 876 M1	Bolt, Banjo Fitting (5/8" NF x 1-11/32")	2
72	1 751 675 M1	Bolt, Banjo Fitting (9/16" NF x 1-15/32")	
73	22 228 X	Elbow, Bleed Line	
74 75	353 692 X1 353 693 X1	Bolt (3/8 x 1-1/8" NC, Hex.)	6
76	354 273 X1	Bolt (3/8 x 2-7/8" NC, Hex.)	4
77	353 434 X1	Washer (3/8" Lock)	
78	353 431 X1	Nut (3/8" NF, Hex.)	
79	353 428 X1	Nut (7/16" NF, Half Hex.)	
80	353 440 X1	Washer (3/4" Lock)	
81	353 436 X1 835 681 M91	Beal Kit, Valve Repair (Incl. all items marked "A" and	•
	OUD OUT MAY	8 of 762 026 Ml 'O' Rings)	. 1
	835 682 M91	Seal Kit, Cylinder Repair (Incl. all items marked "B" and	
		4 of 762 026 Ml "O" Rings)	. 1










#### (POWER STEERING)


Ref.			No
No.	Part No.	Description	Rec
		bescription .	1000
1 (A)	182 493 M91	Pump Assembly, Hydraulic	1
2	1 751 632 M91	Reservoir Assembly, Oil	
3	1 017 511 M1	Bolt, Cover	
4	1 017 512 M1	Washer, Cover Bolt	
5	1 017 513 M1	Spring, Element	
6	1 017 514 M1	Cup, Element Retaining	
7	1 751 815 M1	Gasket, Cover	
8	1 008 553 M1	Element, Oil Filter	
9	1 751 818 M1	Cup, Element Seat	
0	1 751 820 M1	Stud, Reservoir Retaining	
.1	1 018 235 M1	Cover Reservoir	
2	1 020 997 M1	Screw, Adjusting	
.3	1 751 630 M1	Spring, Adjusting Screw	
4	1 751 631 M91	Spring Assembly, w/Ball	
5	196 056 M1	"O" Ring (3/4 x 1 x 9/64")	
6	831 585 M1	"O" Ring (9/16 x 3/4 x 7/64")	
7	359 293 X1	"O" Ring (7/16 x 5/8 x 7/64")	
2	1 025 709 M1	Screw (1/4 x 1-3/4" NC. Fill. Hd.)	
3	1 751 770 M1		
4	14 281 X	Screw Assembly (1/4 x 2" NC, Fill. Hd.)	
6	1 751 706 M1	Plug (11/16" Expansion)	
7	1 022 847 M1	Bearing, Needle (Housing and Body)	
8	1 501 333 M1	Gear, Leading	
9	1 022 847 M1	Key, Lead Gear (1/8 x 1/2" Woodruff)	
0	1 025 562 M1	Gear, Follow	
1	1 018 443 M91	Pin, Shear, Follow Gear (1/8 x 3/8")	
2	1 751 650 M1	Shaft, Follow Gear	
3	1 017 319 M1	Pin, Housing to Body (3/16 x 1")	
4	1 751 651 M1	Gasket, Housing to Body	
5	355 791 X1	Seal, 0il (7/16 x l x 3/8")	
6	1 018 835 M1	Ring, Snap, Seal Retaining	
7	13 851 X	Shaft, Pump Drive	
8	355 602 X1	Bearing, Ball	
9		Ring, Snap, Bearing Retaining	
0	1 751 813 M1 1 751 633 M1	Spacer, Bearing (5/8 x 7/8 x 13/32")	
1		Gear, Drive	
_	2 957 X	Key, Drive Gear (1/8 x 1/2" Woodruff)	
2	1 751 753 M1	Nut (3/8" NF, Hex., Self Locking)	
3	354 041 X1	Cotter Pin (1/16 x 3/4")	
4	353 677 X1	Bolt (5/16 x 3/4" NC, Hex.)	
45	353 446 X1	Washer (5/16" Lock)	

Note: (A) - For repairs order (1) 191 423 M92 Pump Assembly and 1 each of 2 272 X, 2 962 x 365 and 364 248 X1.



# (NEVER USED IN PRODUCTION, USED ONLY FOR REPAIRS)

Ref.		, , , , , , , , , , , , , , , , , , , ,	
No.	Part No.		No.
	Part No.	Description	Req.
1	191 423 M92	Duny Association (Co.	
2	1 031 261 M1	Pump Assembly (Cessna #20190-OBCIB)	1
3	1 021 977 M1	Reservoir	1
4	1 023 056 M1	Cover, Reservoir	1
5	1 023 059 M1	Core, Reservoir	1
6	354 503 X1	Spring, Element Tension	1
	835 731 M92	Bolt, Cover Retaining (3/8 x 3-1/4" NF. Hex.)	1
8	836 013 M91	Element Kit	1
9	1 021 980 M1	Gasket, Cover to Reservoir	1
10	1 021 980 MI	Gasket, Cover Bolt	1
11	1 023 057 M1	Element Oil Filter	1
12	1 028 211 M1	Seal, Element, Lower	i
20	1 023 058 M1	Seal, Element, Upper	î
21	1 023 052 M91	Housing Assembly	1
22	375 184 X1	Plug, Housing	i
23 (A)	1 023 054 M91	Valve Assembly, Relief (1125 P.S.I.)	1
	851 134 M1	"O" Ring, Outer (3/4" 1.D. x 3/32")	î
24 (A) 25	831 520 M1	"O" Ring, Inner (5/8" I.D. x 1/16")	1
26	1 021 966 M1	Pin, Housing Locating (1/4 x 1/2")	2
	1 021 971 M91	Plate Assembly, Front	1
28 (A)	1 021 972 M1	Seal, Oil, Front Plate	1
29 (A)	1 021 967 M1	Diaphragm, Pump	1
30 (A)	1 021 968 M1	Gasket, Diaphragm, Back-up	1
31 (A)	1 021 969 M1	Protector, Gasket	_
32 (A)	1 021 970 M1	Seal, Diaphragm	1
33 (A)	1 021 975 M1	Spring, Check Valve	1
34 (A)	361 023 X1	Rall Chock Value (2/18# Na. )	1
35 (A)	1 023 065 M1	Ball, Check Valve (3/16" Dia.)	1
36	1 021 965 M91	"O" Ring, Reservoir to Pump (7/8" I.D. x 3/32")	1
37	1 021 964 M1	Gear Assembly, Idler (Follow Gear)	1
38	1 021 963 M91	Ring, Snap, Idler Gear Retaining	2
39	1 021 964 M1	Gear Assembly, Driven (Lead Gear)	1
40	1 021 974 M1	Ring, Snap, Driven Gear Retaining	2
41	363 552 X1	Gear, Pump Drive	1
42	355 617 X1	Key, Drive Gear (1/8 x 17/32" Woodruff)	1
43	1 021 983 M1	Washer (5/16" Flat)	1
44	1 023 060 M1	Nut, Drive Gear Retaining (5/16" NF, Special)	1
45	22 199 X	Spring, Check Valve	1
46	1 021 981 M1	Ball, Check Valve (3/8" Dia.)	1
47	353 446 X1	Screw, Reservoir Retaining (5/16 x 5/8" NC, Special)	1
48	1 021 973 M1	Washer (5/16" Lock)	1
		Bolt, Front Cover Retaining (1/4 x 2-1/2" NC, Hex.)	1
	835 846 M91	Repair Kit, Seal (Contains all items marked "A")	x
51	191 469 M1	Coolean Programme Coolean Coolean Programme Coolean Co	
53	2 962 X	Gasket, Pump to Block	1
55	2 272 X	Elbow, Pressure Hose to Pump	1
56	364 248 X1	Connector, Return Hose	1
	04 240 XI	Elbow, Return Hose	1




# GEAR SHIFT, TRANSMISSION

#### (DUAL CLUTCH)

Ref.			No.
No.	Part No.	Donordaddon	Req.
	Tare No.	Description	neg.
1	185 805 M2	Lever, Gear Shift	. 1
2	180 440 M1	Lever, Planetary Gear Shift	. 1
3 (A)	180 447 M1	Cup, Gear Shift Lever	. 2
4	180 581 M1	Pin, Lever (1/4 x 1-3/4")	. 2
5	192 007 M1	Spring, Gear Shift Lever	. 1
6	180 583 M1	Seat, Lever Spring	. 1
7	520 858 M1	Cover, Lever	-
8	180 006 M91	Ball, Lever End	. 2
9	180 438 M2	Rail, Shifter, Intermediate and High	
10	180 442 M2	Rail, Shifter, Low and Reverse	. 1
11	180 437 M1	mail, Shifter, Low and Reverse	. 2
12	180 439 M2	Fork, Shifter (Low, Intermediate, High and Reverse)	
13		Rail, Shifter, Planetary	
14	180 446 M1	Selector, Planetary Shifter Rail	
15	180 443 M1	Fork, Shifter, Planetary	. 1
16	180 453 M1	Plate, Lever Stop	
17	180 457 M1	Pin, Selector Lock (7/16 x 1-5/8")	
18	180 418 M1	Plunger, Position Selector	. 3
19	191 221 M1	Spring, Selector Plunger	. 4
20	881 144 M1	Screw, Fork Lock (3/8" NF, Dog Point, Sq. Hd., Drilled)	. 1
20	2 950 X	Plug (1" Expansion)	. 1
25	180 441 M1	Shaft, Main	. 1
26	180 416 M1	Gear, Main Shaft, Intermediate and High	. 1
27 (B)	183 042 M1	Goar, Main Shaft (45 Ext. and 18 Int. Teeth)	. 1
27 (C)	180 422 M1	Gear, Main Shaft (60 Ext. and 18 Int. Teeth)	. 1
28	180 420 N1	Shaft, Pinion, Main Drive	
29	195 493 M1	Bearing, Ball, Main Shaft (1-31/32" ID)	. 1
30	195 363 M1	Ring, Snap	
31	195 502 M2	Bearing, Ball, Main Shaft (1-37/64" ID)	_
32	195 222 M1	Ring. Snap	_
33	195 505 M1	Bearing, Ball, Drive Shaft	
34	195 512 M1	Ring, Snap	. 1
35	195 501 M1	Seal, Oil (1-1/4 x 1-9/16 x 3/8")	. 1
36	180 427 M2	Shaft, P.T.O. Main Drive	. 1
37	195 494 M1	Bearing, Ball, P.T.O. Shaft	
38	180 428 M2	Housing, Drive Shaft	-
39	180 434 M1	Gasket, Housing	. 1
40	195 503 M1	Seal, 0il (1-3/4 x 2-1/4 x 1/4")	
41	180 462 M1	Ring, Snap	
42	200 550 M1	Bearing, Clutch Pilot	
4.0	100 /27 :::		
46	180 405 M1	Gear, Ring, Planetary	
47	180 484 M91	Carrier Assembly, Pinion	
48	180 413 M1	Shaft, Pinion	
49	180 406 M1	Pinion, Planetary	
50	180 410 MI	Roller, Pinion (22 per Path)	
51	180 411 M1	Washer, Roller Retaining (3/4 x 1 x 1/16")	
52	180 412 M1	Washer, Thrust, Pinion (3/4 x 1-3/8 x 1/32")	
53	180 414 M1	Washer, Thrust, Ring Gear (4-1/8 x 5-3/4 x 1/16")	
54	180 409 W1	Pin, Locating (3/8 x 1-1/8")	
55	180 435 M1	Coupler, Planetary Shift	
56	184 012 M3	Cover, Ring Gear, Rear	
57	180 408 M2	Cover, Ring Gear, Front	
58	184 011 M1	Shim, Front Cover	1

Notes: (A) - For repairs order (1) 512 582 M1 Cup and (1) 831 527 M1 "O" Ring. (B) - Used Tractor Serial Number 171 549 and up. (C) - Used prior to Tractor Serial Number 171 549.




# GEAR SHIFT, TRANSMISSION - Cont'd.

(DUAL CLUTCH)

Ref.			
No.	Dowt M-		Ref.
	Part No.	Description	No.
62 (A)	183 054 M91	Countershaft Assembly (15 Spur Teeth)	1
62 (B)	181 440 M91	Counterphaft Assembly (20 Sour Messa)	1
63	195 453 M1	Countershaft Assembly (20 Spur Teeth)	1
64	180 415 M1	Bearing, Needle	1
65	180 419 M1	Pinion, High Speed	1
66	195 493 M1	Pinion, Intermediate Speed	1
67	195 363 M1	Bearing, Ball	1
68	195 500 M1	Ring, Snap (Outer)	1
69	181 799 M1	Ring, Snap (Inner)	1
70	195 499 M1	Gear, Countershaft	1
71	180 429 M1	Ring, Snap, Gear Retaining	1
72	195 507 M1	Shaft, P.T.O. Main Drive, Front	1
73	180 421 M1	Bearing, Ball	1
74	195 497 M1	Gear, P.T.O. Shaft	1
75	180 430 M1	Ring, Snap	1
76	180 431 M1	Washer, Thrust, P.T.O. Shaft	
77	180 432 M1	Housing, P.T.O. Shaft, Bearing	
78	195 502 M2	Gasket, Bearing Housing	
79	195 512 M1	Bearing, Ball	1
80	195 222 W1	Ring, Snap, Housing (Large)	1
81	180 433 M1	Ring, Snap, Bearing (Small)	1
82	181 237 M1	Cover, P.T.O. Bearing Housing	
	TOT ZO! MI	Gasket, Cover	1
86	180 445 M1	Shaft, Reverse Gear	1
87 (A)	183 040 M1	Gear, Reverse Shaft (13 & 21 Teeth)	
(A)	830 735 M91	Bearing Kit, Reverse Gear Cluster	. 1
89	183 038 N1	Washer, Roller Spacer (1-1/64 x 1-13/64 x 7/32")	
90	183 037 M1	Washer, Roller Retainer (1-1/64 x 1-13/64 x 1/16")	
91	183 039 M1	Roller, Reverse Gear (28 Per Path)	
92	180 458 M1	Washer, Reverse Gear (1 x 1-5/8 x 1/16")	
93	180 476 M1	Stop, Reverse Shaft	. 1
96	180 445 N1	Shaft Bounes Cook	,
97 (B)	180 424 M1	Shaft, Reverse Gear	
98 (B)	22 166 X		
99	180 458 W1	Bearing, Needle, Reverse Gear	
100	180 476 M1	Washer, Reverse Gear (1 x 1-5/8 x 1/16")	
	200 410 81	Stop, Reverse SHAIL	
105	353 678 X1	Bolt (5/16 x 7/8" NC, Hex.)	. x
106	353 446 X1	Washer (5/16" Lock)	. x
107	353 689 X1	Bolt (3/8 x 3/4" NC, Hex.)	. х
108	353 690 X1	Bolt (3/8 x 7/8" NC, Hex.)	
109	354 270 X1	Bolt (3/8 x 2-5/8" NC, Hex.)	
110	353 434 X1	Washer (3/8" Lock)	. x

1st Print

Notes: (A) - Used Tractor Serial Number 171 549 and up.
(B) - Used prior to Tractor Serial Number 171 549.




# (SINGLE CLUTCH)

Ref.	Part No.	(SINGLE CLUTCH)	No.
1		Description	Req.
2 3 (A) 4 5	185 805 M2 180 440 M1 180 447 M1 180 581 M1	Lever, Gear Shift.  Lever, Planetary Gear Shift.  Cup, Gear Shift Lever.  Pin, Lever (1/4 x 1-3/4").	. 1
6 7 8	192 007 M1 180 583 M1 520 858 M1	Spring, Gear Shift Lever. Seat. Lever Spring. Cover, Lever.	. 1
9	180 006 M91 180 438 M2 180 442 M2	Rail, Shifter, Intermediate and High	. 2
11 12 13	180 437 M1 180 439 M2 180 446 M1	Rail, Shifter, Low and Reverse Fork, Shifter (Low, Intermediate, High and Reverse)	. 2
14 15 16	180 443 M1 180 453 M1 180 457 M1	Selector, Planetary Shifter Rail Fork, Shifter, Planetary Plate, Lever Stop	. 1
17 18 19	180 418 M1 191 221 M1 881 144 M1	Pin, Selector Lock (7/16 x 1-5/8")	. 1
20	2 950 X	Plug (1" Expansion)	. 4
25 26 (B) 26 (C)	180 416 M1 183 042 M1 180 422 M1	Shaft, Main Gear, Main Shaft, Intermediate and High Goar, Main Shaft, Low (45 Ext. and 18 Int. Teeth)	. 1
27 28 29	180 420 M1 195 493 M1 195 363 M1	Gear, Main Shaft, Low (60 Ext. and 18 Int. Teeth). Shaft, Pinion, Main Drive	. 1
30 31 32	195 502 M2 195 222 M1 195 505 M1	Ring, Snap Bearing, Ball, Main Shaft (1-37/64" ID)	. 1
33 34 35	195 512 M1 180 428 M2 180 434 M1	Bearing, Ball, Drive Shaft	1
36 37 38	195 523 M1 180 462 M1 200 550 M1	Seal, Oil (1-1/8 x 2-1/4") Ring, Snap Bearing, Clutch Pilot	1
12 43 44	180 405 M1 180 484 M91 180 413 M1	Gear, Ring, Planetary	1
45 45 47	180 406 M1 180 410 M1 180 411 M1	Pinion, Planetary Roller, Pinion (22 Per Path) Washer, Roller Retaining (3/4 x 1 x 1/16")	132
49 50	180 412 M1 180 414 M1 180 409 M1	Washer, Thrust Pinion (3/4 x 1-3/8 x 1/32")	6 2 2
61 52 33 54	180 435 M1 184 012 M3 180 408 M2	Coupler, Planetary Shift	1 1
58 (B)	184 011 M1 183 085 M1 180 503 M1	Shim, Front Cover	. 1
59 50 61	180 415 M1 180 419 M1 195 493 M1	Countershaft (w/20 Spur Teeth)	1
62 53 64	195 363 M1 195 500 M1 181 799 M1	Bearing, Ball Ring, Snap (Outer) Ring, Snap (Inner) Gear, Countershaft	1
65 38 87	195 507 M1 195 499 M1 180 433 M1	Bearing, Ball	1
50 53 50	181 237 M1 195 512 M1 180 445 M1	Gasket, Cover	1
71 (B) (B)	183 040 M1 830 735 N91 183 038 M1	Gear, Reverse Shaft (13 and 21 Teeth)Bearing Kit, Reverse Gear Cluster	. 1 . 1
15 (C)	183 037 M1 183 039 M1 180 424 M1	Washer, Roller Retainer (1-1/64 x 1-13/64 x 1/16")	. 56
17 (C) 18 79	22 166 X 180 458 M1 180 476 M1	Bearing, Needlo, Reverse Gear	. 2
80 81 82	353 678 X1 353 446 X1 353 689 X1	Bolt (5/16 x 7/8" NC, Hex.)	v
83 84 35	353 699 X1 353 690 X1 354 270 X1 353 434 X1	Bolt (3/8 x 7/8" NC, Hex.). Bolt (3/8 x 2-5/8" NC, Hex.). Washer (3/8" Lock)	. x

Notes: (A) - For repairs order (1) 512 582 M1 Cup and (1) 831 527 M1 "O" Ring.
(B) - Used Tractor Serial Number 171 549 and up.
(C) - Used prior to Tractor Serial Number 171 549.


F 1556



Ref.	Dant No.		No.
	Part No.	Description	Req.
1 (A)	880 309 M91	Case Assembly, Transmission	,
2	184 592 M1	Bushing Cluster State 12 1 1/2 1 1/2 1 1/2 1	1
3	180 801 M1	Bushing, Clutch Shaft (1 x 1-1/16 x 1-1/2")	2
4	894 683 M1	Bushing, Brake Shaft (1-3/8 x 1-1/2 x 7/16")	2
5	894 685 M1	Plug, Expansion (1-1/16" Cup Type)	
6	894 684 M1	Plug, Expansion (11/16" Cup Type)	1
7	354 076 X1	Plug (1" Sq. Hd., Pipe Special)	1
8		Cotter Pin, Transmission Drain Hole (3/16 x 1")	1
9	189 449 M1	Washer, Reverse Cluster Spacer	1
10	184 789 M1	Stop, Reverse Idler Shaft	1
11	353 690 X1	Bolt, Stop (3/8 x 7/8" NC, Hex.)	1
-	828 020 M1	Washer, Tab, Stop Bolt	1
15 (B)	182 839 M93	Case Accombly Transmission	
16	184 592 M1	Case Assembly, Transmission	1
17	180 801 M1	Bushing, Clutch Shaft	2
18	183 071 M1	Bushing, Brake Shaft	2
19		Plug (9/16" Cup Type)	1
20 (A)	353 963 X1	Stud (7/16" NC-NF x 1-5/8")	1
21 (C)	520 478 M1	Cover, Case Bottom	1
22	180 482 M1	Cover, Case Bottom	1
23	180 481 M1	Gasket, Cover	1
24	195 466 M1	Plug, Drain (Magnetic)	1
~~	353 901 X1	Bolt (5/8 x 1-1/4" NC, Hex.)	4
28	184 859 M1		
29	180 444 M1	Pedal, Clutch	1
30	180 449 M1	Shaft, Clutch Pedal	1
31	184 628 M1	Shaft, Clutch Pedal Pivot	1
31	180 452 M1	Fork, Clutch Release Shaft (Dual Clutch)	1
33	180 448 M3	Fork, Clutch Release Shaft (Single Clutch)	1
	100 446 M2	Carrier, Clutch Release Bearing (1-27/32" Wide) (Used with	
34	822 004 113	833 084 M1 or 833 085 M1 Bearings)	1
-	833 084 M1	Bearing, Clutch Release (Dual Clutch) (.885" Wide) (Aetna #A-2287-17)	
34	972 005 43	(Used with 180 448 M3 Carrier)	1
• •	833 085 M1	Bearing, Clutch Release (Single Clutch) (1.526" Wide)	
33	100 100	(Aetna #A-2336-37)(Used with 180 448 M3 Carrier)	1
0.0	183 129 M2	Carrier, Clutch Release Bearing (2" Wide) (Used with	
34	900 000	892 862 M1 or 894 303 M1 Bearing)	1
04	892 862 M1	Bearing, Clutch Release (Dual Clutch)(.87" Wide)	
34	904 000	(Hoffman #N-1660K) (Used with 183 129 M2 Carrier)	1
34	894 303 M1	Bearing, Clutch Release (Single Clutch)(1.53" Wide)	
35	100 004	(Hoffman #N-1697A) (Used with 182 129 M2 Carrier)	1
	193 334 M1	Spring, Release Bearing Carrier	2
36	180 002 M1	Screw, Fork (3/8 x 1-1/4" NF, Dog Pt., Sq. Hd.)	2
37	353 699 X1	Bolt, Transmission Case to Block (7/16 x 1-1/8" NC. Hex.)	1.1
38	353 571 X1	Bolt, Clutch Pedal (7/16 x 2-1/2" NF, Hex.)	1
39	353 432 X1	Washer (7/16" Lock)	i
40	353 426 X1	Nut (7/16" NF, Hex.)	1
46	180 769 M1		
47	353 501 X1	Lever, Adjusting Clutch Pedal Stop	. 1
48		Bolt (1/4 x 1/2" NF, Hex.)	. 1
49	353 754 X1	washer (1/4" Small Flat)	
-	353 441 X1	washer (1/4" Lock)	3
50	353 918 X1	Nut (1/4" NF, Hex.)	1
51	180 770 M1	Bolt (3/8 x 7/8" NF, Hex., Spec.)	
52	195 681 M1	Washer, Spring	1
53	353 434 X1	Washer (3/8" Lock)	1
54	353 431 X1	Nut (3/8" NF, Hex.)	. 1

Notes: (A) - Service Replacement.
(B) - For repairs order (1) 880 309 M91 Case Assembly and (1) 353 963 X1 Stud.
(C) - For repairs order (1) 520 478 M1 Cover and (1) 354 066 X1 Cotter Pin.

F 1557



#### DIFFERENTIAL HOUSING

Ref.			No.
No.	Port No.	Description	Req.
1 (A)	192 253 M3	Housing, Differential (Uses 1/2" Studs) (See Rear Axle Group)	1
1 (B)	181 402 M1	Housing Differential (Uses 7/16" Studs) (See Rear Axle Group)	1
2	886 549 M2	Cocket Undraulic list Cover	1
3	521 181 M1	Combot Transmission to Differential Housing	
4	884 691 M1	Disc Drain	
5	180 474 M1	Conket Drain Diug	
6	161 218 M91	Cover Accombly Oil Level Indicator	
7	181 217 M1	Cooket Oil Level Cover	
8	193 400 M1	Yaddankan Oil Toyol	
9	100 905 M1	mi	
10	180 904 M2	Contrat Company Din	
11	181 225 M91	municular annual manual might	
12	825 774 M1		
13	181 439 M93	at the Annual Poly Done Drive	
14	195 513 M1		
15 (C)	182 088 M1	m	
15 (D)	130 467 M1	Coupling, Rear Drive	1
21	354 039 X1	Cotter Pin (1/16 x 1/2")	х
22	254 416 X1	0-44 ni- /2/16 x 2-1/2")	
23	354 007 X1	D-14 /1/4 w 1 9/8" NF HOT )	
24	353 922 X1		
25	195 569 M1	man 1 / / / / / M M M M M M 1 1 / 16" )	
26	353 916 X1	WILL AR JOH NE MAY )	
2?	353 680 X1		
28	353 434 X1	- 1 (n (n) x - a)	
29	353 696 X1		
30	353 562 X1		
31	353 426 X1	Nut (7/16" NF, Hex.)	^

Notes: (A) - For repairs order (1) 884 726 M93 Center Housing (13) 366 766 X1 Bolt (13) 366 627 X1

But (2) 353 704 X1 Bolt (2) 353 568 X1 Bolt (11) 353 565 X1 Bolt and (1) 509 422 M92

Center Housing Service Kit (Service Kit See Page 159).

(3) For repairs order (1) 884 726 M93 Center Housing (2) 831 888 M1 Cup (13) 366 766 X1

Bolt (13) 366 627 X1 Nut (2) 353 704 X1 Bolt (2) 353 568 X1 Bolt (11) 353 565 X1 Bolt


(1) 190 606 M91 Sleeve Assembly and (1) 509 422 M92 Center Housing Service Kit

(Service Kit See Page 159). (Cervice Kit See Page 159).

(C) - Used Tractor Serial Number 169 566 and up.


(L) - Used prior to Tractor Serial Number 169 566.

D 1200



Ref.			No.
	Part No.	Description	Req.
2 3 3 3 4 5 6 7 7 8 9 10 11	509 422 M92 190 127 M2 833 354 M1 832 711 M1 898 088 M1 141 343 M1 353 723 X1 353 439 X1 353 437 X1 375 098 X1 880 695 M1 882 011 M1 898 643 M1 180 904 M2 831 934 M1	Kit Assembly, Center Housing Service.  Gasket, P.T.O. Cover.  Stud (1/2 x 2-1/16" NC)  Stud (1/2 x 2-3/4" NC-NF)  Stud (1/2 x 2-3/8" NC-NF)  Spacer.  Bolt (1/2 x 1" NC, Hex.)  Washer (1/2" Lock)  Nut (1/2" NF, Hex.)  Nut (1/2" NC, Hex.)  Plug.  Washer.  Pin, Pump Support  Gasket, Pump Support Pin.	1 4 4 4 4 4 4 1 1 2
12 13	832 008 M1 353 440 X1	Stud (3/4 x 2-3/4" NC-NF)	4
14	353 435 X1	Nut (3/4" NF Her )	_


F1558



No.			Pa	rt N	ο.	Description	No. Req.
			-		_	Description .	Ke q.
2	(A)			541		Clutch Assembly	1
3		1	753	747	M2	Cover, Clutch	1
4	(n)			103		Plate, Pressure (9")	1
5	(B)	1		749		Plate, Pressure (11")	1
6			182	842	Ml	Spring, Pressure Plate (9")	1
7				753		Disc Assembly, Driven (9")	1
8		1	753	748	M1	Plate, Flywheel	1
9	(0)	1	754	681	M2	Lever, Clutch Release (.328" Dia. Hole w/Shoulder)	3
10	(C)	1	753	960	Ml	Lever, Clutch Release (.323" Dia. Hole w/no Shoulder)	3
11				046		Cotter Pin (3/32 x 1/2")	3
12		1		752		Pin, Lever Pivot (5/16 x 2-11/16")	3
13				521		Pin (1/8 x 5/8" Roll)	3
14		1		964		Bolt, Lever Adjusting	3
15	(1)			430		Nut, Adjusting Bolt (3/8" NF, Half Hex.)	3
16	(D)	1	753	962	Ml	Link, Release Lever	3
17				965		Pin, Link	3
18	101			902		Spring, Torsion (5/8" Dia. Pivot Hole)	3
19	(E)	1		963		Spring, Torsion (7/16" Dia. Pivot Pin Hole)	3
20				124		Bolt, Clutch Bracket	3
21	(F)			917		Nut, Bracket Bolt (5/16" NF, Half Hex.)	3
22	(r)			118		Pin, Rod (5/16" x 1-7/16")	3
23				746		Spring, Pressure (Yellow)	12
24		1		751		Washer, Insulating, Pressure Spring	12
25					M91	Disc Assembly, Clutch Drive (11")	1
26					M91	Facing Kit, Clutch	1
27				127		Rivet, Clutch Facing (Order 835 577 M91, Box of 36)	36
28				558		Ring, Air, Flywheel	1
29				450 752		Bolt, Cover to Flywheel	6
			13	132		Washer (5/16" Lock)	6
	(G)		182	463	M93	Clutch Assembly	1
35				107		Cover, Clutch	1
36				103		Plate, Pressure, Outer	1
57				106		Plate, Pressure, Intermediate	î
38				104		Plate, Pressure, Inner	1
39				842		Spring, Pressure Plate (9")	2
40		1		750		Lever, Clutch Release	3
41				1.25		Spring, Lever Tension	3
42			181	121	Ml	Bolt, Lever Adjusting	3
43			181	119	MI	Pin, Lever, Pivot (5/16 x 2-1/2")	3
44			195	479	MI	Pin (1/8 x 5/8" Roll)	3
45			181	123	MI	Rod. Clutch End	3
46			181	118	MI	Pin, Rod (5/16 x 1-7/16")	3
47			353	518	3 X1	Screw, Cap	6
48			353	917	7 X1	Nut (5/16" NF, Half Hex.)	6
49		1			M92	Disc Assembly, Clutch Driven (9")	1
50			835	830	M91	Facing Kit, Clutch	1
51			181	126	N1	Rivet, Facing	8
55			182	841	M91	Disc Assembly, Clutch Drive (11")	1
56					M91	Facing Kit, Clutch	1
57				127		Rivet, Facing (Order 835 576 M91 Box of 24)	24
58				450		Bolt, Cover to Flywheel	6
59			19	752	2 X	Washer (5/16" Lock)	6
No	tes:	(A)	- 1	Jsed	Tracto	or Serial Number 177 395 thru 177 519, 177 538 and up.	
		(B)	- I	or 1	epaire	order (1) 1031 853 Ml Plate and (6) 1031 854 Ml Links.	
		(C)	- 1	or r	epaire	s order (1) each of 1022 902 M1 Spring and 1754 681 M2 Lever.	
		(D)	- 1	or 1	epairs	s order (6) 1024 251 Ml Links (3) 1028 657 Ml Pin (3) 1028	
			6	558 N	11 Spac	ers (3) 1753 752 M2 Pins (3) 1753 965 M2 Pin and (3) 1754 681 M2 Levers.	
		(E)	- 1	for r	repairs	order (1) 1022 902 M1 Spring and (1) 1754 681 M2 Levers.	
						order (1) 1028 657 M1 Pin and (1) 1028 658 M1 Spacer.	

 <sup>(</sup>r) - ror repairs order (1) 1028 657 Ml Pin and (1) 1028 658 Ml Spacer.
 (G) - Used prior to Tractor Serial Number 177 395; also used Tractor Serial Number 177 520 thru 177 537.


F373-1



#### (AGRICULTURAL TYPE)

Ref.			, , , , , , , , , , , , , , , , , , ,			
No.		Dant No		No.		
-	•	Part No.	Description	Req.		
1		180 263 M91	Cover Assembly, Release Plate	1		
2		180 262 M1	Plate, Pressure			
3		180 251 M2	Lever, Release	3		
4		1 509 295 M1	Spring, Lever	3		
5		180 252 M1	Pin, Releaso Lever	3		
6		354 046 X1		3		
7		180 256 M1	Pin, Cotter (3/32 x 1/2")	3		
8		1 001 298 M1	Screw, Adjusting, Release Lever			
9		180 257 M1	Nut, Adjusting Screw	3		
9		180 258 M1	Spring, Pressure (Lavender)	3		
11		180 253 M1	Spring, Pressure (Brown)			
14			Cup, Pressure Spring	6		
15		181 114 M91	Disc Assembly, Clutch (9")			
16		841 247 M91	Facing Kit, Clutch Lining	1		
		1 003 304 M1	Rivet, Friction Disc	24		
			(INDUSTRIAL TYPE)			
20		185 923 M91	Cover Assembly, Release Plate	1		
21		1 752 990 M1	Plate, Pressure	1		
22		180 251 M1	Lever, Release	3		
23		180 254 M1	Spring, Lever	3		
24		180 252 M1	Pin, Release Lever	3		
25		354 046 X1	Pin, Cotter (3/32 x 1/2")	3		
26		180 256 M1	Screw, Adjusting, Release Lever	3		
27		1 001 298 M1	Nut, Adjusting Screw	3		
28		1 752 991 M1	Spring, Pressure	6		
29		1 021 788 M1		6		
30		1 752 992 M1	Washer, Insulating (25/32 x 1-5/32 x 1/8")	6		
31		100 000				
34		193 621 M91	Cup, Pressure Spring	6		
35		180 066 M1	Disc Assembly, Clutch (9")	6		
36		353 446 X1	Bolt, Clutch to Flywheel	6		
			SPLIT TORQUE			
			(DUAL CLUTCH REPLACEMENT)			
		830 858 M91	Clutch Assembly, Split-Torque	1		
		185 896 M91	Cover Assembly, Clutch			
41		1 752 990 M1	Plate, Pressure			
42		180 251 M1	Lever, Release			
43		1 754 630 M1	Spring, Lever			
44		180 252 M1	Pin, Release Lever			
45		354 046 X1	Pin, Cotter (3/32 x 1/2")			
46		180 256 MI	Screw, Adjusting, Release Lever			
47		1 001 298 M1	Nut, Adjusting Screw			
48		1 752 991 M1	Spring, Pressure			
49		1 752 992 M1	Washor, Insulating (25/32 x 1-5/32 x 1/8")	6		
50		1 752 992 M1	Washer, Retainer	6		
51		180 253 M1	Cup, Pressure Spring	6		
	(A)	185 895 M91	Disc Assembly, Clutch	1		
53		184 918 M1	Filler, Flywhoel	1		
54		184 919 M1	Strap, Clutch Attaching			
55		353 681 X1	Bolt, Cover to Filler (5/16 x 1-1/4" NC, Hex.)			
		353 679 X1	Bolt, Strap to Flywheel (5/16 x 1" NC, Hex.)	. 6		
5,65		353 446 XL				
56		JOU TTO AL	Washer (5/16" Lock)	. 18		
57		BAS USE MI	Regring Assoubly Clutch Polones (1 1/98 W44-)			
57 60	(B)	833 085 M1 183 366 M1	Bearing Assembly, Clutch Release (1-1/2" Wide)	. 1		

Notes: (A) - For repairs order 1 each of 512 355 M91 Cover and 185 892 M94 Disc Assembly and 184 558 M1 Ring.
(B) - For repairs order (1) 180 448 M3 Carrier and (1) 193 334 M1 Spring.



Ref.			No.
No.	Part No.	Description	Red.
1	183 248 M92	Housing Assembly, Axle, Right Hand (Takes 1/2" Studs)	. 1
1	183 248 M92	Housing Assembly, Axle, Right Hand (Takes 7/16" Studs)	. 1
1	183 250 M91	Housing Assembly, Axle, Left Hand (Takes 1/2" Studs)	. 1
1	183 250 M92	Housing Assembly, Axle, Left Hand (Takes 7/16" Studs)	1
2	195 160 M1	Cup, Bearing, Inner	. 1
3	180 802 M1	Bushing, Brake Cross Shaft	
4	13 710 X	Bushing, Brake Cross Shait	
5	183 254 M1	Plug (1-1/4" Expansion)	
6	185 389 M91	Gasket, Housing, Inner	–
7	185 400 M1	Axle Assembly, Rear	
8		Bolt, Rear Wheel Disc	
9	180 004 M1	Nut, Wheel Disc Bolt	. 2
10	181 232 M1	Gasket, Housing, Outer	
10	183 259 M1	Shim, Housing (.003" to .005")	x
10	183 260 M1	Shim, Housing (.015" to .017")	
11	183 261 M1	Shim, Housing (.020" to .022")	. x
12	195 678 M2	Seal, Oil (2-1/8 x 2-7/8 x 7/16")	
13	183 256 M92	Retainer Assembly, Axle	
14	300 975 M1	Cup, Bearing	1
15	195 675 M1	Cone, Bearing	. 2
16	180 596 M1	Collar, Shaft Bearing	–
	195 677 M1	Seal, 011 (2-3/4 x 3-5/8 x 19/32")	2
17	827 707 M1	Drum, Brake	2
18 19	181 229 M1	Shaft, Lower Link	2
19	182 278 M1	Screw, Drum to Axle	4
22	181 258 M1	Stud (7/16" NF x 2-39/64")	х
23	353 432 X1	Washer (7/16" Lock)	х
24	353 426 X1	Nut (7/16" NF, Hex.)	х
25	376 860 X1	Stud (1/2" NC-NF x 1-3/4"),	х
25	353 962 X1	Stud (7/16" NC-NF x 1-5/8")	x
25	353 963 X1	Stud (7/16" NC-NF x 1-3/4")	x
26	353 437 X1	Nut (1/2" NF, Hex.)	x
26	353 426 X1	Nut (7/16" NF, Hex.)	x
27 (A	) 183 269 M1	Stud (7/16" NC - 1/2" NF x 1-3/4")	x
27 (A	) 183 270 M1	Stud (7/16" NC - 1/2" NF x 1-7/8")	x
28	353 774 X1	Washer (5/8" Reg. Flat)	
29	360 262 X1	Nut (5/8" NF, Hex., Self Locking)	

Note:(A) - Special Service Studs are used when Axle w/1/2" Holes is used w/Differential Housing w/7/16" Holes.

1st Print

F 227-2 INSERT C INSERT A INSERT B

#### (USED TRACTOR SERIAL NUMBER 169 467 AND UP)

```
No.
No.
              Part No.
                                                    Description
                                                                                                                Heq.
             182 087 M91
                                Differential Assembly, Complete......
            181 974 M91
882 232 M1
   (A)
                                   181 275 M1
                                   Pinjon, Differential Case
Washer, Pinjon Thrust
Spider, Differential Pinjon
Gear, Differential
Washer, Gear Thrust
             514 958 MJ
181 276 MI
             181 249 M3
             181 247 M1
                                   Gear Set, Mated.

Gear, Ring (37 Teeth) (Order 1885 317 M92).

Pinion, Bevel (6 Teeth) (Order 1885 317 M92)

Bolt (1/2 x 1-3/4" NP, Dld. f/Cotter Pin).

Nut (1/2" NF, Hex., Sltd.).

Cotter Pin (1/8 x 1-1/8").
           1 885 317 M92
10
11
12 (B)
             181 266 M1
13
             353 926 X1
14
             354 061 X1
             195 159 M1
191 250 M1
                                   16
17
             196 097 M1
18
    (C)
             190 606 M91
19
             181 253 M1
20
21
22
                                     Pin, Dowel.....
    (C)
             831 888 M1
                                   (D)
             181 251 M92
             181 253 M1
195 163 M1
23
24
                                    (D)
    (E,F)
              181 251 M91
              181 253 M1
                                    (E)
              195 163 M1
27
              180 798 M1
28
29
              180 455 M1
180 456 M1
                                 30
              182 091 M1
31
32
              195 690 M1
              195 160 MI
                                 Cup, Boaring...

Bolt (9/16 x l-1/4" NC, Hex., Special)...

Washer (9/16" Lock)...
33
              181 224 M1
              353 447 X1
                                  (USED PRIOR TO TRACTOR SERIAL NUMBER 169 467)
              181 271 M91
                                 Differential Assembly, Complete.....
                                   ifferential Assembly, Complete.

Case Assembly

Bolt, Differential Case.

Pinion, Differential.

Washer, Pinion Thrust.

Spider, Differential.

Gear, Differential.

Washer, Differential Thrust.

Gear qud Pinion, Matched Set.

Gear, Ring (40 Teeth) (Order 181 262 M91).

Pinion, Bevel (6 Teeth) (Order 181 262 M91).

Bolt (1/2 x 1-3/4" NF, Dld. f/Cotter Pin).

Nut (1/2" NF, Hex., Sltd.).

Cotter Pin (1/8 x 1-1/8").

Cone, Bearing.
              181 974 M91
              181 246 M1
              181 275 M1
              181 277 M1
              181 276 M1
7
 78
              181 249 M1
              181 247 Ml
              181 262 M91
    (B)
              181 266 M1
 13
              353 926 X1
 14
15
              354 060 X1
195 159 M1
195 195 M1
                                    Cone, Bearing....
Bearing, Pinion Pilot (1" ID).....
                                    Cone, Bearing ...
 16
              195 496 M1
                                    21 (D)
22
23 (D)
24 (E,F)
25
              181 251 M92
                                    181 253 M1
              195 163 M1
              181 251 M91
              181 253 M1
 26 (E)
27
28
29
                                    195 163 M1
100 798 M1
              180 455 M1
                                  Nut, Bearing Adjusting Nut Lock


Gear, P.T.O. Drive (23 Int. and 31 Ext. Teeth)

Riug, Snap, P.T.O. Drive Gear Lock

Cup, Bearing

Bolt (9/16 x 1-1/4" NC, Hex., Special)

Washer (9/16" Lock)
               180 456 M1
  30
               180 797 M1
 31
32
               195 690 M1
               195 160 M1
               181 224 M1
195 553 M1
  33
  Notes: (A) - For repairs order (1) 191 170 M91 Case (5) 882 118 M1 Shims and (1) 886 305 M1
                 Adapter.
              - For repairs order 1 each of 825 776 M1 Bolt and 891 947 M1 Seal.
- 181 251 M93 Sleeve contains two Single Taper Bearing Cups. Order Sleeve from illustration. See Insert A.
                 181 251 M92 Sleeve contains two Single Taper Bearing Cups. Order Sleeve from
                 illustation. See Insert B.
              - 181 251 M91 Sleeve contains one double Taper Bearing Cup. See insert C. - For repairs order 181 251 M92 Sleeve Assembly.
```




# BRAKES

Ref.			No.
No.	Part No.	Description	Req.
			1
1	181 959 M1	Shaft, Cross	ì
2	181 962 M1	Pedal Brake, Left Wheel	1
3	194 491 M91	Pedal, Brake, Right Wheel	1
4	195 910 M1	Bushing Right Dedal (1-3/8 x 1-1/2 x 1-3/4")	1
5	180 864 M1	Arm Cross Shaft	
6	181 964 M1	Wagher Cross Shaft	1
7	195 904 M1	Ring Snan Dedal Retaining	1
8	12 501 X	Voy (1/4 v 1" Woodruff)	2
9	181 960 M1	Tock Brake Dedals	1
10	181 958 M1	Spring Lock	1
11	182 009 M91	Conton Accombly Dirking Brake	1
12	181 149 M1	Actuator Darking Latch	-
13	181 150 M1	Intah Darking	_
14		Pin, Latch	-
15	195 242 M1	Spring, Parking Latch	_
16	180 809 M1	Cap, Radius Rod Ball	2
17	180 867 M1	Cap, Radius Rod Ball	×
18	180 868 M1	Shim, Ball CapSpacer, Ball Cap	2
19	180 869 M1	Spacer, Ball CapPlate, Ball Cap Spacer	1
19	180 870 M1	Plate, Ball Cap Spacer	
0.0			2
22	183 257 M91	Plate Assembly, Backing	. 1
23	830 480 M92	Lining, Kit w/Shoe (Set of 4)	. 1
23	830 481 M92	Lining Kit, w/Shoe (+.030") (Set of 4)	. 2
24	180 827 M1	ALLA MILL Addunting Comon	
25	180 826 M1	manual manual Addition to the second and the second	
26	180 831 M1	mantan Additional from Company	
27	180 832 M1	a think the Comon (Orange)	
28	180 815 M1		
29	180 814 M1	Property American Tiles	
30	180 828 M1	main Amelian	-
31	180 836 M1	n b b b b b b b	
32	180 833 M1	m to the Held Down	
33	180 834 M1	m - 1 A 1 - 1 m M M M M M M M M M M M M M M M M M M	
34	180 835 M1		
35	181 965 M1		
36	16 346 X		
37	355 434 X1		
38 (A)	180 838 M91		
39 (B)	183 160 M91		
39 (C)	181 971 M91		
40	195 270 M1		
41	353 430 X1	** 4 (D (D)) NET TION	
42	195 604 M1		
43	180 811 M1	no to de Demiso Antuging	
44	180 812 M1	No 1 Course /1 1/29 v 1-7/8 x 1/10 1 44444444444444444444444444444444	
45	180 813 M1	Spring, Cover Washer	. 2
43	100 013 MI		
50	13 811 X	Grease Fitting (1/4" NF, Str.)(Order 1900 487 M91, Pkg. of 10)	. х
	354 055 X1		
51	354 057 X1	- · · · - · · · /3 /0 · · · 2 /4 !! \	
52	195 900 Ml	- /c/20 1 c/OH NE Elat Hd )	
53			
54	195 454 M1 353 571 X1	= 14 /2 /1C + 0 1/01/ NF HOY )	•
55			
56	353 432 X1		
57	353 426 X1		
58	195 597 Ml	Washer (3/4" Lock)	)
59	353 435 X1	Mar (c) • 117 112	

Notes: (A) - Used Tractor Serial Number 186-190 and up.


(B) - Used Tractor Serial Number 176 746 thru 186 189. For repairs order
1 each of 183 187 M91 Rod Assembly, 195 270 M1 Yoke and 353 430 X1 Nut.

(C) - Used prior to Tractor Serial number 176 746. For repairs order 1 each
of 195 270 M1 Yoke, 181 981 M91 Rod Assembly and 353 430 X1 Nut.



Ref.	Part No.		Description	No Reg	
1	191 204 400			•	
2 (A)	181 204 M92 180 463 M1	Shaft Asser	nbly, P.T.O		
3	180 461 M1	Siceve, P.	f.O. Shaft		1
4	195 453 M1	Busning, S	leeve (1-7/8 x 2 x 1-1/2")		
5 (A)	180 464 M1	Bearing, N	Possition		
6	100 404 MI		searing		
7	195 284 M1	Ring Span	Desvine Potaining		
8	195 506 M1	Seal Oil	(1-3/4 × 2-11/16 × 3/4")		1
9	180 465 M1	Retainer	011 Seal		1
10	195 522 M1	"O" Ring.	Retainer		ı
11	180 460 M1	Retainer.	End		1
12	180 313 M1	Cap. P.T.O	. Shaft		1
13 (B)	182 090 M1	Gear, Grou	nd Speed P.T.O. (10 Int. and	32 Ext. Teeth)	l
13 (C)	180 469 M1	Gear, Grou	nd Speed P.T.O. (10 Int. and	28 Ext. Teeth)	L
14	180 502 M1	Hub, P.T.O	. Drive (w/out G.S. P.T.O.)		
20	181 211 M91	Fork Assem	bly, P.T.O. (w/G.S. P.T.O.)		1
20 (D) 21	181 268 M91	Fork Assen	bly, P.T.O. (w/out G.S. P.T.O	.)	
22	180 418 M1	Plunger, F	ork		
23	180 417 M1	Spring, Pl	unger		
23	181 214 M1	Cover, P.7	.O. (In Differential Housing)	(w/G.S. P.T.O.)	
24	181 269 M1	Cover, P.7	.O. (w/out G.S. P.T.O.)		
25	181 217 M1 195 467 M1	Gasket, Co	ver		
26	353 760 X1				
27	192 431 M2	wasner (5)	O Shifton		
28	195 468 M1	Div Lover	. (1/4 × 10 Poll)		
30	353 696 X1			х	
31	353 697 X1			X	
		5520 (1, 2,			
			P.T.O. EXTENSIONS		
35	182 014 M92	Shaft Ass	embly, Extension, w/Coupling		L
36	185 083 M91	Guard Ass	embly, Extension Shaft		L
37	353 529 X1				
38 39	353 446 X1				
38	353 916 X1	Nut (5/16	' NF, Hex.)		1
			(USED LATE MODEL TRACTORS)		
42	182 785 M1	Housing.	Shaft Extension		ı
44	182 788 M1				
46	196 095 M1				
47	196 096 M1	Ring, Sna	p, Bearing Retaining		1
48	192 787 M1	Spacer, C	oupling (2-35/64" Long)		L
50	181 282 M1				1
51	16 928 X				1
52	181 289 M91				1
53	353 698 X1				3
54	353 432 X1	washer (7	/16" Lock)		3
		(	USED EARLY MODEL TRACTORS)		
58	181 284 M1				1
-		Shaft Ass	embly, Extension (Order Compon		1
60	181 283 M1				1
61	181 282 M1				1
62	13 659 X	Cone, I	earing	••••••••••	2
63	16 928 X	Pin, Si	.eeve (3/10 x 2-1/4" kd. hd.).		1
64	195 715 M1 16 234 X				1 2
65 66	181 285 M1				X
66	181 286 M1	Shim (.00	)5")		x
66	181 287 M1	Shim (.0	12")		x
67	353 702 X1	Bolt, Co	ver to Housing (7/16 x 1-1/2"	NC, Hex.)	2
68	353 433 X1	Washer (	7/16" Lock)		3
69	181 289 M91	Guard Ass	sembly, Shaft		1
70	195 716 M1				1
71	181 288 M1 365 572 X1				1
72	363 312 XI	Grease F.	total (1/0 P.F. Str.) (Order	1500 402 MSI, PRE OI 10)	1
Notes:			98 645 M91 Sleeve Assembly.		
			ber 169 196 and up. erial Number 169 196.		
			81 211 M91 Fork Assembly & (1)	181 270 M1 Dlug	
Printe	d in U.S.A.	lst Print	TO-35 TRACTOR	693 063 M4 (Isaue 1) 9/7	70
4				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	


F234-2



Ref.			
No.	Part No.		No.
_		Description	Req.
1	180 013 M91	Bernette A. C. C.	
2	15 854 X	Housing Assembly, Pulley Drive	1
3	16 234 X	Cup, Bearing (Inner)	1
4	15 853 X	Cup, Bearing (Outer)	1
5	GK 4 203	Cone, Bearing (Inner)	1
6		Cone, Bearing (Outer)	1
7	180 019 M1	Pinion, Pulley Drive	1
8	180 020 M1	Hub, Pulley Drive Pinion	1
9	195 474 M1	Seal, Oil (2 x 2-3/4 x 1/2")	ī
10	195 527 M1	Seal, Oil Pinion Shaft (7/8 x 1-5/8 x 1/8")	î
11	675 222 N1	Washer Dinion Chaft	î
12	180 016 M91	Washer, Pinion Shaft	1
	AT 1 040	Gear Assembly, Pulley Drive	1
13	195 682 N1	Bearing, Ball	1
14	667 556 M1	Ring, Snap	1
15	180 015 M1	Washer, Drive Gear	1
16	195 472 M1	Housing, Input Bearing	1
17	195 473 M1	Bearing, Needle	1
18		Seal, Oil (1-3/4 x 2-1/8 x 3/16")	1
19	180 021 M1	Gasket, Bearing Housing	1
20	195 251 M1	Plug (3/4" Pipe, Sq. Hd.)	1
25	19 467 X	Plug (2-5/8" Expansion)	1
26	354 070 X1	Pin, Cotter (5/32 x 1-1/2")	1
27	354 050 X1	Pin, Cotter (3/32 x 1")	1
28	353 698 X1	Screw, Cap, Bearing Housing to Housing (7/16 x 1" NC)	5
29	353 964 X1	Stud, Pulley Drive to Reduction Gear (7/16" NC - NF x 1-7/8")	4
	353 432 X1	Washer (7/16" Lock)	9
30	353 426 X1	Nut (7/16" NF, Hex.)	4
31	353 925 X1	Nut (7/16" NF, Sltd. Hex.)	i
32	353 928 X1	Nut, Hub to Pinion (3/4" NF, Sltd. Hex.)	i
		, (0/7 Nz, Data, New,)	-
36	677 702	Pulley Assembly, Fiber (Order on Whole Goods)	1
37	353 558 X1	Bolt, Pulley to Hub (7/16 x 7/8" NF, Hex. Hd.)	
38	353 432 Y1	Washer (7/10) tools	4

TO-35 TRACTOR


Printed in U.S.A.




Ref.	Part No.		No.
	THE MOT	Description	Req.
1 2 (B)	677 240	Drawbar (Order on Whole Goods)	1
2 (A)	181 986 M1	Stay, Drawbar, Upper (5/16" Thick, w/One Hole)	2
3 (B)	185 397 M1	Stay, Drawbar, Upper (7/16" Thick, w/Five Holes)	2
3 (A)	181 985 M1	Stay, Drawbar, Lower (5/16" Thick, w/One Hole)	2
4	185 396 M1	Stay, Drawbar, Lower (7/16" Thick, w/Five Holes)	2
5	180 901 M91	Pin Assembly, Hitch	1
6	195 559 M1	Eye, "S" Hook, Hitch Pin Retaining	1
7	195 340 M1	Chain (11 Links)	1
8	180 913 M1	Anchor, Chain	1
9	180 912 M92	Retainer Assembly, Hitch Pin	1
10	180 913 M2	Anchor, Chain	1
11	195 344 M1	Chain (8 Links)	1
13	196 280 M91	Linch Pin Assembly	1
15	181 846 M92	Extension Assembly, Drawbar	1
16	182 811 M1	Bolt, Hook	2
	183 103 M2	Brace, Stay	2
20	353 561 X1	Bolt(7/16 x 1-1/4" NF, Hex.)	x
21	353 564 X1	Bolt (7/16 x 1-5/8" NF, Hex.)	×
22	353 963 X1	Stud (7/16" NC - NF x 1-3/4")	×
23	353 772 X1	Washer (7/16" Large Flat)	×
24	353 426 X1	Nut (7/16" NF, Hex.)	×
25	353 867 X1	Bolt(5/8 x 2-1/2" NF, Carr.)	×
26	353 433 X1	Washer (5/8" Lock)	×
27	353 427 X1	Nut (5/8" NF, Hex.)	x
		(USED EARLY MODEL TRACTORS)	
	181 842 M91	Extension Assembly, Drawbar	1
	182 811 M1	Hook Bolt, Drawbar	2
	181 841 M1	Brace Stay	2
		SWINGING TYPES	
31	184 611 M1	Paramba	
33	184 607 M91	Drawbar	1
34	184 630 M1	Support Assembly, Drawbar	1
35	195 708 M1	Pin, Pivot, DrawbarPin, Retaining, Pivot Pin	i
36	353 710 X1	Bolt (7/16 x 2-1/2" NC, Hex.)	×
37	353 432 X1	Washer (7/16" Lock)	×
38	355 645 X1	Nut (7/16" NC, Hex.)	×
39	354 281 X1	Bolt (5/8 x 1-3/8" NC,   ex.)	×
40	354 282 X1	Bolt (5/8 x 1-5/8" NC, Hex.)	×
41	353 433 X1	Washer (5/8" Lock)	×
	,,,	manier (b) Dock/	^
45	181 758 M91	Pin Assembly, Drawbar Clevis	1
46		Lever, Latch (Order 181 758 M91)	1
47	195 794 MJ	Pin, Lever (5/16 x 1-1/2" Groove)	1
48	181 759 M1	Spring, Latch	1
49	181 760 MI	Detent, Latch	1
52	181 766 M91	Guido Assembly, Drawbar	1
53	181 765 M1	Drawbar, Swinging	
54	181 764 M1	Plate, Drawbar Guide	
55	181 763 M1	Spacor, Plate (1/2 x 3/4 x 7/8")	
56	181 767 M91	Strut Assembly, Guide Support	1
57	181 762 M1	Bushing, Strut Pivot (1/2 x 3/4 x 1/4")	2
68	353 855 X1	Bolt (1/2 x 1-1/4" NF, Carr.)	
69	353 599 X1	Bolt (1/2 x 2" NF, Hex.)	. x
70	353 758 XJ	Washer (1/20 Box Flat)	×
		Washer (1/2" Reg. Flat) Washer (1/2" Lock)	x
71 72	353 439 XI	Nut (1/2" NF, Hex.)	. x
• -	353 437 X1 181 757 M1	Stud (5/8" NC-NF x 2-9/16")	
73		Stud (5/8" NC-NF x 2-9/16")	. х
74	181 756 M1	Washer (5/8" Lock)	, x
75 76	353 433 X1 353 427 X1	Nut (5/8" NF, Hex.)	. x
70	333 747 XI	Nut (0/0 Nr   HUA.)	. х


Notes: (A) - Used Tractor Serial Number 182 870 and up.
(B) - Used prior to Tractor Serial Number 182 870.


F600 -1












# WHEELS


# FRONT


Ref.			No.
No.			Req
-	Part No.	Description	
1	140 000 100	theel Assembly, Front (Takes 4.00 x 19 Tire)	. 2
1	180 367 W91		
2	195 638 M91	Wheel Assembly, Front (Takes 6.5d x 10 The Condition Hub Assembly, Front Wheel	. 2
3	180 338 491		
4	763 402 VI		
3	850 127 M1	Cup, Bearing, Outer	. 6
6	181 328 11	Bolt (1/2" NF, Special)	. 2
7	350 351 X1	Cone, Bearing. Inner	. 2
8	130 662 111	Cone, Bearing, Inner	. 2
9	180 008 31		
•	180 010 AI		
10	353 928 X1	Nut (3/4" NF. Hex., Sltd.)	. 2
11	354 068 X1		
12 (A)	191 142 WI		
13 (A)	13 811 X		
14 (B)	180 009 MI		
15	195 490 MI	Nut. Hub Bolt	
		REAR	
		MANUAL ADJUSTING	
18	182 618 112	Rim, Rear Wheel (Takes 13 x 24 Tire)	. 2
19	182 617 WI	Disa When Conton	
20	182 619 VI	m1 - m1	
21	353 616 X1	n. 14 A1 / E /O O 1 /O" VF MOY.) (ODT10081 W/333 134 A4/***********************************	
22	353 731 X1	Bolt. Clamp (5/8 x 2-1/8" NF. Button Hd.) (Optional w/353 616 N1)	
23	353 427 X1	Nut (5/8" NF, Hex.)	. 12
•	335 427 XI	•	
26	186 017 1191	Rim Assembly, Rear Wheel (Takes 13 x 24 Tire)	. 2
27	186 186 WI	Dies Thus Coulou	
28	180 876 MI	Bolt, Rim to Disc	. 12
32	180 863 M91	Rim Assembly, Rear Wheel (Takes 11 x 28 Tire)	. 2
33	193 701 1191	Disa Thual Contor	
34	180 876 W1	Bolt Dim to Dier	
35	353 427 X1	Nut (5/8" NF, Hex.)	. 12
	300 421 AI	aut (576 ar, acatherine	

Notes: (A) - Used Tractor Serial Number 231 396 and up.
(B) - Used prior to Tractor Serial Number 231 396.

F600-51







# WHEELS

185


#### REAR

#### POWER ADJUSTING

No.   Part No.   Description		0.
1 751 395 M92   Rim Assembly, Rear Wheel (Takes 11 x 28 Tire)     1 755 056 M1	•	eq.
18 1 751 407 M1 Block, Eccentric		2 2 8 8 8 4 4 4 2 2 8 1 1 1 1 8 4 4 4 1 1 1 1 1 1 1 1 1 1 1
Nut (5/8" NC, Hex.)		16
182 718 M1 Washer, Spacer, Power Adjusting Wheel		2
31       181 769 M1       Spacer, Dual Wheel (11")		16 2

Note: (A) - For repairs order 1 each of 353 775 X1 Washer and 375 100 X1 Nut.

Printed in U.S.A.




# (USED TRACTOR SERIAL NUMBER 176 341 AND UP)

Ref.			
No.	Part No.	Description	No. Req.
1	184 769 M92	Hood Assessable	
2	184 767 M91	Hood Assembly	1
3	180 789 M2	Panel Assembly, Hood Service Door	1
4	180 799 M2	Spring, Service Panel, Upper	
5	195 687 M1	Spring, Service Panel, Lower	2
6	184 674 M1	Pin, Spring Hinge Bracket	2
7		Knob, Service Panel	1
8	831 240 M1	Washer, Knob (3/8 x 13/16 x 1/64", Fiber)	1
9	831 599 M1	Washer, Knob (17/64 x 5/8 x 1/32", Special)	1
10 (A)	180 673 M1	Bumper, Service Door	2
10 (B)	188 321 M91	Panel Assembly, Side, Right	1
10 (C)	186 640 M91	Panel Assembly, Side, Right	1
	180 651 M92	Panel Assembly, Side, Right	1
10 (A)	188 322 M91	Panel Assembly, Side, Left	1
10 (B)	186 635 M91	Panel Assembly, Side, Left	1
10 (C)	180 652 M91	Panel Assembly, Side, Left	1
12 (D)	180 634 M91	Bracket Assembly, Side Panel, Right	1
12 (E)	180 635 M91	Bracket Assembly, Side Panel, Left	1
14 (F)	180 656 M91	Grille Assembly, Upper	1
15	180 630 M1	Nut, Grille Attaching	2
16 (G)	186 888 M91		1
16 (H)	180 615 M91	Grille Assembly, Lower (Gas)	1
16	184 988 M91	Grille Assembly, Lower (Gas)	
17	180 718 M1	Grille Assembly, Lower (Diesel)	1 2
18	180 654 M1	Bolt, Pivot, Hood	2
19	355 583 X1	Rod, Hood Latch	2
20 (J)	183 194 M2		1
21	180 690 M1	Plate, Name, Front (Ferguson)	
22	189 099 M1	Bracket, Name Plate Mounting	1 2
23 (K)	196 247 M1	Decal "Ferguson 35 Special"	_
24 (L)	196 245 M1	Decal "Ferguson 35 Diesel"	2
25	196 200 M1	Decal "Ferguson 35 Deluxe"	2
25		Decal "Ferguson System" (Left Hand)	1
26	196 211 M1	Decal "Ferguson System" (Right Hand)	1
	196 363 M1	Decal "MF Trade Mark" (Seat)	1
	183 158 M1	Decal "Hi-Altitude"	2
30 31	354 415 X1	Cotter Pin (5/32 x 2-1/4")	×
32	353 753 X1	Washer (#10 Small Flat)	x
	353 980 X1	Screw (3/16 x 3/8" NC, Rd. Hd.)	×
33	353 445 X1	Washer (3/16" Lock)	x
34	353 501 X1	Bolt (1/4 x 1/2" NF, Hex.)	X
35	353 783 X1	Bolt (1/4 x 1/2" NF, Carr.)	×
36	353 754 X1	Washer (1/4" Reg. Flat)	x
37	353 441 X1	Washer (1/4" Lock)	×
38	353 918 X1	Nut (1/4" NF, Hex.)	x
39	353 689 X1	Bolt (3/8 x 3/4" NC, Hex.)	x
40	353 434 X1	Washer (3/8" Lock)	x
Notes:	(A) - Used Tractor	Serial Number 206 289 and up.	
	(B) - Used Tractor	Serial Number 204 408 thru 206 288.	

- (C) Used Tractor Serial Number 176 341 thru 204 407.
- (D) For repairs order 1 each of 189 307 M91 Bracket, 354 199 X1 Screw and 375 107 X1 Nut.
- (E) For repairs order 1 each of 189 308 M91 Bracket, 354 199 X1 Screw and 375 107 X1 Nut.
- (F) For repairs order 1 each of 191 383 M91 Grille, 189 308 M91 Bracket, Left and 189 307 M91 Bracket, Right.

- (G) Used Tractor Serial Number 204 408 and up.
- (H) Used prior to Tractor Serial Number 204 408.
- (I) For repairs order (1) 187 990 M1 Hood Ornament and (2) 831 643 M1 Nut. (K) For repairs order (1) 189 100 M1 Decal and (1) 189 097 M1 Decal. (L) For repairs order (1) 189 100 M1 Decal and (1) 189 098 M1 Decal.




# (USED PRIOR TO TRACTOR SERIAL NUMBER 176 341)

Ref.			
No.	Part No.		w
	PATE NO.	Description	No.
1	180 660 M91		Req.
2		Hood Assembly	
3	180 679 M1	Button, Service Panel Latch, Rear	1
4	180 518 M1	Rivet, Hood Latch Lavor	. 1
5	180 645 M1	Rivet, Hood Latch Lever.	2
6	180 646 M1	Lever, Service Panel Latch, Rear	1
7	764 055 M1		
8	353 954 X1	Pin, Roll	2
9	180 680 M1	The same of the sa	•
10	180 644 M1	- Total Col vice Panel Laich, Front	
11	180 647 M1	Delvice Panel Latch, Front	•
	180 602 M91	Trans, betvice Panel Lever	-
12	180 788 M1	" " " " " " " " " " " " " " " " " " "	
13	180 789 M2	O O O O O O O O O O O O O O O O O	
14	180 799 M2		•
15	180 673 M1	-F i minge Spring Reiber	2
16	180 651 M92		
17	180 650 100	- Masemory, Side, Right Hand	
18 (A)	180 624 401	- and a debuttly, Side, Left Hand	•
19 (B	180 625 401	Stacket Assembly, Side Panel, Right	ī
20 (C	180 656 M91	bracket Assembly, Side Panel, Left	ī
21	180 630 M1	dille Assembly, Upper	î
22	180 615 M91	nut, office Attaching,	2
23	180 718 M1	oratic assembly, Lower	ī
24	180 654 M1	Bolt, Plvot, Mood	2
25		nod Assembly, Hood Latch	2
26	355 583 X1	Wat (5/10 NF, Wing)	1
27	195 687 M1	Fig. Binke, Service Hood	2
28 (D)	180 690 M1	bracket, mounting, Front Name Plate	1
29	TAG TOF WI	Tate, Name, Front ("Ferguson")	1
30	183 193 M1	Plate, Name, Side ("Ferguson 35")	_
00	195 679 M1	Nut, Speed	2 6
35			0
36	354 415 X1	Cotter Pin (5/32 x 2-1/4")	_
37	353 753 X1.	washer (#10 Small Flat)	×
38	353 980 X1	Screw (3/16 x 3/8" NC, Rd. Hd.)	×
39	353 445 X1	ugaier (2) 10., Fock)	x
40	353 501 X1	DOIL (1/4 x 1/2" NF. Hex.)	×
41	353 783 X1	Bolt (1/4 x 1/2" NF, Carr.)	x
42	354 241 X1	Bolt (1/4 x 9/16" NF, Carr.)	×
	353 754 X1	washer (1/4" Reg. Flat)	×
43	353 441 X1	washer (1/4" Lock)	×
44	353 918 X1	Nut (1/4" NF, Hex.)	×
45	353 689 X1	BOIL (3/8 x 3/4" NC, Hex.)	x
46	353 434 X1	Washer (3/8" Lock)	x
			X

Notes: (A) - For repairs order 1 each of 189 307 M91 Bracket, 354 199 X1 Screw and 375 107 X1 Nut.


<sup>(</sup>B) - For repairs order 1 each of 189 308 M91 Bracket, 354 199 X1 Screw and 375 107 X1 Nut.

<sup>(</sup>C) - For repairs order 1 each of 191 383 M91 Grille, 189 308 M91 Bracket, Left and 189-307 M91 Bracket, Right.
(D) - For repairs order (1) 187 990 M1 Hood Ornament and (2) 831 643 M1 Nut.




No.	Part No.	Description	No
1	202 020		-
2	181 313 M91	Pan Assembly, Seat	
	513 351 M91	Cover Assembly, Seat (Less Inlay)	
4	181 326 M1	Inlay, Seat (Foam Rubber)	
5	1 883 385 M1	Support, Back Rest	
•	513 353 M91	Cover Assembly, Back Rest (Less Inlay)	
7	181 324 M1	Inlay, Back Rest (Foam Rubber)	
8	353 807 X1	Bolt, Support to Pan (3/8 x 7/8" NF, Carr.)	
9	355 584 X1	Nut (3/8" NF, Wing)	
10	181 316 M92	Bracket Assembly, Seat Mounting	
-	181 319 M1	Bumper, Seat (1 x 2 x 7/16" Rubber)	
11	354 239 X1	Screw, Bumper (1/4 x 1/2" NC, Flat Hd.)	
12	181 322 M1	Link, Scat Hinge	
13	181 320 M1	Pin, Hinge (3/8 x 7-5/16")	
14	181 321 M1	Pin, Hinge (3/8 x 6-7/8")	
18	181 330 M91		
19		Pan Assembly, Seat	
0	181 333 M1	Spring, Seat	
21	180 289 M1	Bumper, Pan	
2	181 338 M91	Hinge Assembly, Seat	
3	181 322 M1	Link, Seat Hinge	
4	181 321 M1	Pin, Hinge (3/8 x 6-7/8")	
5	181 320 M1	Pin, Hinge (3/8 x 7-5/16")	
5 6	354 410 X1	Screw (5/16 x 7/8" NC, Truss Hd.)	
7	353 793 X1	Bolt (5/16 x 7/8" NF, Carr.)	
8	353 446 X1	Washer (5/16" Lock)	
-	354 122 X1	Nut (5/16" NC, Hex.)	
9	353 916 X1	Nut (5/16" NF, Hex.)	
		PLATFORMS	
2	180 717 N91	Platform Assembly (Step) (Left Side) (Gas & Std. Motors Diesel)	
2	186 725 M91	Platform Assembly (Step) (Left Side) (Perkins Diesel)	
3	191 929 M92	Platform Assembly (Step) (Right) (Gas & Std. Motors Diesel)	
3	193 064 M92	Platform Assembly (Step) (Right Side) (Perkins Diesel)	
4	180 590 M1	Bracket, Step	
5	353 807 X1	Bolt (3/8 x 7/8" NF, Carr.)	
6	353 434 X1	Washer (3/8" Lock)	
7	353 431 X1	Nut (3/8" NF, Hex.)	
		FENDERS	
0 (A)	180 736 M92	Fender Assembly, Left Hand (Incl. Items #42 thru #45)	
1 (A)	180 707 M92	Fender Assembly, Right Hand (Incl. Items #42 thru #44)	
2 (B)	181 956 M91	Panel Assembly, Left	
2	181 955 M92	Panel Assembly, Right	
(C)	180 740 M1		
	180 740 MI	Support, Panel, Lower	
(C)	180 741 MI 180 737 MI	Support, Panel, Upper	
	160 /3/ MI	Box, Tools	
(D)	513 355 M91	Fender Assembly	
	513 347 M91	Panel Assembly	
	513 349 M1	Bracket, Fender	
	353 518 X1	Bolt (5/16 x 7/8" NF, Hex.)	
	353 755 X1	Washer (5/16" Flat)	
	353 446 X1	Washer (5/16" Lock)	
	353 916 X1	Nut (5/16" NF, Hex.)	
	353 537 X1	Bolt (3/8 x 7/8" NF, Hex.)	
	353 541 X1	Bolt (3/8 x 1-3/8" NF, Hex.)	
	353 756 X1	Washer (3/8" Reg. Flat)	
	353 434 X1	Washer (3/8" Lock)	
	353 431 X1	Nut (3/8" NF, Hex.)	
	353 648 X1	Bolt (5/8 x 6-1/8" NF, Hex.)	
	353 433 X1	Washer (5/8" Lock)	
	353 427 X1	Nut (5/8" NF, Hex.)	
_			
		order (1) 513 355 M91 Fender Assembly.	
tes: (A)	- For repairs	order (1) 513 355 M91 Fender Assembly. order (1) 513 347 M91 Panel Assembly.	

F 1559



Ref.			19.
No.	Part No.	Description	O.
1 2	1 751 491 M1		Req.
3	1 751 492 M1 1 751 507 M1	Body, Male Half Body, Female Half	1
4 5	1 751 506 MI		î
6	1 751 489 M1	bens, Red	1
7	1 751 496 M1 1 751 499 M1	Gasket, Lens. Lens, Side. Gasket Side Lens	2
8	1 751 483 M1	ononet, blue Lens.	2
8	761 509 MI	Dalo, Dalety Lamp (12 Volt)	1
10	1 751 497 M91	Bulb, Safety Lamp (6 Volt). Cable Assembly.	1
11	1 750 236 M91 1 751 488 M1	, and was county, Capie Fug	1
12	1 751 486 M91	or onine C, Caple (1) Body)	î
13 14	1 751 484 MT	"I'c asemply	1
15	1 751 495 MT	Spring, Wire Bracket, Lamp Mounting	1
16	542 748 M1 1 751 505 M91	Socket, Bracket Holding	1
17 18	1 751 502 M1	rate assembly, Cable Storage	ī
19	1 751 504 MI	crip, Cable Retaining	1
20	1 751 710 M1	Clip, Plug Retaining. Rivet, Clip (1/8 x 3/16" Rd. Hd., Tubular)	4
25	1 751 500 M1 1 751 711 M1	Stud, Lamp Mounting (7/16" NF. Special)	1
26 27	1 751 751 M1	Screw (#8 - 32 x 5/8" Phillips Hd.)	×
28	353 791 X1	Screw (#8 = 32 x 1" Rd.Hd.). Bolt (5/16 x 5/8" NF, Carr.).	×
29	353 446 X1 353 916 X1	agency (2) 10 Pock)	×
30	353 432 X1	Hat (3/10" NF. HCX.)	×
31	355 595 X1	masher (//16, Fock)	×
		Nut (7/16" NF, Wing)	x
		PAINT	
35 36	830 721 M1	Beige (12 oz. "Spray-On")	
37	830 722 M1	Beige (Quart)	×
35	830 723 M1 195 622 M1	beige (Gailon)	x
36	195 620 MI	oray, Light (12 oz. "Spray-On")	×
37 35	195 621 M1	Gray, Light (Quart). Gray, Light (Gallon)	×
36	830 718 M1	oray, Filint Metallic (12 oz. "Spray-On")	X
37	830 719 M1 830 720 M1	Oray, Fint Metallic (Quart)	×
35	195 954 M1	Gray, Flint Metallic (Gallon) Green, Dark Metallic (12 oz. "Spray-On")	×
36 37	195 952 M1	diedi, park metallic (Duari)	x
35	195 953 M1 830 696 M2	orcen, bark metallic (Gallon)	×
36	830 707 M2	ned Enamel (12 02, "Sprav-Un")	×
37 35	830 708 M2	Red Enamel (Quart). Red Enamel (Gallon).	×
36	830 693 M1 830 694 M1	Bronze (12 oz. "Spray-On")	x
37	830 695 M1		×
		Bronze (Gallon)	x
		TOOLS	
42	180 090 M1	Wrench, Open End (3/8" and 7/16")	
43	180 089 M1	Wichell Open and (1/2" and U/16")	1
44 45	180 108 M1 180 091 M1		1
46	180 092 M1	"TOTOLI SPAIN PIUE	ī
47	182 613 M1	Crank. Starting (Gag)	1
47	890 351 M1		1
	827 5G2 M1 827 5G3 M1		i
48	182 093 M92	Cup, Starting Crank Retaining (Diesel). Handle Assembly, Power Adjusting Wheels	1
49	182 096 M1	"A CHOM, DOUNCE, POWER AUTUSTING Whaple (Head m/1951 305 years	1
49 52	187 557 M1 1 750 597 M1	"JULIA DUCKEL, POWER ADJUSTING Whoole (Hood - /1951 not won	1
52	1 750 599 M1	Bullet 1776 Pump (10 MM).	ī
53	1 750 598 M1	Washer, Adapter	1
54	1 750 600 M1		1
58 58	1 753 116 M1 1 753 115 M1		1
59	1 753 490 M1	Adapter, Tire Pump (14 MM)	1
		CIGARETTE LIGHTER	1
66			
67	1 018 444 M91	Lighter Assembly (Order 677 277 Whole Goods Number)	1
68	1 018 445 M91		1
69 70	1 022 704 M91 1 018 875 M1	"ILC ASSORDIY (23" LONG)	1
. •	ma	Puse	1


F 1560



#### LIFT LINKS, LIFT RODS, STABILIZER

Ref.		Part No.	Description	No. Req.
1				1
3		193 181 M1	Box Assembly, Lift Leveling (Order Components) Box, Lift Leveling	1
4 (		182 641 M1	Sheft = (n4=4on (0.30/64" long)	1
	(B)	181 346 M1	Shaft w/Dinion (14-5/8")	1
6 7 (	(A)	195 457 M1	Donaing Dinton Chaft	1
_	(B)	182 391 M1 181 347 M1	Fork, Lift Rod (14"Long)	î
8	,	181 345 M1	Coom 7464 Torrow	1
9		193 066 M1	Innam 1464	1
10 11		195 648 M1	Direct town /2/16 w 7/9" Out 1 Ud )	1
12		11 475 X	Plug, Box (1-3/4" Expansion)	1
13		180 853 M1 180 860 M1	Knuckle, Leveling Box	î
14		354 059 X1	Ontton Dim (1/0 m 1/1)	1
15		13 811 X	Cuones Eisting /1/4" MF Str 1(Order 1900 48/ M91, DKE, OI IV/	2
16 18		182 554 M92	Dad Angerblu 14f4	1
19		180 853 M1	Knuckle, Lift RodPin, Knuckle	3
20		180 860 M1 182 897 M1	Amelian Objects Objects	2
21 (	(C)	180 861 M91	Chair tenants Chack	2
23		180 333 M1	Claude Chash Chain	2
25 (	'D)	195 239 M1	Dim Cloude	2
26	,	180 856 M91 180 859 M1	Eyebolt Assembly Bushing, Eyebolt (7/16 x 5/8 x 1-1/2")	2
27		354 055 X1	Continu Nim (3/9 m 1/2")	4
28		354 057 X1	Cotter Din (1/8 v 3/4")	2
29 30		354 059 X1	Cotton Din (1/8 x 1")	3
31		353 964 X1 353 757 X1	Stud (7/16" NC-NF x 1-7/8")	2
32		353 426 X1	Nut (7/16" NF Hov.)	4
33		353 925 X1	Nut (7/16" NF, Hex., \$1td.)	2
38 (	(4)	100 con 401		1
38		182 633 M91 180 847 M91	Link Assembly, Lower, R.H. (5/8" Thick)(Incl. items 42 thru 46) Link Assembly, Lower, R.H. (1/2" Thick)(Incl. items 42 thru 46)	î
40		182 632 M91	Tink Accembly 1 cover 1. H (5/8" Thick)(Incl. 11ems 42 thru 40)	1
40 (	(B)	180 846 M91	Link Assembly Lower, L.H. (1/2" Thick)(Incl. items 42 thru 40)	1
42		195 645 M1	Clip, Linch Pin Retaining	2
44		16 898 X 195 344 M1	ChainChain	ĩ
45		196 280 M91	Tinch Din Accombly	1
46			Pin Linch (Order 196 280 M91)	1
47 48		181 229 M1	Shaft, Lower Link	2 2
49		354 059 X1 353 774 X1	Washer (5/8" Large Flat)	2
50		353 927 X1	Nut (5/8" NF. Hex., S1td.)	2
51		181 778 M1	Link Stabilizer	2
53 53		181 775 M91 181 776 M91	Bracket Assembly, Stabilizer, Right	1
55		181 777 M1	Pin Link.	î
56		195 344 M1	Chain (8 Links)	1
57		195 346 M1	Pin, Linch	1
58 59		195 347 M1 354 089 X1	Ring, Linch Pin Rotaining  Cotter Pin (1/4 x 1-1/4")	
60		353 433 X1	Washer (5/8" Lock)	
61		353 427 X1	Nut (5/8" NF, Hex.)	1
65		100 OFF WO.	Link Aggamble Hanar	3
67		180 855 M91 181 351 M91	Link Assembly, UpperLink Assembly, Upper Half	1
69		181 353 M91	Link Assembly, Lower Half	
71		353 562 X1	Bolt (7/16 x 1-3/8" NF, Hex.)	
72		353 830 X1	Bolt (7/16 x 1-1/2" NF, Carr.)	
73 74		353 772 X1 353 426 X1	Washer (7/16" Large Flat)	
75		195 373 M1	Anchor, Chain	
76		195 340 M1	Chain, Linch Pin (11 Links)	. 1
77		195 344 M1	Chain, Eye Hook (8 Links)	
78		195 347 M1	Ring, Linch Pin	
79 80		195 346 M1 195 559 M1	Eve. Hook.	
81		195 647 M1	Pin, Implement Attaching	
82		195 589 M1	Pin, Upper Link Attaching	. 1
83		195 340 M1	Chain, Eye Hook (11 Links)	
84 85		195 344 M1 195 347 M1	Chain, Linch Pin (8 Links)	
86		195 347 MI 195 346 MI	Pin, Linch	
87		195 559 M1	Eye, Hook	. 1
88		354 074 X1	Cotter Pin (3/16 x 3/4")	. 2


F 239-2



Ref						
No.		D				No.
	_	Pari	No	•	Description	Req.
1 3		180 9	910	MI	Arm Hudward to Litt	
4		180 9	17	MI	Arm, Hydraulic Lift	2
-		180 9			Washer, Lift Arm	2
5		180 9			Clip, Locking, Lift Arm	2
6		355 2	200	m1	Shart, Link, Hydraulic Lift Cover	1
7		191 6	00	ΥI	Screw, Link Shaft (5/16 x 5/8" Cup Pt. Skt. Hd.)	1
8		181 (			Bushing, Lift Shaft (2 x 2-3/8 x 1-13/32")	4
9	(A)	195 5	65	Ml	"O" Ring, Lift Shaft	_
_	(B, C	184 3	359	Ml	Shaft, Hydraulic Lift	2
10	(B,C	200	71	M1	Shaft Hydraulio 146	1
10		180 9	70	M2	Shaft, Hydraulic Lift	1
15					Arm, Hydraulic Lift Ram	1
_		180 9	903	M2	Pod Communication	
16		195 5			Rod, Connecting, Hydraulic Piston	1
17	(A)	184 4	143	WO 1	Pin, Connecting Rod (1/4 x 2" Roll)	1
18		830 7	741	MO.	Fision Assembly, Hydraulic Lift (3" Piston)	1
17	(B, D)	191 1	41	WAI	Ring, Kit, Hydraulic Lift Piston	1
18		181 1	59	M91	Piston Assembly, Hydraulic Lift	ī
19	,				Ring Kit, Hydraulic Lift Piston	î
20	CAN	359 2			"O" Ring, Lift Cylinder (7/16 x 5/8 x 3/32")	_
		184 4			Cylinder, Hydraulic Lift	1
21	(B)	180 9	67	M1	Cylinday Budantte Bitter	1
		181 0			Cylinder, Hydraulic Lift	1
22		181 0			Bracket, Lever Support	1
23		181 0			Spring, Guide Rod	2
24		195 6	262	M.L.	Rod, Guide	2
25					Nut, Guide Rod	2
26		181 0			Lever Assembly, Draft Control	1
27		190 8			Lever Assembly, Position Control	î
28		181 0			Cam, Eccentric	
29		353 9			Nut (1/4" NF, Hex.)	1
		180 9	93	M91	Link Assembly, Position Control	1
30		180 9	90	M1	Din Dwelt Courted	1
31		195 5	75	ма	Pin, Draft Control	1
32		180 9			Ring, Snap, Pin Retaining	1
33		180 9			Roller, Cam	1
34		190 8			Link Assembly, Draft Control	1
		130 6	33	M I	Rod, Draft Control	1
38		353 6	88	X1	Bolt (3/8 x 5/8" NF, Hex.)	
39		354 3	191	X1	Bolt (3/8 x 11/16" NF, Hex.)	X
40		184 3	379	MI	Stud Front (1/9) MC NE . 0 1/04)	×
40	(B)	195 5			Stud, Front (1/2" NC - NF x 2-1/2")	×
41	(A)	184 3			Bolt, Front (7/16 x 4-3/8" NF, Sq. Hd.)	×
41		195 5			Stud, Rear (1/2" NC - NF x 3-1/4")	×
42		353 4			Bolt, Rear (7/16 x 5" NF, Sq. Hd.)	x
42		353 4			Nut (1/2" NF, Hex.)	x
	,0,	333 4	20	V1	Nut (7/16" NF, Hex.)	x
Mas		1.1				

Notes: (A) - Used Tractor Serial Number 179304 and up.
(B) - Used prior to Tractor Serial Number 179304.
(C) - For Repairs order (1) 184 359 M2 Shaft and (4) 353 558 X1 Bolts.
(D) - For Repairs order (1) 181 983 M1 Piston and (3) 180 898 M1 Rings.
(E) - For Repairs order (3) 180 898 M1, Rings.

f 238-3



```
ňΟ.
Ref.
No.
                                                                                                                                                                                                                                           Req.
                                                                                                              Description
                              Part No.
   1 (A)
                                                                     Cover Assembly, Hydraulic Lift.....
                           184 392 M92
182 722 M92
                                                                     Cover Assembly, Hydraulic Lift (Order 1 - 184 392 M92, 2 - 184 909 M1
  1 (B)
                                                                                         and 2 - 184 910 M1).....
                                                                   Cover Assembly, Hydraulic Lift (Order 1 - 184 392 M92, 2 - 184 909 M1 and 2 - 184 910 M1).

Cover Assembly, Hydraulic Lift (Order 1 - 184 392 M92, 1 - 182 580 M1 1 - 182 581 M1, 1 - 182 582 M1, 2 - 184 909 M1 and 2 - 184 910 M1).

Stud (7/16" NC - NF x 1-1/2").
Plug (3/8" Pipe, Sckt. Hd.).

Cap Assembly, Hydraulic Lift Cover.
Plug (1/8" Pipe, Sckt. Hd.).

Disc, Overload Stop.
Plunger, Control Spring.

Seat, Control Spring.

Seat, Control Spring.

Spring, Hydraulic Lift (5-3/8" Long).

Spring, Hydraulic Lift (5-5/8" Long).

Nut, Hydraulic Spring Retainer.

Boot, Spring (Rubber).

Clevis, Hydraulic Lift.

Pin, Clevis (5/32 x 1-1/4" Groove).

Plug, Clevis (Rubber).

Plug, Clevis (Rubber).

Plug, Clevis (Rubber).
                                                                     Cover Assembly, Hydraulic Lift (Order 1 - 184 392 M92, 2 - 184 909 M1
  1 (C)
                            182 722 M91
  1 (D)
                            182 374 M91
                            353 961 X1
                            195 387 M1
                            520 933 M91
   5
                            195 567 M1
   6
                            180 981 M1
   7 (E)
                             182 580 M1
  7 (D)
8 (E)
                            180 977 M1
                             182 581 M1
        (D)
(E)
                             180 978 MI
                            182 582 M1
        (D)
                            180 998 M1
 10
                             180 979 M1
 11
12
                             887 654 M1
                             180 972 M2
 13
                                                                      Pin, Clevis (5/32 x 1-1/4" Groove)...

Plug, Clevis (Rubber)...

Bushing, Clevis, Right Hand (1-11/32" Long w/Split End)...

Bushing, Clevis, Left Hand (1-3/64" Long w/Solid End)...

Link, Rocker, Hydraulic Lift...

Screw, Rocker Link (1/2 x 1-1/4" NF, Sckt. Hd.)...

Nut (1/2" NF, Half Hex.)...

Breather Assembly, Lift Cover...

Standoine...
                             195 573 MI
 14
15
                             180 982 M1
                             181 982 M1
                             180 974 M1
180 973 M2
  17
  18
                             363 593 X1
  19
                             353 438 X1
  20
                             182 099 M91
                                                                                                                                                                 .....
                                                                      Standpipe...
"O" Ring, Standpipe (3/8 x 1/2 x 1/16")...
Ball, Retainer Nut Lock (1/4" Dia.)...
Screw, Ball Lock (5/16 x 5/8" Cup Point, Sckt. Hd.)
                             180 906 M1
                             195 561 M1
                            882 451 M1
355 286 X1
                                                                      30
                              181 026 M92
  31
                              196 022 M1
  32
                              181 022 M93
  33
                              181 019 M93
                              181 015 MI
                                                                      Rotter, Shart (5/10 x 1/6 x 1/32)

Pin, Roller.

Key (1/8 x 1/2")

Lever Assembly, Position Control

Lever Assembly, Draft Control

Spacer (1/2 x 3/4 x 11/16").

Nut (5/16" NF, Hex., Self-Locking).

Quadrant, Draft Control

Slide, Draft Adjustment

Spring, Lever Tension.

Knob, Adjustment Locking.

Knob, Adjustment Locking.

Pin, Knob Locking (1/16 x 3/8" Roll).

Bolt, Position Control Lock (1/4" NF x 7/8" Special Hd.)

Bolt, Draft Control Lock (1/4" NF x 1" Special Hd.)

Bolt, Draft Control Lock (1/4" NF x 1-1/16" Carr.)

Bolt, Draft Control Lock (1/4" NF x 1-1/16" Carr.)

Bolt, Draft Control Lock (1/4" NF x 1-1/4" Carr., Dld. End).
  35
                              181 016 M1
                              2 957 X
181 039 M91
  36
  37
  38
                              181 038 M91
  39
                              181 040 Ml
195 663 Ml
  40
                              181 032 MI
   42
                              181 033 M1
   43
                              195 618 M1
182 274 M1
   44 (F)
          (G,H)
                              181 042 M1
195 619 M1
   44
          (F)
                               182 282 M1
                              181 045 M1
   46
          (G)
   47
          (F)
                              195 994 M1
                              195 585 M1
                                                                       Bolt (1/4 x 5/8" NF, Nex.).

Bolt (1/4 x 7/8" NF, Rd. Hd.)

Washer (1/4" Small Flat).

Washer (1/4" Lock).

Nut (1/4" NF, Hex.).

Nut (1/4" NF, Hex.).

Nut (1/4" NF, Half Hex.).

Washer (17/64 x 5/8 x 3/16").

Washer (5/16" Small Flat)

Bolt (7/16 x 1-3/8" NC, Nex.)

Bolt (7/16 x 3-1/2" NC, Nex.).

Stud (7/16" - 1/2" NF x 5" Step)

Stud (7/16" - 1/2" NF x 5-5/8" Step)

Washer (7/16" Lock).
   47
          (G)
                              353 502 X1
   51
                               195 617 M1
   52
                              353 754 X1
                               181 041 M1
    54
                               353 441 X1
    55
                               353 918 X1
    56
                               353 919 X1
    57
                               181 047 M1
    58
                               353 755 X1
    59
                               353 701 X1
    60
                               353 711 X1
    61
                               353 718 X1
    62
                               184 909 MJ
    63
                                184 910 Ml
    64
                               353 432 X1
   Notes: (A) - Used Tractor Serial Number 179 304 and up.

(B) - Used Tractor Serial Numbers 168 853 thru 179 303.

(C) - Used Tractor Serial Numbers 165 554 thru 168 852.


(D) - Used prior to Tractor Serial Number 165 554.

(E) - Used Tractor Serial Number 165 554 and up.

(F) - Used Tractor Serial Number 165 001 and up.
```


Used prior to Tractor Serial Number 105 001 and up.
Used prior to Tractor Serial Number 165 001.
For repairs order 1 each of 1860 403 Ml Knob, 353 754 Xl Washer and 353 918 Xl Nut. (G)

F346-5



#### USED TRACTOR SERIAL NUMBER 179 304 AND UP)

No.   Part No.   Description   D	Ref.						No.
182 005 M91   Body Assembly, Rear Section (Incl. 1tems 4 & 5)	No.		Par	t No	<u>o .</u>	Description	Req.
182 005 M91   Body Assembly, Rear Section (Incl. items 4 k 5)		1	84	473	MQ 1	Dump Accombly Hydraulia	. 1
182 006 M91   Body Assembly, Front Section (Incl. items 4 & 5)   1   1   1   1   1   1   1   1   1	2					Pode Assembly, Day Costan (1901)	. 1
195 950 MI	3					body Assembly, Rear Section (Incl. Items 4 & 3)	1
195 951 M1	4					Body Assembly, Front Section (Incl. items 4 & 5)	1
195 66   Miller   Pin, Body Locating (3/8 x 1-1/16")   2   2   356 040 XI	5					Bearing, Needle, Pump Body	2
Section   Plug. Body (1/4" p.T., Ctsk. Skt. Hd.)						Pin, Body Locating (3/8 x 1-1/16")	
8						Plug, Body (1/8" P.T., Ctsk. Skt. Hd.)	
9 534 642 X1 Bolt, Body (7/16 x 9/16 x 1/16") 10 353 432 X1 Washer (7/16" Lock)						Plug, Body (1/4" P.T., Cisk. Skt. Hd.)	. 3
334 642 X1	_					"O" Ring, Body (7/16 x 9/16 x 1/16")	, 13
13   333   432   X1	_					Bolt, Body (7/16 x 4-1/4" NC, Hex.)	. 4
181 923 M91   Camshaft Asscably						Washer (7/16" Lock)	. 4
1000 251 M1   Bearing, Needle, Camshaft						Camshaft Assembly	. 1
184 470 M1		1 0	00	251	Ml	Bearing, Needle, Camshaft	. 1
15		1	84	470	Ml	Piston, Pump Camshaft Block	. 2
16		8	94	608	M1	Block Pump Cam. Rear	, 1
180 926 M1   Coupling, Pump Shaft, Front		8	94	607	Ml	Block Pump Cam Front	. 1
1	16	1	80	926	M1	Counling Dimp Shaft Front	. 1
184 471 Mi	17	3	54	415	X 1	Cotter Din Counting (5/32 x 2-1/4")	. 1
180 929 MI	20					Chamber Valvo	. 2
1	21					Value Inlat	. 4
180 930 M1	22					Spring Inlet Valvo	. 4
180 928 M1	23					Value Outlet	4
181 999 M1	24					Spring Outlet Halles	4
1	25					opring, outlet valve	4
Ring, Snap, Valve Plug Retaining.   4						Plug, valve	4
29 182 001 M91 Oscillator Assembly, Control Valve						"O" Ring, Valve Plug (11/16 x 1/8 x 3/32")	4
182 002 M1   Body, Oscillator (Order 182 001 M91)   1   1   1   1   1   1   1   1   1						Ring, Snap, Valve Plug Retaining	1
180 937 M91	_					Oscillator Assembly, Control Valve	1
180 940 M1   Spring, Control Valve						Body, Oscillator (Order 182 001 M91)	1
180 942 M2						Drive Assembly, Oscillator	1
34       180 941 Ml       Ring, Snap, Drive Retaining       1         35       195 576 Ml       Ring, Snap, Disc Retaining       1         36       195 946 Ml       Ring, Snap, Disc Retaining       1         37       180 934 Ml       Link, Oscillator       1         38       195 568 Ml       Screw, Link (1/4" NF, Cup Point, Sq. Hd.)       1         39       180 933 Ml       Follower, Cam       1         40       354 187 Xl       Pin, Clevis, Link to Cam Follower       1         41       354 039 Xl       Cotter Pin (1/16 x 1/2")       1         44       830 744 M91       Valve Kit, Pump Control       1         45       180 944 Ml       Valve, Pump Control (Order 830 744 M91)       1         46       180 945 Ml       Washer, Valve Sealing (1/2 x 59/64 x 1/16")(Order 830 744 M91)       3         47       183 838 Ml       Retainer, "O" Ring.       1         48       359 002 Ml       "O" Ring, Control Valve (3/4 x 15/16 x 3/32")       2         49       180 947 Ml       Spacer, Control Valve (3/4 x 15/16 x 3/32")       2         50       180 948 Ml       Washer, Spacer (31/32 x 1-1/4 x 1/16")       1         51       180 961 Ml       Ring, Snap, Control Valve       1 <td></td> <td></td> <td></td> <td></td> <td></td> <td>Spring, Control Valve</td> <td>1</td>						Spring, Control Valve	1
195 576 M1						Disc, Drive Retainer	1
195 946 M1		1	80	941	MI	Ring, Snap, Drive Retaining	1
180 934 M1						Ring, Snap, Disc Retaining	1
38		1	95	946	Ml	Ring, Snap, Oscillator Retaining	1
180 933 M1						Link, Oscillator	1
40		1	95	568	Ml	Screw, Link (1/4" NF, Cup Point, Sq. Hd.)	1
41	39	1	80	933	Ml	Follower, Cam	1
44       830 744 M91       Valve Kit, Pump Control       1         45       180 944 M1       Valve, Pump Control (Order 830 744 M91)       1         46       180 945 M1       Washer, Valve Sealing (1/2 x 59/64 x 1/16")(Order 830 744 M91)       3         47       183 838 M1       Retainer, "O" Ring.       1         48       359 002 M1       "O" Ring, Control Valve (3/4 x 15/16 x 3/32")       2         49       180 947 M1       Spacer, Control Valve       1         50       180 948 M1       Washer, Spacer (31/32 x 1-1/4 x 1/16")       1         51       180 961 M1       Ring, Snap, Control Valve       1         52       180 949 M1       Plate, Control Valve       1         53       353 678 X1       Bolt (5/16 x 7/8" NC, Hex.)       4         54       353 446 X1       Washer (5/16" Lock)       4         55       180 950 M1       Bracket, Valve Lever Guide       1         56       180 952 M91       Lever Assembly, Valve       1         57       182 007 M1       Stud, Lever (1/4" NC - NF, x 4-1/8")       1         59       181 998 M1       Guide, Valve Lever, Upper       1         60       353 666 X1       Bolt (1/4 x 5/8" NC, Hex.)       1         61 <td>40</td> <td>3</td> <td>54</td> <td>187</td> <td>X1</td> <td>Pin, Clevis, Link to Cam Follower</td> <td>1</td>	40	3	54	187	X1	Pin, Clevis, Link to Cam Follower	1
45       180 944 M1       Valve, Pump Control (Order 830 744 M91)	41	3	54	039	X1	Cotter Pin (1/16 x 1/2")	
46       180 945 M1       Washer, Valve Sealing (1/2 x 59/64 x 1/16") (Order 830 744 M91)	44	8	30	744	M91	Valve Kit, Pump Control	1
46       180 945 M1       Washer, Valve Sealing (1/2 x 59/64 x 1/16") (Order 830 744 M91)	45	1	80	944	Ml	Valve, Pump Control (Order 830 744 M91)	1
48       359 002 M1       "O" Ring, Control Valve (3/4 x 15/16 x 3/32")       2         49       180 947 M1       Spacer, Control Valve       1         50       180 948 M1       Washer, Spacer (31/32 x 1-1/4 x 1/16")       1         51       180 961 M1       Ring, Snap, Control Valve Retaining       1         52       180 949 M1       Plate, Control Valve       1         53       353 678 X1       Bolt (5/16 x 7/8" NC, Hex.)       4         54       353 446 X1       Washer (5/16" Lock)       4         55       180 950 M1       Bracket, Valve Lever Guide       1         56       180 952 M91       Lever Assembly, Valve       1         57       182 007 M1       Stud, Lever (1/4" NC - NF, x 4-1/8")       1         58       195 578 M1       Nut, Stud (1/4" NF, Hex., Special)       1         59       181 998 M1       Guide, Valve Lever, Upper       1         60       353 666 X1       Bolt (1/4 x 5/8" NC, Hex.)       1         61       353 441 X1       Washer (1/4" Lock)       1         62       883 402 M91       Valve Assembly, Pump Safety       1	46	1	80	945	Ml	Washer, Valve Sealing (1/2 x 59/64 x 1/16")(Order 830 744 M91)	3
48       359 002 M1       "O" Ring, Control Valve (3/4 x 15/16 x 3/32")       2         49       180 947 M1       Spacer, Control Valve       1         50       180 948 M1       Washer, Spacer (31/32 x 1-1/4 x 1/16")       1         51       180 961 M1       Ring, Snap, Control Valve Retaining       1         52       180 949 M1       Plate, Control Valve       1         53       353 678 X1       Bolt (5/16 x 7/8" NC, Hex.)       4         54       353 446 X1       Washer (5/16" Lock)       4         55       180 950 M1       Bracket, Valve Lever Guide       1         56       180 952 M91       Lever Assembly, Valve       1         57       182 007 M1       Stud, Lever (1/4" NC - NF, x 4-1/8")       1         58       195 578 M1       Nut, Stud (1/4" NF, Hex., Special)       1         59       181 998 M1       Guide, Valve Lever, Upper       1         60       353 666 X1       Bolt (1/4 x 5/8" NC, Hex.)       1         61       353 441 X1       Washer (1/4" Lock)       1         62       883 402 M91       Valve Assembly, Pump Safety       1	47	1	83	838	Ml	Retainer, "O" Ring	1
49       180 947 M1       Spacer, Control Valve	48	3	59	002	и1	"O" Ring, Control Valve (3/4 x 15/16 x 3/32")	. 2
50     180 948 M1     Washer, Spacer (31/32 x 1-1/4 x 1/16").     1       51     180 961 M1     Ring, Snap, Control Valve Retaining.     1       52     180 949 M1     Plate, Control Valve.     1       53     353 678 X1     Bolt (5/16 x 7/8" NC, Hex.)     4       54     353 446 X1     Washer (5/16" Lock)     4       55     180 950 M1     Bracket, Valve Lever Guide.     1       56     180 952 M91     Lever Assembly, Valve.     1       57     182 007 M1     Stud, Lever (1/4" NC - NF, x 4-1/8")     1       58     195 578 M1     Nut, Stud (1/4" NF, Hex., Special)     1       59     181 998 M1     Guide, Valve Lever, Upper     1       60     353 666 X1     Bolt (1/4 x 5/8" NC, Hex.)     1       61     353 441 X1     Washer (1/4" Lock)     1       62     883 402 M91     Valve Assembly, Pump Safety     1	49	1	80	947	Ml	Spacer, Control Valve	1
51       180 961 M1       Ring, Snap, Control Valve Retaining.       1         52       180 949 M1       Plate, Control Valve.       1         53       353 678 X1       Bolt (5/16 x 7/8" NC, Hex.)       4         54       353 446 X1       Washer (5/16" Lock)       4         55       180 950 M1       Bracket, Valve Lever Guide.       1         56       180 952 M91       Lever Assembly, Valve.       1         57       182 007 M1       Stud, Lever (1/4" NC - NF, x 4-1/8")       1         58       195 578 M1       Nut, Stud (1/4" NF, Hex., Special)       1         59       181 998 M1       Guide, Valve Lever, Upper.       1         60       353 666 X1       Bolt (1/4 x 5/8" NC, Hex.)       1         61       353 441 X1       Washer (1/4" Lock)       1         62       883 402 M91       Valve Assembly, Pump Safety       1						Washer, Spacer (31/32 x 1-1/4 x 1/16")	. 1
52     180 949 M1     Plate, Control Valve						Ring. Snap. Control Valve Retaining	. 1
53       353 678 X1       Bolt (5/16 x 7/8" NC, Hex.)       4         54       353 446 X1       Washer (5/16" Lock)       4         55       180 950 M1       Bracket, Valve Lever Guide       1         56       180 952 M91       Lever Assembly, Valve       1         57       182 007 M1       Stud, Lever (1/4" NC - NF, x 4-1/8")       1         58       195 578 M1       Nut, Stud (1/4" NF, Hex., Special)       1         59       181 998 M1       Guide, Valve Lever, Upper       1         60       353 666 X1       Bolt (1/4 x 5/8" NC, Hex.)       1         61       353 441 X1       Washer (1/4" Lock)       1         62       883 402 M91       Valve Assembly, Pump Safety       1						Plate. Control Valve	1
54     353 446 X1     Washer (5/16" Lock)						Bolt (5/16 x 7/8" NC. Hex.)	4
55       180 950 M1       Bracket, Valve Lever Guide.       1         56       180 952 M91       Lever Assembly, Valve		_					
56     180 952 M91     Lever Assembly, Valve							
57     182 007 M1     Stud, Lever (1/4" NC - NF, x 4-1/8")     1       58     195 578 M1     Nut, Stud (1/4" NF, Hex., Special)     1       59     181 998 M1     Guide, Valve Lever, Upper     1       60     353 666 X1     Bolt (1/4 x 5/8" NC, Hex.)     1       61     353 441 X1     Washer (1/4" Lock)     1       62     883 402 M91     Valve Assembly, Pump Safety     1						Lever Assembly, Valve	. 1
58       195 578 M1       Nut, Stud (1/4" NF, Hex., Special)						Stud. Lever (1/4" NC - NF. x 4-1/8")	. 1
59     181 998 M1     Guide, Valve Lever, Upper.     1       60     353 666 X1     Bolt (1/4 x 5/8" NC, Hex.)     1       61     353 441 X1     Washer (1/4" Lock)     1       62     883 402 M91     Valve Assembly, Pump Safety     1						Nut Stud (1/4" NF. Hex., Special)	. 1
60 353 666 X1 Bolt (1/4 x 5/8" NC, Hex.)	_					Coldo Valva Love Hoper	. 1
61 353 441 X1 Washer (1/4" Lock)		_				Dolt (1/A v 5/8" WC Hex )	. î
62 883 402 M91 Valve Assembly, Pump Safety		_				Washen /1/Au took	. 1
The state of the s		-				Walter (1/4 Duck)	1
63 831 452 M1 "O" Hing						valve Assembly, Pump Salety	1
	63	8	31	452	WI	"U" RING	




#### HYDRAULIC PUMP

(USED PRIOR TO TRACTOR SERIAL NUMBER 179 304)


Ref.			in.
No.	Part No.	Description	keq.
	183 005 M91	Pump Assembly, Hydraulic	1
	180 919 M91	Rody Assembly Dumn	1
1	180 921 M1	Rody Left Hand (Order 180 919 M91)	1
2	180 920 M1	Body, Right Hand (Order 180 919 M91)	1
	180 409 M1	Pin. Body Locating (3/8 x 1-1/8")	2
4	353 706 X1	Bolt (7/16 x 2" NC Hex.)	4
5	353 432 X1	Washer (7/16" Lock)	4
6	359 293 X1	"O" Ring (3/8 x 1/2 x 1/16")	2
7	195 561 M1	"O" Ping (23/64 x 1/2 x 5/64")	1
8	22 677 X	Pin Rearing Retaining (3/16 x 1/2" Roll)	2
9	195 567 N1	Plug (1/8" Pine Scht Hd.)	1
10	356 040 X1	Plug (1/4" Pine. Scki. Hd.)	1
11	180 931 M1	Retainer Dumn Valve	4
12	180 932 M1	Diver Velve Chember	4
13	359 001 X1	"O" Ping Plus (11/16 v 7/8 v 3/32")	4
14	180 928 M1	Coming Outlet Value	3
15	180 930 M1	Volum Outlet	4
16	180 927 M2	Continue Tolor Value	3
17	180 929 M1	Value Tales	4
18	353 704 X1	Dolt Determer (7/16 v 1-3/4" NC. Hex.)	2
19	353 432 X1	Washaw (7/36" tock)	1
20	180 922 M91	Campboff Assembly Hydraulic Pump	1
21	1 000 251 M1	Deswing Needle	
22	181 043 M1	Dieton Dumn	2
23	894 607 M1	Block Dump Cem. Front	1
24	894 608 M1	Dlock Dump Com Boar	2
25	181 046 M1	Donning Dump (1-3/8 v 1-3/4 x 1-1/16")	1
26	180 926 M1	Coupling, Pump Shaft	1
27	354 415 X1	Cotton Din Counling $(5/32 \times 2-1/4^n)$	1
32	189 427 M92	Valve, Pump Control	1
33	180 961 M1	Bing Chan Valve Ston.	1
34	183 838 M1	Retainer, "C" Ring	2
35	359 002 X1	"O" Ring, Valve (3/4 x 15/16 x 3/32")	3
36	189 427 M92	Washer, Sealing (1/2 x 59/64 x 1/16")	1
37	180 947 M1	Spacer, Valve	1
38	180 948 MJ	Washer, Valve (31/32 x 1-1/4 x 1/10")	1
39	180 949 M1	Bolt, Plate (5/16 x 7/8" NC, Hex.)	4
40	353 678 X1	Washer (5/16" Lock)	4
41	353 446 X1	Lever Assembly, Valve	1
42	180 952 M91	Bracket, Lever	1
43	180 950 M1	Guide, Lever	1
44	180 951 M1	7-34 Cut do (1/4 x 5/8" NC Hex.)	1
45	353 666 X1	Washen (1/49 took)	1
46	353 441 X1	GALLA TOWN (1/4" NC - NE V 3-5/16")	1
47	195 580 M1	wat Ston lawer (1/4" NF. Hex., Special)	1
48	195 578 M1	Occillator Assembly, Control Valve	1
49	180 935 M92	m.t. teamble Oggillator	1
50	180 937 M91	Bing Span Drive Retaining	. 1
51	180 941 M1	enving Occillator Drive	
52	180 940 MI	Dina Caming Dotsingr.	. 1
. 53	180 942 M2	n. Dies Date in ing	. 4
54	195 576 Ml	We show Occillator Retainer (3/8 x 7/8 x 1/16")	. 1
55	180 943 M1	ni unan Wacher Retaining	
56	195 577 Ml	Tiel Contiletor	. 1
57	180 934 Ml	Covery Link Lock (1/4" NF. Dog Point, Sq. Hd.)	
58	195 568 M1	Wallenger Com	
59	180 933 Ml	mi - omillaton Link	
60	354 187 X1	0.44 pt /1/16 v 1/2"	. 1
61	354 039 X1	Pump Safety (2500 P.S.I.)	. 1
65		Valve Assembly, Pump Safety (2000 P.S.I.) (Order 891 944 M91)	. 1
65	(R) 100 207 Mar		

Notes: (A) - Used Tractor Serial Number 168 853 and up.
(B) - Used prior to Tractor Serial Number 168 853.



#### (SEE NOTE A)

Ref.				DUAL CONTROL	No.
No.	-	Part No	· .	Description	Req.
1	8	330 978	M91	Body Assembly, Dual Control Valve	1
2		157 197		Elbow Assembly (9/16" NF - 90")	2
4	ŧ	31 452	M1	"O" Ring, Elbow	1
5	:	356 579	X1	Cap, Elbow	2
6		195 869		"O" Ring, Valve Body	3
7 8		667 218		Spool, Valve	2
9		667 161		Valve, Variable	2
10		667 158		Body, Variable Valve	2
11		195 868 22 199		"O" Ring, Variable Valve Body	2 2
12		667 151		Ball, Poppet (3/8" Dia.)	2
13		195 889		Spring, Ball Poppet	2
14		667 181		Cap Assembly, Valve	2
15		195 561		"O" Ring, Spool	2
16		195 874	Ml	Ring, "O" Ring Back-up	2
17		667 159		Spring, Spool	2
18 19		668 328		Retainer, Spool Spring, Rear	2
20		195 866		Retainer, Spool Spring, Front (35/64 x 1-1/4 x 1/32")	2
21		354 476		Ring, Snap, Spring Retaining	2
22		667 175		Handle, Valve	1
23		667 216 667 150		Pin, Handle (3/8 x 2-13/16")	2
24		22 677		Pin, Link (1/2 x 3/16" Roll)	4
25	1	667 217		Bracket, Detont	1
26		667 172		Detent	1
27		668 300		Guide Assembly, Detent	1
28		354 048		Cotter Pin (3/32 x 3/4")	2
29		195 935	Ml	Screw. Guide to Handle	2
30		353 715		Bolt (7/16 x 3-1/8" NC, Hex.)	2 2
31		353 432	X1	Washer (7/16" Lock)	2
				SINGLE CONTROL	
				(SEE NOTE B)	
32		668 339	W01	Body Assembly, Valve Spool	1
33		195 869		"O" Ring, Valve Body	3
	(C)	668 338		Spool. Valve (Snapping Groove 3/64" Wide x 13/32" Deep)	1
35	(0)	667 161		Valve. Variable	1
36		667 158		Body. Variable Valve	1
37		195 868	3 M1	"O" Ring, Variable Valve Body	1
38		13 53		Ball, Poppet (3/8" Dia.)	1
39		667 15		Spring, Ball Poppet	î
40		195 889		Cap Assembly, Valve	
41		195 56		"O" Ring, Spool	1
43		195 874		Ring, "O" Ring Back-Up	1
44		667 159		Spring Spool	1
	(C)	668 32	. 1	Retainer, Spool Spring, Rear (53/64" ID of Cup)	1
46		195 866	6 M1	Retainer, Spool Spring, Front (35/64 x 1-1/4 x 1/32")	. 1
47	(C)	195 98	6 M1	Ring, Snap (3/64" Thick) (To be used w/668 338 M1 Spool)	2
48		667 17		Handle, Valve	1
49		668 30		Link, Valve Handle	ī
50		667 15 22 67		Pin Link (1/2 x 3/16" Roll)	. 2
51 52		667 17		Puncket Detent	. 1
53		667"17		Detent	. 1
54		668 30	0 M91	Guide Assembly, Detent	. 1
55		354 04		Cotter Pin (3/32 x 3/4")	. 1
56		195 93		Polt (7/16 x 3-1/8" NC. Hex.)	. 1
57		353 71 353 43		Washer (7/16" Lock)	. 1
58 59		195 92		Fillow (3/8" N.P.T.F. x 90° Street)	. 1
60		195 38		Adapter, Union (3/8" N.P.T.F.)	. 1
		667 18	2 M3	Spool, Valve (Snap Ring Groove 1/32" Wide x 29/64" Deep)	. 1
	(D, E)	667 18		Retainer Speel Spring, Rear (5/8" ID of Cup) (Order 668 328 M1)	. 1
	(D)	195 86		Ring, Snap (1/32" Thick) (To be used w/667 182 M1 Spool)	. 1
No	tes: (A) (B) (C)	- Whol	Late E	Number 677 265 Incl. all items listed under Dual Control Valve. Number 677 049 Incl. all items listed under Single Control Valve. Equipment, See illustration. Equipment, See illustration. Forder 1 each of 668 338 Ml and 354 476 Xl Ring.	
	(E)	- For	repairs	Order 1 Gath of one see and and see the Manage	9/70




#### AUXILIARY HYDRAULIC VALVE


(677 219)

Rei.			No.
No.	Part No.	Description	Red .
1		Valve Assembly, Dual Spool	1
2	185 617 M1	Sleeve, Main Spool	2
3	185 605 M1	Steeve, Main Spoot	2
4		Spring, Main Spool	
5	185 609 M1	Retainer, Spool Spring	2
6	185 618 M1	Collar, Main Spool	7
10	196 108 M1	Ring, Snap, Collar Retaining	
	185 614 M1	Plug, Main Spool	2
11	832 271 M1	"O" Ring, Main Spool Plug	
12	355 649 X1	Ring, Snap, Plug Retaining	
13	832 271 MI	"C" Ring, Main Spool Plug	2
14	192 874 MI	Plug. Shuttle Spool (1/2" Long)	2
14	185 610 M1	Plug. Shuttle Spool (5/8" Long)	2
15	359 247 X1	"O" Ring. Shuttle Spool Plug	. 2
16	363 514 X1	Ring, Snap, Shuttle Spool Plug (Used w/182 874 Ml)	2
17	192 136 M2	Valve, Poppet	~
18	185 607 M2	Spring, Valve Poppet	
19	186 440 M91	Valve Assembly, Switch	
20	186 442 M91	Valve Assembly, By-Pass	1
25	831 497 MI	"O" Ring, Plug Body	3
29	185 608 M2	Restrictor, Oil Flow	2
30 (A)	185 640 M1	Washer, Restrictor	. 1
31 (A)	189 576 M1	Plug, Restrictor	
32	185 624 M91	Handle Assembly, Valve Control	. 1
33	185 619 M1	Clevis, Handle Body	. 2
34	185 689 M1	Shaft, Control Handle	- 4
35	185 604 M1	Spring, Handle Detent	2
36	831 872 M1	Ball, Handle Detent	. 2
37	353 431 X1	Nut, Shaft Lock	2
38	669 555 MI	Detent, Locking (Left Hand)	. 1
38	669 554 M1	Detent, Locking (Right Hand)	. 1
40	185 641 M1	Guide, Detent	2
41	185 643 M1	Spring, Detent Locking	2
42	360 085 X1	Screw, Guide and Spring	4
43	185 642 M2	Knob, Handle	
44	185 620 M1	Cover, Front	. 1
45	356 922 X1	Pin, Handle to Cover (3/8 x 3/4" Roll)	. 2
46	357 852 X1	Screw, Cover to Body (5/16 x 3/4" NC, Sckt. Hd.)	
47	353 446 XI	Washer (5/16" Lock)	
48	831 257 M1	Washer (5/16" Lock, Special)	
49	22 668 X	Pin, Handle to Main Spool (1/4 x 3/4" Roll)	
52	186 387 M2	Cover Assembly, Side	
53	832 269 M1	"O" Ring, Cover (5/16 x 7/16 x 1/16")	
54	832 270 M1	"O" Ring, Cover (1/2 x 11/16 x 3/32")	
55	832 271 M1	"O" Ring, Cover (5/8 x 13/16 x 3/32")	
56	835 087 M91	Plug Assembly, Body	
57	831 452 M1	"O" Ring, Plug Screw, Valve to Lift Cover (7/16 x 1-1/2" NC. Sckt. Hd.)	
58	360 851 X1 360 855 X1	Screw, Valve to Lift Cover (7/16 x 1-1/2" NC, Sckt. Hd.)	
58 58	831 873 M1	Screw, Valve to Lift Cover (7/16 x 3-1/4" NC, Sckt. Ild.)	
59	357 197 X91	Elbow Assembly (90°)	
60	831 452 M1	"O" Ring, Elbow	
61	357 195 X1	Nut, Lock, Elbow	
62	356 579 X1	Cap, Elbow	
- m			-

Note: (A) - Check parts carefully before ordering.



Ref.			No.
No.	15	Dtuttim	Req.
	Part No.	Description	
1	189 809 M95	Valve Assembly (Single Spool)(Used w/677 219 Valve)	. 1
2	185 617 M1	14.1 14.1 17 1	
3	185 605 M1		
4	185 COS M1		
5	185 618 M1		
6	196 108 M1		
10	185 614 MI		
11	832 271 MI		
12	355 649 X1		
131			
14	832 271 M1 192 874 M1		
14	185 610 M1		
15	359 247 X1		
16	353 514 X1		
17	192 136 M2	41 1	
18	185 607 M2	40 . 1	
19	186 440 M91	ar a Armental a Desident	
24	831 497 M1		
25	185 608 M2		
30			
31	185 811 M91		
32	185 619 M1		
33	185 689 M1	m 4 11 m 21 m 22 m 4 m 4	
34	185 604 M1 831 872 M1	70 7 1 10 11 A 2 11 Park 1 11 A	
35	353 431 X1		
36	669 554 MI	- 4 4 4 1 1 1 1 4 - 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
37	185 641 MI	- 11 Makank	
38	185 643 MI	m - 1 m. A A T mela inste	
39	360 085 X1	m mails and Coulous	
40	185 642 M2		
41	185 818 MI		
42	356 922 X1	+	
	357 852 X1	a to Park (5/16 v 1/4" NC. SCKL HU. J	
43			
44	831 257 M1	It do to the to Charal (1/4 & 1/4" RULLI	
45	22 668 X	tables Associated Dodge	
46	835 087 M91		
47	831 452 M1		
48	357 197 X91 831 452 M1	man man man religions	
49	357 195 XI		
50	357 860 X1		
51	356 579 X1	Cap, Elbow	1
52	336 378 XI	Cahl nears	



printed

Pa

693 063 M4 (Issue 1) 9/70


## PULL BEHIND CYLINDER

### (2" SINGLE ACTING)

#### (SEE NOTE)

Ref.		
No. Paut No.		No.
Part No. Description		Req.
1 668 997 M92 Cylinder Assembly Dull Robind		1
2 686 671 MOS		
3 cco ooc		-
851 147 M1		
831 454 M1 Pine 100 Pine neat, Outer	• • • • • • • • • •	
6 831 585 M1 "O" Ring, Piston, Inner		1
7 686 675 M1 Pod Platon, Inner.		
8 357 561 X1 Nut Dietas Datatas		
9 686 678 M1 Head Cultudes		
196 027 M1 "O" Ping Hood Inner		
195 919 M1 Ping "O" Bing Book up		
12 831 451 M1 Seel Oll Cultuder Wood		
357 191 X1 Ring Culinder Head Peterining		
669 045 M91 Bresther Assembly Cultuder		
15 686 677 M2 Clevis, Piston Rod		
16 353 436 X1 Nut, Lock (3/4" NF, Half Hex.)		1
22 354 195 X1 Pin Hydraulic Culinder Retaining		2
23 195 708 M1 Pin, Hydraulic Cylinder Retaining		2
24 185 871 M91 Hose Assembly (118")		1
25 831 452 M1 "O" Ring, Hose (at Elbow) (15/32 x 5/8 x 5/64")		î
26 831 497 M1 "O" Ring, Hose (21/32 x 13/16 x 5/64")		

Note: Whole Goods Number 677 256 Includes all items listed on this page.




#### (2" DOUBLE ACTING)


#### (SEE NOTE)

Ref.			
No.	Part No.		No.
	tare no.	Description	Req.
1	187 040 M91	Cylinder Accombly Dall Debted (Order CCS DOZ MOS)	3
2	686 671 M91	Cylinder Assembly, Pull Behind (Order 668 997 M92)	
3	668 996 M1	Tube Assembly, Cylinder	-
4	686 675 M1	Piston, Cylinder	
5		Rod, Piston	
6	851 147 M1	"O" Ring, Piston and Head, Outer	2
7	831 454 M1	Ring, "O" Ring Back-up	2
8	831 585 M1	"O" Ring, Piston, Inner	
9	357 561 X1	Nut, Piston Retaining	
•	686 678 M1	Head, Cylinder	
10	196 027 M1	"O" Ring, Head, Inner	
11	195 919 M1		
12	831 451 M1	Ring, "O" Ring Back-up	
13	357 191 X1	Seal, Oil, Cylinder Head	
14	686 677 M2	Ring, Cylinder Head Retaining	
15		Clevis, Piston Rod	
	353 436 X1	Nut, Clevis (3/4" NF, Half Hex.)	- 1
22	354 195 X1		2
23	195 708 M1	Pin, Hydraulic Cylinder Retaining	_
24		Pin, Hair	_
25	185 871 M91	Hose Assembly (118")	
26	831 452 M1	"O" Ring, Hose (at Elbow (15/32 x 5/8 x 5/64")	1
	831 497 M1	"O" Ring, Hose (21/32 x 13/16 x 5/64")	1
27	185 869 M91	Hose Assembly (128")	
28	831 452 M1	"O" Ring, Hose (at Elbow) (5/64 x 15/32 x 5/8")	
29	831 497 Ml	"O" Ring, Hose (21/32 x 13/16 x 5/64")	

Note: Whole Goods Number 677 257 Includes all items listed on this page.

F 1561






### PULL BEHIND CYLINDER

#### (2-1/2" DOUBLE ACTING)

(SEE NOTE)

1	10.						
1   1   1   1   1   1   1   1   1   1	1		Part	No.	Description	Req.	
1 754 949 M91 Sleeve Assembly, Cylinder. 1 1 021 940 M91 Sleeve Assembly, Barrel . 1 1 754 951 M1 Rod, Piston. 1 1 754 955 M1 Piston. 1 1 024 946 M1 Piston. 1 1 024 946 M1 Ring, "O" Ring Back-up. 2 8 51 145 M1 "O" Ring, Piston, Inner. 1 10 1 754 953 M1 Bearing. 1 11 835 130 M1 "O" Ring, Bearing, Outer. 1 12 1 881 527 M1 Rod, "O" Ring, Bearing, Outer. 1 13 851 145 M1 "O" Ring, Bearing, Outer. 1 14 1 024 945 M1 Ring, "O" Ring Back-up. 1 15 835 061 M1 Scal, Oil, Bearing, Inner . 1 16 1 752 141 M1 Scal, Oil, Bearing, Inner . 1 17 1 752 166 M1 Plate, Bearing Retaining. 1 18 353 981 X1 Screw, Plate (#10 - 24 x 1-1/2" Rd. Hd.) 2 20 1 754 952 M1 Washer (#10 Lock) 2 21 353 988 X1 Screw, Plate (#10 - 24 x 1-1/2" Rd. Hd.) 3 353 988 X1 Screw, Plate (#10 - 24 x 1-1/2" Rd. Hd.) 3 353 988 X1 Screw, Plate (#10 Lock) 2 21 353 988 X1 Screw, Plate (#10 - 24 x 1-1/2" Rd. Hd.) 3 353 988 X1 Screw, Sleeve (1/4 - 20 x 1/2" Rd. Hd.) 3 353 988 X1 Screw, Sleeve (1/4 - 20 x 1/2" Rd. Hd.) 3 353 988 X1 Screw, Sleeve (1/4 - 20 x 1/2" Rd. Hd.) 3 353 988 X1 Screw, Sleeve (1/4 - 20 x 1/2" Rd. Hd.) 3 353 441 X1 Washer (1/4" Lock) 3 354 455 M1 Pln, Hydraulic Cylinder Retaining. 2 355 353 441 X1 Washer (1/4" Lock) 3 357 185 869 M91 Hose Assembly (118") 1 36 831 452 M1 "O" Ring, Hose (21/32 x 13/16 x 5/64") 1 36 831 452 M1 "O" Ring, Hose (21/32 x 13/16 x 5/64") 1 37 185 869 M91 Hose Assembly (128") 1	•	1	185 9;	3 M93	Cylinday Accombly Dall nate	1	
1 021 940 M91 Sleeve Assembly, Cylinder	_	1 7	754 94	19 N91	The second of th	1	
1 754 951 M1 Rod, Piston	3	1 (	21 94	10 M91	Sleen Assembly, Cylinder	,	
1 754 955 M1	4	1 7	754 9	51 M1	Sieeve Assembly, Barrel	1	
Society   Soci	-	1 7	754 9	55 M3	Rod, Piston	1	
8 851 145 M1	6				Piston	1	
8 851 145 M1	7	1 (	324 0	O MI	"O" Ring, Piston, Outer	1	
1   1   1   1   1   1   1   1   1   1	8	- 1	251 1	10 MI	Ring, "O" Ring Back-up	2	
10	9	, ,	201 14	15 M1	"O" Ring, Piston, Inner	1	
11 835 130 M1 "O" Ring, Bearing, Outer. 1 12 1 881 527 M1 Ring, "O" Ring Back-up. 1 13 851 145 M1 "O" Ring, Bearing, Inner. 1 14 1 024 945 M1 Ring, "O" Ring Back-up. 1 15 835 061 M1 Seal, Oil, Bearing Retaining. 1 16 1 752 141 M1 Ring, Snap, Bearing Retaining. 1 17 1 752 166 M1 Plate, Bearing Cover. 1 18 353 981 X1 Screw, Plate (#10 - 24 x 1-1/2" Rd. Hd.) 2 2 353 445 X1 Washer (#10 Lock) 2 2 1 754 952 M1 Yoke, Cylinder. 1 2 353 988 X1 Screw, Sleeve (1/4 - 20 x 1/2" Rd. Hd.) 3 2 353 441 X1 Washer (1/4" Lock) 3 3 441 X1 Washer (1/4" Lock) 3 4 441 X1 Washer (1/4" Lock) 3 4 441 X1 Washer (1/4" Lock) 3 4 441 X1 Washer (1/4" Loc	10	1 ;	009 4	32 M1	Nut, Piston Retaining	1	
12   18 81 527 M1   Ring, Bearing, Outer.   1   18 81 527 M1   Ring, "O" Ring Back-up.   1   1   1   1   1   1   1   1   1		1	754 9	53 Ml			
13	_		835 1	30 MI	"O" Ring, Bearing, Outer	1	
1		1 8	881 5	27 M1	Ring. "O" Ring Bock-up	1	
1		1	851 1	45 M1	"O" Ring, Bearing Innov	1	
16		1 (	024 9	45 M1	Ring. "O" Ring Rock-up	1	
1		1	835 0	61 M1			
1		1	752 1	41 M1			
18		1	752 1	66 M1			
19			353 9	81 X1			
20							
21	20					_	
22	21					_	
23 1 024 583 M91 Stop, Cylinder	22		353 4	41 VI			
Ring, Cylinder Head (Order 1024 583 M91). 1  30     185 973 M1	23					_	
30	24	•	024 J	03 M9	orapi ojiznaci i i i i i i i i i i i i i i i i i i	_	
1   1   752   532   M91					Ring, Cylinder Head (Order 1024 583 M91)	1	
31       1 752 532 M91       Linch Pin Assembly       2         32       185 871 M91       Hose Assembly (118")       1         33       831 452 M1       "O" Ring, Hose (at Elbow) (15/32 x 5/8 x 5/64")       1         34       831 497 M1       "O" Ring, Hose (21/32 x 13/16 x 5/64")       1         35       185 869 M91       Hose Assembly (128")       1         36       831 452 M1       "O" Ring (at Elbow) (15/32 x 5/8 x 5/64")       1			185 9	73 M1	Din Hudraulia Cultudan Batataina	2	
32 185 871 M91 Hose Assembly (118")	31						
33 831 452 M1 "O" Ring, Hose (at Elbow) (15/32 x 5/8 x 5/64")	32				22.00 FAIL ASSUMDLY		
34 831 497 M1 "O" Ring, Hose (21/32 x 13/16 x 5/64")	33				none nodembry (110 /	_	
35 185 869 M91 Hose Assembly (128")	34						
36 831 452 M1 "O" Ring (at Elbow) (15/32 x 5/8 x 5/64")	35					1	
27 ALIN (AL BIBOW) (10/32 A 0/0 A 0/04 )	36					1	
	37					1	

Note: Whole Goods Number 677 225 Includes all items listed on this page.



693 063 M4 (Issue 1) 9/70

#### (AERO QUIP)

#### (SEE NOTE A)

		- Da r	t No			No	. Regulred
	7	- 1		_	Description		al Single
1	651.4	185	877	M91	Coupling Assembly, Dual	1	
3.	1	754	038 791	M91	Coupling Assembly, Single		1
34	200	754	791	M91	Coupling Assembly (Female Half)	2	î
. 3		754	793	Ml	Ring, Body Retaining	1	
. 6	200-1	754	793	M1	Guide, Poppet	î	i
2.7	natica	754	794	M1	Spring, Poppet	1	1
8		754	795	M91	Valve Assembly, Poppet	1	î
9	Vida no	754	796	MI	Sleeve, Ball Release	1	1
10	200	134	797	M1	Spring, Valve	,	i
111	Children's	754	833	Ml	Ring, "O" Ring Back-up	,	1
. 12	1 3 1	195	632	Ml	"O" Ring	1	1
13	31-31,39	361	023	X1	Ball, Steel	7	8
	(0)	754	799	Ml	Ring, Ball Retaining	1	1
15		754	800	M91	Coupling Assembly (Male Half)	1	
16		754	792	Ml	Ring, Body Retaining	2	1
17	100	754	793	Ml	Guide Ponnet	1	1
18	1	754	794	Ml	Guide, Poppet	1	_
19	. 1	754	795	M91	Spring, Poppet	1	1
20	1	754	502	M1	Valve Assembly, Poppet	1	1
21	1	754	500	M1	Frame, Coupling Mounting	2	2
	1	754	501	M1	Sleeve, Coupling	2	1
23			879		Ring, Snap, Sleeve Retaining Plug Assembly, Dust (Female Coupling)	2	1
		186	218	M91	Plug Assembly, Dust (Male Coupling)	2	1
3.5					describity, bust (mate coupling)	2	1
26	20	185	972	M2	Bracket, Coupler Mounting		
27	6.5	185	999	M91	Hose Assembly (28")	1	1
28		831	497	M1	"O" Ring, Hose (21/32 x 13/16 x 5/64")	1	-
29	1-2	186	001	M91	Hose Assembly (22 1/22 x 13/16 x 5/64")	1	
30			497		Hose Assembly (23-1/2")"O" Ring, Hose (21/32 x 13/16 x 5/64")	1	1
31			575		Rolt (7/16 v 3" NE How )	1	1
32			432		Bolt (7/16 x 3" NF, Hex.)	1	1,
33			426		Washer (7/16" Lock)	1	1
34			408		Nut (7/16" NF, Hex.)	1	1
35	S		497		Adapter Assembly, Hose (for Hose w/1/2" - 14 Threads)	2	2
34			410		"O" Ring, Adapter	1	1
35			497		Adapter Assembly, Hose (for Hose w/3/8" - 18 Threads) "O" Ring, Adapter	1	2 1
					AND THE PARTY OF THE PARTY OF THE PARTY METERS AND THE	Ī	
7.					(CHAR LYNN)		
					(SEE NOTE B)		
38	515			M91	Coupler Assembly, Breakaway	-	1
39			506		"O" Ring, Barrel		2
40		7	509		Seal, "O" Ring Retainer	-	2
41			3 510		Seal, Waffer (in Slide)	-	2
42	14 mm		3 506		Pin, Stop Slide		1
43	41		3 504		Wiper (Synthetic)		1
44			3 505		Wiper (Felt)	-	1
45			3 500		Spring, Latch	_	1
46			3 508		Lock, Latch Spring		1
47	1		3 507		Latch, Lock		1
48			3 501		Clamp, Latch Spring		1
49	2 3	1 75	3 502	S WI	Screw, Clamp		1
7.5					W		
53				0 M91	Hose Assembly (40")		1
54				9 M91	Hose Assembly (92")		1
5 55			9 026		Clamp, Hose	-	1
56			3 540		Bolt, Clamp (3/8 x 1-1/4" NF, Hex.)		1
57				7 X91	Elbow (in Cylinder)(90°)		. 1
58	0.6		7 19		Nut, Elbow (9/16" NF, Half Hex.)		. 1
53			1 45		"O" Ring, Elbow		. 1
. 60	10	35	6 36	U X1	Elbow (90°)	-	. 1
54	otus! (A				Number 677 258 (Single Coupling) and 677 232 (Dual Coupling) Incl	lude	s
1		. h			listed under Aero Quip Couplings.		
. 4					Number 677 163 Includes all items listed under Char Lynn Coupling	5 •	
					s order (1) 1039 244 M91 Coupling Assembly.		
The same	Sa CI	)) -	For	repaire	s order (1) 1026 347 M91 Coupling Assembly.		

